

Technical data sheet

KRONES colclean EV 60**Cold cleaner and degreaser for universal application****Product description and application**

KRONES colclean EV 60 is a cold cleaner and degreaser based on mineral oils. It removes oils, greases, resin, wax and hotmelt residues. KRONES colclean EV 60 is used for surface cleaning of machinery, application devices, equipment and parts.

Apply KRONES-colclean EV 60 undiluted with lint-free cloths. Allow to act up to thirty minutes. Do not apply on hot surfaces. For industrial use only.

Operating conditions

Concentration:	ready to use
Dosing:	given
Temperature:	cold to 40°C
Contact time:	5min to 30min

Concentration check

obsolete

Physical data

Form/colour/smell:	liquid, colourless, characteristic
Density:	approx. 0.784 g/cm ³
Flash point:	>62°C (DIN 51755)

Material compatibility

Compatible in the working concentration with all common materials in food industry like: Stainless steel, glass, PET, PE, PP, PVC, PVDF, PTFE, Viton, EPDM.

At the same time, however, the possibility of material incompatibilities cannot be completely ruled out. We recommend to carry out appropriate tests in case of uncertainty.

Storage/ Shelf life

The product should be stored sealed in the original container in a cool, well ventilated place. Minimum shelf life: 3 years.

Classification

Please refer to the corresponding safety data sheet for details on:

Hazardous Information
Transport Regulations
Safety Regulations

Disposal

Recycling of packaging only fully emptied and closed.

Any product residues must be disposed of in accordance with local regulations. For further information, please refer to our safety data sheet.

Further information

Contains: aliphatic hydrocarbons, C10-C13, isoalcanes, cyclic, <2% aromatic hydrocarbons
Ingredients according to EC regulation 648/2004
>=30% aliphatic hydrocarbons

See EC safety data sheet

Special instructions

Rinse with sufficient amount of drinking water, to avoid any residues on surfaces, which could come into contact with foodstuff.

This version of the technical data sheet supersedes all previous versions, which thereby become invalid.

All information and recommendations are based to the best of our knowledge on the latest state of the art in technology and our experience and do not constitute a contractual relationship. All references to DIN standards are for product description purposes only and do not constitute a guarantee.

Processing and material quantities need to be adjusted to account for local conditions. In the event of problems, please seek technical advice. Subject to changes.