Trade name: KRONES celerol LU 7602

Current version: 1.0.3. issued: 02.02.2023 Replaced version: 1.0.2. issued: 23.03.2020 Region: GB

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **Product identifier**

Trade name

#### **KRONES celerol LU 7602**

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

Lubricant

Uses advised against

No data available.

#### Details of the supplier of the safety data sheet 1.3

KIC KRONES Internationale Cooperationsgesellschaft mbH

Böhmerwaldstraße 5 93073 Neutraubling

Telephone no. +49 9401 70-3020 kic@kic-krones.com

#### **Advice on Safety Data Sheet**

sdb info@umco.de

#### **Emergency telephone number**

For medical advice (in German and English):

+49 (0)551 192 40 (Giftinformationszentrum Nord)

In case of transport incidents and other emergencies:

+44 (0) 1235 239 670 (NCEC, National Chemical Emergency Centre)

### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

#### Classification in accordance with Regulation (EC) No 1272/2008 (CLP)

Aquatic Chronic 3; H412

#### **Classification information**

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC)

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

#### 2.2 Label elements

#### Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)

Hazard pictograms

Signal word

#### Hazard statement(s)

Harmful to aquatic life with long lasting effects. H412

Precautionary statement(s)

P273 Avoid release to the environment.

P501 Dispose of contents/container to a facility in accordance with local and national

regulations.

#### 2.3 Other hazards

PBT assessment

Trade name: KRONES celerol LU 7602

Current version: 1.0.3, issued: 02.02.2023 Replaced version: 1.0.2, issued: 23.03.2020 Region: GB

The product is not considered to be a PBT.

vPvB assessment

The product is not considered to be a vPvB.

### **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Not applicable. The product is not a substance.

#### 3.2 Mixtures

**Hazardous ingredients** 

No	Substance name		Additio	nal information	
	CAS / EC / Index /	Classification (EC) 1272/2008 (CLP)	Concer	ntration	%
	REACH no				
1	White mineral oil (p	petroleum)			
	8042-47-5	Asp. Tox. 1; H304	>=	5.00 - < 10.00	wt%
	232-455-8				
	-				
	01-2119487078-27				
2	(Z)-N-methyl-N-(1-o	xo-9-octadecenyl)glycine			
	110-25-8	Acute Tox. 4; H332	<	2.50	wt%
	203-749-3	Aquatic Acute 1; H400			
	-	Eye Dam. 1; H318			
	01-2119488991-20	Skin Irrit. 2; H315			
3	2,6-di-tert-butyl-p-c	resol			
	128-37-0	Aquatic Acute 1; H400	<	2.50	wt%
	204-881-4	Aquatic Chronic 1; H410			
	-				
	01-2119555270-46				
4		yl-2-imidazolin-1-yl)ethanol			
	95-38-5	Acute Tox. 4; H302	<	2.50	wt%
	202-414-9	Aquatic Acute 1; H400			
	-	Skin Corr. 1B; H314			
	-	Aquatic Chronic 1; H410			
		STOT RE 2; H373			
	<u> </u>	Eye Dam. 1; H318			

Full Text for all H-phrases and EUH-phrases: pls. see section 16

No	Note	Specific concentration limits	M-factor (acute)	M-factor (chronic)
4	-	-	M = 10	-

Acu	Acute toxicity estimate (ATE) values					
No	oral	dermal	inhalative			
2			1,05 mg/l			

## **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

#### **General information**

Remove contaminated clothing and shoes immediately, and launder thoroughly before reusing. In case of persisting adverse effects, consult a physician.

#### After inhalation

Remove affected persons from dangerous area by observing suitable respiratory protection measures. Ensure supply of fresh air. Irregular breathing/no breathing: artificial respiration. In case of persisting adverse effects consult a physician.

#### After skin contact

When in contact with the skin, clean with soap and water. Consult a doctor if skin irritation persists.

#### After eye contact

Current version: 1.0.3, issued: 02.02.2023 Replaced version: 1.0.2, issued: 23.03.2020 Region: GB

Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the unaffected eye (at least 10 to 15 minutes). Get immediate ophthalmic treatment.

#### After ingestion

Rinse the mouth thoroughly with water. Do not induce vomiting. Never give anything by mouth to an unconscious person. Seek medical advice.

#### 4.2 Most important symptoms and effects, both acute and delayed

No data available.

#### 4.3 Indication of any immediate medical attention and special treatment needed

No data available.

#### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

#### Suitable extinguishing media

Water spray jet; Water mist; Alcohol-resistant foam; Dry chemical extinguisher; Carbon dioxide

#### Unsuitable extinguishing media

High power water jet

#### 5.2 Special hazards arising from the substance or mixture

In the event of fire, the following can be released: Carbon monoxide and carbon dioxide; Metal oxides; Nitrogen oxides (NOx)

#### 5.3 Advice for firefighters

Use self-contained breathing apparatus. Wear protective clothing. Do not inhale explosion and/or combustion byproducts.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

#### For non-emergency personnel

Refer to protective measures listed in sections 7 and 8. Remove persons to safety. Do not inhale dust.

#### For emergency responders

Personal protective equipment (PPE) - see section 8.

#### 6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater. In case of entry into waterways, soil or drains, inform the responsible authorities.

#### 6.3 Methods and material for containment and cleaning up

Collect mechanically. When collected, handle material as described under the section heading "Disposal considerations".

#### 6.4 Reference to other sections

Information regarding safe handling, see section 7. Information regarding personal protective measures, see section 8. Information regarding waste disposal, see section 13.

#### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

#### Advice on safe handling

Risks inherent to handling the product must be minimised by applying the appropriate protective and preventive measures. Working processes should - so far as possible, according to the state of the art - be designed to rule out bodily contact or the release of hazardous substances. Provide good ventilation at the work area (local exhaust ventilation, if necessary).

#### General protective and hygiene measures

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Do not inhale dust. Avoid contact with eyes and skin. Wash hands before breaks and after work. Remove contaminated clothing and shoes and launder thoroughly before reusing.

#### 7.2 Conditions for safe storage, including any incompatibilities

Trade name: KRONES celerol LU 7602

Current version: 1.0.3, issued: 02.02.2023 Replaced version: 1.0.2, issued: 23.03.2020 Region: GB

#### Technical measures and storage conditions

Keep container tightly closed and dry in a cool, well-ventilated place.

#### Requirements for storage rooms and vessels

Containers which are opened must be carefully closed and kept upright to prevent leakage. Always keep in containers of same material as the original.

#### Incompatible products

Substances to be avoided, see section 10.

#### 7.3 Specific end use(s)

No data available.

## **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### Occupational exposure limit values

No	Substance name	CAS no.		EC no.		
1	2,6-di-tert-butyl-p-cresol	128-37-0		204-881-4		
	List of approved workplace exposure limits (WELs) / EH40					
	2,6-Ditertiary-butyl-para-cresol					
	WEL long-term (8-hr TWA reference period)	10	mg/m³			

#### **DNEL, DMEL and PNEC values**

#### **DNEL** values (worker)

	DIALL Values (WOINEI)							
No	Substance name			CAS / EC n	0			
	Route of exposure	Exposure time	Effect	Value				
1	White mineral oil (petrole	um)		8042-47-5				
				232-455-8				
	dermal	Long term (chronic)	systemic	220	mg/kg/day			
	inhalative	Long term (chronic)	systemic	160	mg/m³			
2	(Z)-N-methyl-N-(1-oxo-9-o	ctadecenyl)glycine		110-25-8				
				203-749-3				
	dermal	Long term (chronic)	systemic	10	mg/kg/day			
	dermal	Short term (acut)	systemic	100	mg/kg/day			
	inhalative	Long term (chronic)	systemic	0.2	mg/m³			
	inhalative	Short term (acut)	systemic	18	mg/m³			
	inhalative	Long term (chronic)	local	0.01	mg/m³			
	inhalative	Short term (acut)	local	18	mg/m³			
3	2,6-di-tert-butyl-p-cresol			128-37-0				
				204-881-4				
	dermal	Long term (chronic)	systemic	0.5	mg/kg/day			
	inhalative	Long term (chronic)	systemic	1.76	mg/m³			

#### **DNEL** value (consumer)

No	Substance name			CAS / EC no	
	Route of exposure	Exposure time	Effect	Value	
1	White mineral oil (petrole	um)		8042-47-5	
				232-455-8	
	oral	Long term (chronic)	systemic	40	mg/kg/day
	dermal	Long term (chronic)	systemic	93	mg/kg/day
	inhalative	Long term (chronic)	systemic	35	mg/m³
2	(Z)-N-methyl-N-(1-oxo-9-octadecenyl)glycine			110-25-8	
				203-749-3	
	oral	Long term (chronic)	systemic	5	mg/kg/day
	oral	Short term (acut)	systemic	92	mg/kg/day
	dermal	Long term (chronic)	systemic	5	mg/kg/day
	dermal	Short term (acut)	systemic	50	mg/kg/day
	inhalative	Long term (chronic)	systemic	0.1	mg/m³
	inhalative	Short term (acut)	systemic	9	mg/m³
	inhalative	Long term (chronic)	local	5	μg/m³

Trade name: KRONES celerol LU 7602

Current version: 1.0.3, issued: 02.02.2023 Replaced version: 1.0.2, issued: 23.03.2020 Region: GB

	inhalative	Short term (acut)	local	9	mg/m³
3	2,6-di-tert-butyl-p-cresol			128-37-0	
				204-881-4	
	oral	Long term (chronic)	systemic	0.25	mg/kg/day
	dermal	Long term (chronic)	systemic	0.25	mg/kg/day
	inhalative	Long term (chronic)	systemic	0.435	mg/m³

#### **PNEC** values

No	Substance name		CAS / EC no	
	ecological compartment	Туре	Value	
1	(Z)-N-methyl-N-(1-oxo-9-octadecenyl)gl	ycine	110-25-8	
			203-749-3	
	water	fresh water	0.43	μg/L
	water	marine water	0.043	μg/L
	water	Aqua intermittent	4.3	μg/L
	sewage treatment plant	-	13	mg/L
2	2,6-di-tert-butyl-p-cresol		128-37-0	
			204-881-4	
	water	fresh water	0.199	μg/L
	water	marine water	0.02	μg/L
	water	Aqua intermittent	1.99	μg/L
	water	fresh water sediment	0.458	mg/kg dry
				weight
	water	marine water sediment	0.046	mg/kg dry
				weight
	soil	-	0.054	mg/kg dry
				weight
	sewage treatment plant	-	0.017	mg/L
	secondary poisoning	-	16.67	mg/kg food

#### 8.2 Exposure controls

#### Appropriate engineering controls

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and solvent vapour below the OEL (=Occupational Exposure Limit), suitable respiratory protection must be worn.

#### Personal protective equipment

#### Respiratory protection

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of dust formation, take appropriate measures for breathing protection in the event that workplace threshold values are not specified.

Respiratory filter (part):

#### Eye / face protection

Safety glasses with side protection shield (EN 166)

#### Hand protection

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific workstation suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

Appropriate Material nitrile rubber

#### Other

Chemical-resistant work clothes.

#### **Environmental exposure controls**

No data available.

### **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Trade name: KRONES celerol LU 7602

Current version: 1.0.3, issued: 02.02.2023 Reglaced version: 1.0.2, issued: 23.03.2020 Region: GB

State of aggregation solid

SUIIU

Form

paste

Colour

beige

Odour

characteristic

pH value

No data available

Boiling point / boiling range

No data available

Melting point/freezing point

No data available

**Decomposition temperature** 

No data available

Flash point

No data available

Ignition temperature

No data available

**Explosive properties** 

Product does not present an explosion hazard.

Flammability

No data available

Lower explosion limit

No data available

**Upper explosion limit** 

No data available

Vapour pressure

Value < 0.001 hPa Reference temperature < 0.001 o °C

Relative vapour density

No data available

Relative density

No data available

Density

Value 0.89 g/cm³ Reference temperature 20 °C

Solubility in water

Comments insoluble

Solubility

No data available

Part	Partition coefficient n-octanol/water (log value)						
No	Substance name	CAS n	0.	EC no.			
1	(Z)-N-methyl-N-(1-oxo-9-octadecenyl)gly	cine 110-25	-8	203-749-3			
log F	Pow	3.5	- 4.2				
Refe	erence temperature		20	°C			
with	reference to	pH 7					
Meth	nod	92/69/EEC, A.8					

Trade name: KRONES celerol LU 7602

Current version: 1.0.3, issued: 02.02.2023 Replaced version: 1.0.2, issued: 23.03.2020 Region: GB

Source	ECHA	
2 2,6-di-tert-butyl-p-cresol	128-37-0	204-881-4
log Pow		5.1
Source	ECHA	

Kinematic viscosity

No data available

Particle characteristics

No data available

#### 9.2 Other information

Other information

No data available.

## **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

Stable at ambient temperature.

#### 10.2 Chemical stability

Stable under recommended storage and handling conditions (See section 7).

#### 10.3 Possibility of hazardous reactions

Dangerous reactions are not to be expected when handling product according to its intended use.

#### 10.4 Conditions to avoid

None, if handled according to intended use.

## 10.5 Incompatible materials

None known.

#### 10.6 Hazardous decomposition products

No data available.

## **SECTION 11: Toxicological information**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acu	Acute oral toxicity						
No	Substance name		CAS no.		EC no.		
1	White mineral oil (petroleum)		8042-47-5		232-455-8		
LD5	0	>		5000	mg/kg bodyweight		
Spe	cies	rat					
Meth	nod	OECD 401					
Soul	rce	ECHA					
2	(Z)-N-methyl-N-(1-oxo-9-octadecenyl)gly	cine	110-25-8		203-749-3		
LD5	0	>		5000	mg/kg bodyweight		
Spe	cies	rat					
Meth	nod	OECD 401					
Soul	rce	ECHA					
3	2,6-di-tert-butyl-p-cresol		128-37-0		204-881-4		
LD5	0	>		2930	mg/kg bodyweight		
Spe	cies	rat					
Meth	nod	OECD 401					
Soul	rce	ECHA					

Acu	Acute dermal toxicity						
No	Substance name		CAS no.		EC no.		
1	White mineral oil (petroleum)		8042-47-5		232-455-8		
LD5	0	>		2000	mg/kg bodyweight		
Spe	cies	rabbit					
Meth	hod	OECD 402					
Sou	rce	ECHA					
2	2,6-di-tert-butyl-p-cresol		128-37-0		204-881-4		

Current version: 1.0.3, issued: 02.02.2023 Replaced version: 1.0.2, issued: 23.03.2020 Region: GB

LD50	>	2000	mg/kg bodyweight
Species	rat		
Method	OECD 402		
Source	ECHA		

Acu	Acute inhalational toxicity				
No	Substance name		CAS no.		EC no.
1	White mineral oil (petroleum)		8042-47-5		232-455-8
LC5	0	>		5	mg/l
Dura	ation of exposure			4	h
State	e of aggregation	mist			
Spec	cies	rat			
Meth	nod	OECD 403			
Soul	rce	ECHA			
2	(Z)-N-methyl-N-(1-oxo-9-octadecenyl)glyd	cine	110-25-8		203-749-3
LC5	0	1.05	-	1.8	mg/l
Dura	ation of exposure			4	h
State	e of aggregation	Dust/mist			
Spec	cies	rat			
Meth	nod	OECD 403			
Sour	rce	ECHA			

Skin	Skin corrosion/irritation				
No	Substance name		CAS no.	EC no.	
1	White mineral oil (petroleum)		8042-47-5	232-455-8	
Spec	cies	rabbit			
Meth	nod	OECD 404			
Soul	ce	ECHA			
Eval	uation	non-irritant			
2	(Z)-N-methyl-N-(1-oxo-9-octadecenyl)gly	cine	110-25-8	203-749-3	
Spec	cies	rabbit			
Meth	nod	OECD 404			
Sour	ce	ECHA			
Eval	uation	irritant			
3	2,6-di-tert-butyl-p-cresol		128-37-0	204-881-4	
Spec	cies	rabbit	•		Ī
Soul	ce	ECHA			
Eval	uation	non-irritant			

Seri	Serious eye damage/irritation				
No	Substance name		CAS no.	EC no.	
1	White mineral oil (petroleum)		8042-47-5	232-455-8	
Spe	cies	rabbit			
Meth	nod	OECD 405			
Sou	rce	ECHA			
Eval	uation	non-irritant			
2	(Z)-N-methyl-N-(1-oxo-9-octadecenyl)gly	cine	110-25-8	203-749-3	
Spe	cies	rabbit			
Sou	rce	ECHA			
Eval	uation	corrosive			
3	2,6-di-tert-butyl-p-cresol		128-37-0	204-881-4	
Spe	cies	rabbit			
Sou	rce	ECHA			
Eval	uation	non-irritant			

Res	Respiratory or skin sensitisation		
No	Substance name	CAS no.	EC no.
1	White mineral oil (petroleum)	8042-47-5	232-455-8
Rout	te of exposure	Skin	
Spec	cies	guinea pig	
Meth	nod	OECD 406	
Source		ECHA	
Evaluation		non-sensitizing	

Current version: 1.0.3, issued: 02.02.2023 Replaced version: 1.0.2, issued: 23.03.2020 Region: GB

2 (Z)-N-methyl-N-(1-oxo-9-octadecenyl)glyd	cine 110-25-8 203-749-3
Route of exposure	Skin
Species	guinea pig
Method	OECD 406
Source	ECHA
Evaluation	non-sensitizing

Geri	Germ cell mutagenicity			
No	Substance name	CAS no.	EC no.	
1	White mineral oil (petroleum)	8042-47-5	232-455-8	
Туре	e of examination	in vitro gene mutation study in mammalia	n cells	
Spe	cies	Mouse lymphoma cells		
Meth	nod	OECD 476		
Soul	ce	ECHA		
Eval	uation/classification	Based on available data, the classification	n criteria are not met.	
Туре	e of examination	in vitro gene mutation study in bacteria		
Spe	cies	Salmonella typhimurium		
Meth	nod	OECD 471		
Soul	ce	ECHA		
Eval	uation/classification	Based on available data, the classification	n criteria are not met.	
2	(Z)-N-methyl-N-(1-oxo-9-octadecenyl)gly	cine 110-25-8	203-749-3	
Туре	e of examination	Bacterial Reverse Mutation Test		
Spe	cies	S. typhimurium: TA97, TA98, TA 100, TA	. 102, TA 1535	
Method		OECD 471		
Soul	ce	ECHA		
Eval	uation/classification	Based on available data, the classification	n criteria are not met.	

Reproduction toxicity			
No Substance name	CAS no.	EC no.	
1 White mineral oil (petroleum)	8042-47-5	232-455-8	
Type of examination	Toxicity study		
Species	rat		
Method	OECD 415		
Source	ECHA		
Evaluation/classification	Based on available data, the classification	n criteria are not met.	
Type of examination	Prenatal Developmental Toxicity Study		
Species	rat		
Method	OECD 414		
Source	ECHA		
Evaluation/classification	Based on available data, the classification	n criteria are not met.	
2 (Z)-N-methyl-N-(1-oxo-9-octadecenyl)gly	cine 110-25-8	203-749-3	
Route of exposure	oral		
Type of examination	Reproduction/Developmental Toxicity Screen	eening Test	
Species	rat		
Method	OECD 421		
Source	ECHA		
Evaluation/classification	Based on available data, the classification	n criteria are not met.	

Card	Carcinogenicity		
No	Substance name	CAS no. EC no.	
1	White mineral oil (petroleum)	8042-47-5 232-455-8	
Rou	te of exposure	oral	
Туре	e of examination	Toxicity study	
Spe	cies	rat	
Meth	nod	OECD 453	
Source		ECHA	
Eval	uation/classification	Based on available data, the classification criteria are not met.	

STOT - single exposure	
No data available	

STC	T - repeated exposure		
No	Substance name	CAS no.	EC no.
1	White mineral oil (petroleum)	8042-47-5	232-455-8

Trade name: KRONES celerol LU 7602

Current version: 1.0.3, issued: 02.02.2023 Replaced version: 1.0.2, issued: 23.03.2020 Region: GB

Route of exposure	oral
Species	rat
Method	OECD 453
Source	ECHA
Evaluation/classification	Based on available data, the classification criteria are not met.
Route of exposure	inhalational
Species	rat
Method	OECD 412
Source	ECHA
Evaluation/classification	Based on available data, the classification criteria are not met.
Route of exposure	dermal
Species	rat
Method	OECD 411
Source	ECHA
Evaluation/classification	Based on available data, the classification criteria are not met.
2 (Z)-N-methyl-N-(1-oxo-9-octadecenyl)glyd	cine 110-25-8 203-749-3
Route of exposure	inhalational
Species	rat
Method	OECD 412
Source	ECHA
Evaluation/classification	Based on available data, the classification criteria are not met.

Aspiration hazard	
No data available	

#### 11.2 Information on other hazards

**Endocrine disrupting properties** 

No data available.

Other information

No data available.

## SECTION 12: Ecological information

#### 12.1 Toxicity

Toxi	Toxicity to fish (acute)				
No	Substance name		CAS no.		EC no.
1	White mineral oil (petroleum)		8042-47-5		232-455-8
LL50		>		10000	mg/l
Dura	tion of exposure			96	h
Spec		Leuciscus idu	IS		
Meth	nod	OECD 203			
Soul	ce	ECHA			
2	(Z)-N-methyl-N-(1-oxo-9-octadecenyl)glye	cine	110-25-8		203-749-3
LC5		>=		0.43	mg/l
Dura	tion of exposure			96	h
Spec	cies	Danio rerio			
Meth	nod	OECD 203			
Soul	ce	ECHA			
3	2,6-di-tert-butyl-p-cresol		128-37-0		204-881-4
LC5	0	>=		0.57	mg/l
Dura	tion of exposure			96	h
Spec	cies	Danio rerio			
Meth	nod	EG 84/449			
Soul	ce	ECHA			

## Toxicity to fish (chronic)

No data available

Toxi	Toxicity to Daphnia (acute)				
No	Substance name		CAS no.	EC no.	
1	White mineral oil (petroleum)		8042-47-5	232-455-8	
EL50	)	>	100	mg/l	

Current version: 1.0.3, issued: 02.02.2023 Replaced version: 1.0.2, issued: 23.03.2020 Region: GB

Duration of exposure		48	h	
Species	Daphnia magna			
Method	OECD 202			
Source	ECHA			ŀ
2 (Z)-N-methyl-N-(1-oxo-9-octadecenyl)glyd	cine 110-25-8		203-749-3	
EC50		0.43	mg/l	
Duration of exposure		48	ḧ	
Species	Daphnia magna			
Method	OECD 202			ŀ
Source	ECHA			
3 2,6-di-tert-butyl-p-cresol	128-37-0		204-881-4	
EC50		0.61	mg/l	
Duration of exposure		48	h	
Species	Daphnia magna			
Method	OECD 202			ŀ
Source	ECHA			

# Toxicity to Daphnia (chronic) No data available

Toxic	Toxicity to algae (acute)				
No	Substance name	CAS no.		EC no.	
1	(Z)-N-methyl-N-(1-oxo-9-octadecenyl)glyd	cine 110-25-8		203-749-3	
EC50	)		6.3	mg/l	
Dura	tion of exposure		72	h	
Spec	cies	Desmodesmus subspicatus			
Meth	od	OECD 201			
Sour	ce	ECHA			
2	2,6-di-tert-butyl-p-cresol	128-37-0		204-881-4	
EC50	)	>	0.4	mg/l	
Dura	tion of exposure		72	h	
Spec	ties	Desmodesmus subspicatus			
Meth	od	EU C.3			
Sour	ce	ECHA			

#### Toxicity to algae (chronic) No data available

Bac	Bacteria toxicity					
No	Substance name		CAS no.		EC no.	
1	(Z)-N-methyl-N-(1-oxo-9-octadecenyl)gly	cine	110-25-8		203-749-3	
EC5	0			1300	mg/l	
Dura	ation of exposure			3	h	
Meth	nod	OECD 209				
Soul	rce	ECHA				
2	2,6-di-tert-butyl-p-cresol		128-37-0		204-881-4	
EC5	0	>		10000	mg/l	
Dura	ation of exposure			3	h	
Spec	cies	activated slu	dge			
Soul	rce	ECHA				

12.2 Persistence and degradability

Biod	degradability			
No	Substance name	CAS no.		EC no.
1	White mineral oil (petroleum)	8042-47-5		232-455-8
Туре		aerobic biodegradation		
Valu	e		31	%
Dura	ation		28	day(s)
Meth	nod	OECD 301 F		•
Sou	rce	ECHA		
Eval	uation	potentially biodegradable		
2	(Z)-N-methyl-N-(1-oxo-9-octadecenyl)gly	cine 110-25-8		203-749-3
Туре		aerobic biodegradation		
Valu	e		85.2	%

Trade name: KRONES celerol LU 7602

Current version: 1.0.3, issued: 02.02.2023 Replaced version: 1.0.2, issued: 23.03.2020 Region: GB

Duration		28	day(s)
Method	OECD 301 B		· ,
Source	ECHA		
Evaluation	readily biodegradable		

12.3 Bioaccumulative potential

Part	Partition coefficient n-octanol/water (log value)			
No	Substance name	CAS no.		EC no.
1	(Z)-N-methyl-N-(1-oxo-9-octadecenyl)gly	cine 110-25-8		203-749-3
log F	Pow	3.5	- 4.2	
Refe	erence temperature		20	°C
with	reference to	pH 7		
Meth	nod	92/69/EEC, A.8		
Sour	rce	ECHA		
2	2,6-di-tert-butyl-p-cresol	128-37-0		204-881-4
log F	Pow		5.1	
Soul	rce	ECHA		

#### 12.4 Mobility in soil

No data available.

#### 12.5 Results of PBT and vPvB assessment

Results of PBT and vPvB assessment	
PBT assessment	The product is not considered to be a PBT.
vPvB assessment	The product is not considered to be a vPvB.

#### 12.6 Endocrine disrupting properties

No data available.

#### 12.7 Other adverse effects

No data available.

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

#### Product

Disposal of the product should be carried out in accordance with all applicable regulations following consultation with the responsible local authority and the disposal company in an authorised and suitable disposal facility. Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

#### **Packaging**

Residues must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.

### **SECTION 14: Transport information**

#### 14.1 Transport ADR/RID/ADN

The product is not subject to ADR/RID/ADN regulations.

#### 14.2 Transport IMDG

The product is not subject to IMDG regulations.

#### 14.3 Transport ICAO-TI / IATA

The product is not subject to ICAO-TI / IATA regulations.

#### 14.4 Other information

No data available.

#### 14.5 Environmental hazards

Information on environmental hazards, if relevant, please see 14.1 - 14.3.

#### 14.6 Special precautions for user

No data available.

Trade name: KRONES celerol LU 7602

Current version: 1.0.3, issued: 02.02.2023 Replaced version: 1.0.2, issued: 23.03.2020 Region: GB

#### 14.7 Maritime transport in bulk according to IMO instruments

Not relevant

#### **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulations

#### Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

#### REACH candidate list of substances of very high concern (SVHC) for authorisation

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

# Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances subject to restriction as listed in Annex XVII of the REACH regulation (EC) 1907/2006.

#### Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances

This product is not subject to Part 1 or 2 of Annex I.

#### Other regulations

Adhere to the national sanitary and occupational safety regulations when using this product.

#### 15.2 Chemical safety assessment

No data available.

#### **SECTION 16: Other information**

#### Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section.

# Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.
H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.
H318 Causes serious eye damage.

H332 Harmful if inhaled.

H373 May cause damage to organs through prolonged or repeated exposure

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

#### Creation of the safety data sheet

UMCO GmbH - D-21107 Hamburg, Georg-Wilhelm-Strasse 187, Tel.: +49(40)555 546 300, Fax: +49(40)555 546 357, e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Trade name: KRONES celerol LU 7602

Current version: 1.0.3, issued: 02.02.2023 Replaced version: 1.0.2, issued: 23.03.2020 Region: GB

Alterations/supplements:

Alterations to the previous edition are marked in the left-hand margin.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH. Prod-ID 760808