Trade name: KRONES colclean CG 1001

Current version: 3.0.1, issued: 08.06.2021 Replaced version: 3.0.0, issued: 14.12.2020 Region: GB

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

KRONES colclean CG 1001

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

Conveyor lubricant

Uses advised against

No data available.

1.3 Details of the supplier of the safety data sheet

Address

KIC KRONES Internationale Cooperationsgesellschaft mbH

Böhmerwaldstraße 5 93073 Neutraubling

Telephone no. +49 9401 70-3020 Fax no. +49 9401 70-3696 e-mail kic@kic-krones.com

Advice on Safety Data Sheet

sdb info@umco.de

1.4 Emergency telephone number

For medical advice (in German and English):

+49 (0)551 192 40 (Giftinformationszentrum Nord)

In case of transport incidents and other emergencies:

+44 (0) 1235 239 670 (NCEC, National Chemical Emergency Centre)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 (CLP)

Eye Dam. 1; H318

Classification information

Classification and labelling with respect to corrosivity and irritation to skin are based on toxicological studies performed on the product (mixture).

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)

Hazard pictograms



Signal word

Danger

Hazardous component(s) to be indicated on label:

(Z)-N-9-octadecenylpropane-1,3-diamine

Trade name: KRONES colclean CG 1001

Current version: 3.0.1, issued: 08.06.2021 Replaced version: 3.0.0, issued: 14.12.2020 Region: GB

propan-2-ol formic acid

Poly(oxy-1,2-ethanediyl), .alpha.-(carboxymethyl) -.omega.-(octyloxy)-(4-11 EO)

Hazard statement(s)

H318 Causes serious eye damage.

Precautionary statement(s)

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

2.3 Other hazards

No data available.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable. The product is not a substance.

3.2 Mixtures

Hazardous ingredients

No	Substance name		Additi	Additional information		
	CAS / EC / Index /	Classification (EC) 1272/2008 (CLP)	Conce	ntration	%	
	REACH no					
1	(Z)-N-9-octadeceny	/lpropane-1,3-diamine				
	7173-62-8	Acute Tox. 4; H302	>=	5.00 - < 10.00	wt%	
	230-528-9	Skin Corr. 1B; H314				
	-	Eye Dam. 1; H318				
	01-2119487002-46	STOT RE 1; H372				
		Aquatic Acute 1; H400				
		Aquatic Chronic 1; H410				
2	Alcohols, C16-18, o	ethoxylated				
	68439-49-6	Eye Irrit. 2; H319	<	2.50	wt%	
	500-212-8					
	_					
	_					
3	propan-2-ol					
	67-63-0	Eye Irrit. 2; H319	<	2.50	wt%	
	200-661-7	Flam. Liq. 2; H225				
	603-117-00-0	STOT SE 3; H336				
	01-2119457558-25					
4	formic acid		pls. re	fer to footnote (2)		
	64-18-6	Flam. Liq. 3; H226	<	2.50	wt%	
	200-579-1	Acute Tox. 4; H302				
	607-001-00-0	Skin Corr. 1A; H314				
	01-2119491174-37	Eye Dam. 1; H318				
		Acute Tox. 3; H331				
		EUH071				
5	Poly(oxy-1,2-ethan	ediyl), .alpha(carboxymethyl)omega				
	(octyloxy)-(4-11 EC	0)				
	53563-70-5	Eye Dam. 1; H318	<	2.50	wt%	
	-	Skin Irrit. 2; H315				
	-					
	-					
	ull Tayt for all Hinhrases and ELIH phrases; pls. see section 16					

Full Text for all H-phrases and EUH-phrases: pls. see section 16

(2) According to the latest state of knowledge and applying the criteria set out in annex I to Regulation (EC) No 1272/2008, the aforementioned classification is required. This classification goes beyond the classification set out in table 3, Annex VI to Regulation (CE) No 1272/2008.

No	Note	Specific concentration limits	M-factor	M-factor
			(acute)	(chronic)

Trade name: KRONES colclean CG 1001

Current version: 3.0.1, issued: 08.06.2021 Replaced version: 3.0.0, issued: 14.12.2020 Region: GB

1	-	-	M = 10	M = 1
4	В	Skin Irrit. 2; H315: C >= 2%		-
		Eye Irrit. 2; H319: C >= 2%		
		Eye Dam. 1; H318: C >= 10%		
		Skin Corr. 1B; H314: C >= 10%		
		Eye Dam. 1; H318: C >= 90%		
		Skin Corr. 1A; H314: C >= 90%		

Full text for the notes: pls. see section 16 "Notes relating to the identification, classification and labelling of substances ((EC) No 1272/2008, Annex VI)".

Acu	Acute toxicity estimate (ATE) values					
No	oral	dermal	inhalative			
1	500 mg/kg bodyweight					
4	730 mg/kg bodyweight					

3.3 Other information

Neutralization product from (Z)-N-9-octadecenylpropane-1,3-diamine with formic acid: This substance ia a completely dissociated ion mixture.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Remove contaminated clothing and shoes immediately, and launder thoroughly before reusing.

After inhalation

Remove affected persons from dangerous area by observing suitable respiratory protection measures. Ensure supply of fresh air. In case of persisting adverse effects consult a physician.

After skin contact

In case of contact with skin wash off with water. Consult a doctor if skin irritation persists.

After eye contact

Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the unaffected eye (at least 10 to 15 minutes). Get immediate ophthalmic treatment.

After ingestion

Rinse the mouth thoroughly with water. Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms

burns

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Foam; Extinguishing powder; Water spray jet; Carbon dioxide

Unsuitable extinguishing media

High power water jet

5.2 Special hazards arising from the substance or mixture

In the event of fire, the following can be released: Toxic gases/vapours

5.3 Advice for firefighters

Use self-contained breathing apparatus. Wear protective clothing. Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations. Do not allow run-off from fire fighting to enter drains or water courses.

Trade name: KRONES colclean CG 1001

Current version: 3.0.1, issued: 08.06.2021 Reglaced version: 3.0.0, issued: 14.12.2020 Region: GB

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Refer to protective measures listed in sections 7 and 8. Ensure adequate ventilation. High risk of slipping due to leakage/spillage of product.

For emergency responders

Personal protective equipment (PPE) - see section 8.

6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil. Prevent spread over a wide area (e.g. by containment or oil barriers).

6.3 Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regulations (see section 13).

6.4 Reference to other sections

Information regarding safe handling, see section 7. Information regarding personal protective measures, see section 8. Information regarding waste disposal, see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Risks inherent to handling the product must be minimised by applying the appropriate protective and preventive measures. Working processes should - so far as possible, according to the state of the art - be designed to rule out bodily contact or the release of hazardous substances. Provide good ventilation at the work area (local exhaust ventilation, if necessary).

General protective and hygiene measures

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Do not inhale vapours. Avoid contact with eyes and skin. Wash hands before breaks and after work. Remove contaminated clothing and shoes and launder thoroughly before reusing. Provide eye wash fountain in work area.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions

Keep container tightly closed and dry in a cool, well-ventilated place.

Requirements for storage rooms and vessels

Containers which are opened must be carefully closed and kept upright to prevent leakage. Always keep in containers of same material as the original.

Incompatible products

Substances to be avoided, see section 10.

7.3 Specific end use(s)

No data available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values

No	Substance name	CAS no.		EC no.	
1	propan-2-ol	67-63-0		200-661-7	
	List of approved workplace exposure limits (WEL	s) / EH40			
	Propan-2-ol				
	WEL short-term (15 min reference period)	1250	mg/m³	500	ppm
	WEL long-term (8-hr TWA reference period)	999	mg/m³	400	ppm
2	formic acid	64-18-6		200-579-1	
	2006/15/EC				

Current version: 3.0.1, issued: 08.06.2021 Replaced version: 3.0.0, issued: 14.12.2020 Region: GB

Formic acid					
WEL long-term (8-hr TWA reference period)	9	mg/m³	5	ppm	
List of approved workplace exposure limits (WELs) / EH40					
Formic acid					
WEL long-term (8-hr TWA reference period)	9.6	mg/m³	5	ppm	

DNEL, DMEL and PNEC values

DNEL values (worker)

No	Substance name			CAS / EC no	
	Route of exposure	Exposure time	Effect	Value	
1	(Z)-N-9-octadecenylpropa	ne-1,3-diamine		7173-62-8	
				230-528-9	
	dermal	Long term (chronic)	systemic	5.6	μg/kg bw/day
	inhalative	Long term (chronic)	systemic	39.5	μg/m³
2	propan-2-ol			67-63-0	
				200-661-7	
	dermal	Long term (chronic)	systemic	888	mg/kg/day
	inhalative	Long term (chronic)	systemic	500	mg/m³
3	formic acid			64-18-6	
				200-579-1	
	inhalative	Long term (chronic)	local	9.5	mg/m³
	inhalative	Short term (acut)	systemic	19	mg/m³

DNEL value (consumer)

No	Substance name			CAS / EC r	10
	Route of exposure	Exposure time	Effect	Value	
1	(Z)-N-9-octadecenylpro	pane-1,3-diamine		7173-62-8	
				230-528-9	
	oral	Long term (chronic)	systemic	2	μg/kg bw/day
	dermal	Long term (chronic)	systemic	2	μg/kg bw/day
	inhalative	Long term (chronic)	systemic	6.96	μg/m³
2	propan-2-ol			67-63-0	
				200-661-7	
	oral	Long term (chronic)	systemic	26	mg/kg/day
	dermal	Long term (chronic)	systemic	319	mg/kg/day
	inhalative	Long term (chronic)	systemic	89	mg/m³
3	formic acid			64-18-6	
				200-579-1	
	inhalative	Long term (chronic)	local	3	mg/m³
	inhalative	Short term (acut)	systemic	9.5	mg/m³

PNEC values

No	Substance name		CAS / EC	no
	ecological compartment	Туре	Value	
1	propan-2-ol		67-63-0	
			200-661-7	
	water	fresh water	140.9	mg/L
	water	Aqua intermittent	140.9	mg/L
	water	marine water	140.9	mg/L
	water	fresh water sediment	552	mg/L
	water	marine water sediment	552	mg/L
	soil	-	28	mg/kg
	sewage treatment plant	-	2251	mg/L
	secondary poisoning	-	160	mg/kg
	with reference to: food			
2	formic acid		64-18-6	
			200-579-1	
	water	fresh water	2	mg/L
	water	marine water	0.2	mg/L
	water	Aqua intermittent	1	mg/L

Current version : 3.0.1, issued: 08.06.2021 **Replaced version:** 3.0.0, issued: 14.12.2020 **Region:** GB

water	fresh water sediment	13.4	mg/kg dry weight
water	marine water sediment	1.34	mg/kg dry weight
soil	-	1.5	mg/kg dry weight
sewage treatment plant	-	7.2	mg/L

8.2 Exposure controls

Appropriate engineering controls

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and solvent vapour below the OEL (=Occupational Exposure Limit), suitable respiratory protection must be worn.

Personal protective equipment

Respiratory protection

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of aerosol and mist formation, take appropriate measures for breathing protection in the event workplace threshold values are not specified.

Eye / face protection

Safety glasses with side protection shield (EN 166)

Hand protection

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific workstation suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

Other

Chemical-resistant work clothes.

Environmental exposure controls

No data available.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

State of aggregation				
liquid				
Form/Colour				
liquid				
yellowish				
Odour				
characteristic				
pH value				
Value	4	- 6		
Boiling point / boiling range				
Value	appr.	100	°C	
Melting point/freezing point				
Value	appr.	0	°C	
Decomposition temperature				
No data available				
Flash point				
No data available				

Current version: 3.0.1, issued: 08.06.2021 Replaced version: 3.0.0, issued: 14.12.2020 Region: GB

No data available

Oxidising properties

not oxidizing

Flammability

No data available

Lower explosion limit

No data available

Upper explosion limit

No data available

Vapour pressure

No data available

Relative vapour density

No data available

Relative density

Value 0.98

Density

No data available

Solubility in water

Comments completely soluble

Solubility

No data available

Partition coefficient n-octanol/water (log value	ue)				
No Substance name		CAS no.		EC no.	
1 (Z)-N-9-octadecenylpropane-1,3-diamine)	7173-62-8		230-528-9	
log Pow			0.03		
Reference temperature			25.7	°C	
Method	OECD 123				
Source	ECHA				
2 propan-2-ol		67-63-0		200-661-7	
log Pow			0.05		
Reference temperature			25	°C	
Source	ECHA				
3 formic acid		64-18-6		200-579-1	
log Pow			-2.1		
Reference temperature			23	°C	
Method	92/69/EEC, A	1.8			
Source	ECHA				

Viscosity

No data available

Particle characteristics

No data available

9.2 Other information

Other information

No data available.

SECTION 10: Stability and reactivity

10.1 Reactivity

Dangerous reactions are not expected if the product is handled according to its intended use.

10.2 Chemical stability

Stable under recommended storage and handling conditions (See section 7).

Trade name: KRONES colclean CG 1001

Current version: 3.0.1, issued: 08.06.2021 Replaced version: 3.0.0, issued: 14.12.2020 Region: GB

10.3 Possibility of hazardous reactions

Dangerous reactions are not to be expected when handling product according to its intended use.

10.4 Conditions to avoid

None, if handled according to intended use.

10.5 Incompatible materials

None known.

10.6 Hazardous decomposition products

None, if handled according to intended use.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity (result of the ATE calculation for the mixture)					
No	Product Name	Product Name			
1	KRONES colclean CG 1001	KRONES colclean CG 1001			
Com	nments	The result of the applied calculation method according to the European Regulation (EC) 1272/2008 (CLP), Paragraph 3.1.3.6, Part 3 of Annex I is outside the values that imply a classification / labelling of this mixture according to table 3.1.1 defining the respective categories (ATE oral > 2000 mg/kg).			

Acu	Acute oral toxicity				
No	Substance name		CAS no.		EC no.
1	(Z)-N-9-octadecenylpropane-1,3-diamine	•	7173-62-8		230-528-9
LD5	0			500	mg/kg bodyweight
Spec	cies	rat			
Meth	nod	OECD 423			
Soul	rce	ECHA			
2	propan-2-ol		67-63-0		200-661-7
LD5	0			5840	mg/kg bodyweight
Spec	cies	rat			
Meth	nod	OECD 401			
Soul	rce	ECHA			
Eval	uation/classification	Based on ava	ailable data, the	classification	n criteria are not met.
3	formic acid		64-18-6		200-579-1
LD5	0			730	mg/kg bodyweight
Spec	cies	rat			
Meth	nod	OECD 401			
Soul	rce	ECHA			

Acute dermal toxicity No data available

Acu	Acute inhalational toxicity (result of the ATE calculation for the mixture)				
No	Product Name				
1	KRONES colclean CG 1001				
Comments		The result of the applied calculation method according to the			
	European Regulation (EC) 1272/2008 (CLP), Paragraph 3.1				
		Part 3 of Annex I is outside the values that imply a classification /			
		labelling of this mixture according to table 3.1.1 defining the			
respective categories (ATE for inhalation: > 20.000 ppmV (g		respective categories (ATE for inhalation: > 20.000 ppmV (gases), >			
20 mg/l (vapours), > 5 mg/l (dusts/mists).		20 mg/l (vapours), > 5 mg/l (dusts/mists).			

Acute	Acute inhalational toxicity				
No S	Substance name		CAS no.		EC no.
1	propan-2-ol		67-63-0		200-661-7
LC50		>		10000	ppmV
Duration of exposure				6	h
State	State of aggregation				

Current version: 3.0.1, issued: 08.06.2021 Replaced version: 3.0.0, issued: 14.12.2020 Region: GB

Species Method Source	rat OECD 403 ECHA		
Evaluation/classification	Based on available data, the classification criteria are not me	et.	
2 formic acid	64-18-6 200-579-1		
LC50	7.85 mg/l		
Duration of exposure	4 h		
State of aggregation	Vapour		
Species	rat		
Method	OECD 403		
Source	ECHA		

Skir	Skin corrosion/irritation			
No	Product Name			
1	KRONES colclean CG 1001			
Comments pH: 4 - 6		pH: 4 - 6		
Eval	uation	non-irritant		

Seri	Serious eye damage/irritation					
No	Substance name	CAS no.	EC no.			
1	propan-2-ol	67-63-0	200-661-7			
Spe	cies	rabbit				
Metl	nod	OECD 405				
Sou	ce	ECHA				
Evaluation		irritant				
Evaluation/classification		Based on available data, the class	ssification criteria are met.			

Res	Respiratory or skin sensitisation				
No	Substance name	CAS no.	EC no.		
1	propan-2-ol	67-63-0	200-661-7		
Rout	te of exposure	Skin			
Spec	cies	guinea pig			
Meth	nod	OECD 406			
Source		ECHA			
Eval	uation	non-sensitizing			
Eval	uation/classification	Based on available data, the classification	n criteria are not met.		
2	formic acid	64-18-6	200-579-1		
Rout	te of exposure	Skin			
Spec	cies	guinea pig			
Method		OECD 406			
Source		ECHA			
Eval	uation	non-sensitizing			

Geri	Germ cell mutagenicity				
No	Substance name	CAS no.	EC no.		
1	(Z)-N-9-octadecenylpropane-1,3-diamine	7173-62-8	230-528-9		
Spec	cies	Salmonella typhimurium: TA 1535, TA 1	1537, TA 98, TA 100;		
		Escherichia coli WP2 uvrA			
Meth	nod	OECD 471			
Soul	rce	ECHA			
Eval	uation/classification	Based on available data, the classification criteria are not met.			
2	propan-2-ol	67-63-0	200-661-7		
Soul	rce	ECHA			
Eval	uation/classification	Based on available data, the classificat	ion criteria are not met.		
3	formic acid	64-18-6	200-579-1		
Soul	rce	ECHA			
Evaluation/classification		Based on available data, the classificat	ion criteria are not met.		

Rep	Reproduction toxicity				
No	Substance name		CAS no.	EC no.	
1	(Z)-N-9-octadecenylpropane-1,3-diamine	e	7173-62-8	230-528-9	
Type of examination		oral			

Current version: 3.0.1, issued: 08.06.2021 Replaced version: 3.0.0, issued: 14.12.2020 Region: GB

Spe	cies	rat	
Metl	nod	OECD 416	
Sou	rce	ECHA	
Evaluation/classification		Based on available data, the classification criteria are not met.	
2	formic acid	64-18-6 200-579-1	
Source		ECHA	
Evaluation/classification		Based on available data, the classification criteria are not met.	

Carcinogenicity	
No data available	

STOT - single exposure	
No data available	

STOT - repeated exposure						
No	Substance name		CAS no.		EC no.	
1	(Z)-N-9-octadecenylpropane-1,3-diamine)	7173-62-8		230-528-9	
Rou	te of exposure	oral				
Spe	cies	rat				
Metl	nod	OECD 408				
Sou	rce	ECHA				
Eval	uation/classification	Based on ava	ailable data, the	e classification	criteria are met.	
2	propan-2-ol		67-63-0		200-661-7	
Route of exposure		inhalational				
Sou	rce	ECHA				
Eval	uation/classification	Based on ava	ailable data, the	e classification	criteria are not me	et.
3	formic acid		64-18-6		200-579-1	
Rou	te of exposure	inhalational				
NOA	\EC			0.122	mg/l	
Dura	ation of exposure			13	week/s	
Spe	cies	rat				
Method		OECD 413				
Sou	rce	ECHA				
Eval	uation/classification	Based on ava	ailable data, the	e classification	criteria are met.	

Aspiration hazard	
No data available	

11.2 Information on other hazards

Endocrine disrupting properties

No data available.

Other information

No data available.

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish (acute)		
No Substance name	CAS no.	EC no.
1 propan-2-ol	67-63-0	200-661-7
LC50	9640	mg/l
Duration of exposure	96	h
Species	Pimephales promelas	
Method	OECD 203	
Source	ECHA	
2 formic acid	64-18-6	200-579-1
LC50	130	mg/l
Duration of exposure	96	h
Species	Danio rerio	
with reference to	CAS 540-69-2	
Method	OECD 203	

Toxicity to algae (chronic)

No data available

Bacteria toxicity

No Substance name

Trade name: KRONES colclean CG 1001

Current version: 3.0.1, issued: 08.06.2021 Replaced version: 3.0.0, issued: 14.12.2020 Region: GB

Sour	rce	ECHA				
	city to fish (chronic)					
No d	lata available					
	city to Daphnia (acute)					
No	Substance name		AS no.		EC no.	
1	(Z)-N-9-octadecenylpropane-1,3-diamine	71	73-62-8		230-52	8-9
EC5				290		μg/l
	ation of exposure			48		h
Spec		Daphnia magna				
Meth		OECD 211 ECHA				
Sour 2	propan-2-ol		'-63-0		200-66	17
EC5	• •	>	-03-0	10000		mg/l
	ation of exposure			24		h
Spec		Daphnia magna		27		"
Meth		OECD 202				
Sour		ECHA				
3	formic acid		-18-6		200-57	9-1
EC5				365		mg/l
	ation of exposure			48		h
Spec		Daphnia magna				
	reference to	CAS 540-69-2				
Meth		OECD 202				
Sour	ce	ECHA				
Toxi	city to Daphnia (chronic)					
	Substance name	CA	AS no.		EC no.	
1	(Z)-N-9-octadecenylpropane-1,3-diamine		73-62-8		230-52	
NOE	C.			100		μg/l
	tion of exposure			21		day(s)
Spec		Daphnia magna				
Meth		OECD 211				
Sour		ECHA				
2	formic acid		-18-6	100	200-57	
NOE		>=		100		mg/l
	ation of exposure	Donbaio massas		21		day(s)
Spec		Daphnia magna OECD 211				
Sour		ECHA				
		LOUIA				
	city to algae (acute)					
No	Substance name		AS no.		EC no.	
1	(Z)-N-9-octadecenylpropane-1,3-diamine		73-62-8		230-52	
EC5		320	-	1000		µg/l
	ation of exposure			72		h
Spec		Desmodesmus s	subspicatus			
Meth Sour		OECD 201				
	formic acid	ECHA 64	-18-6		200-57	Q_1
EC5		>	-10-0	1000		mg/l
	ation of exposure			72		h
Spec		Desmodesmus s	subspicatus	12		
with	reference to	CAS 590-29-4	Japopioatus			
Meth		OECD 201				
Sour		ECHA				
Jour						

CAS no.

EC no.

Current version : 3.0.1, issued: 08.06.2021 **Replaced version:** 3.0.0, issued: 14.12.2020 **Region:** GB

1 formic acid	64-18-6	200-579-1
NOEC	72	mg/l
Duration of exposure	13	day(s)
Species	activated sludge	
Method	92/69/EEC, C.3.	
Source	ECHA	

12.2 Persistence and degradability

Biod	legradability				
No	Substance name	CAS no.		EC no.	
1	propan-2-ol	67-63-0		200-661-7	
Туре)	BOD/COD			
Valu	e		53	%	
Duration			5	day(s)	
Soul	ce	ECHA			
Eval	uation	readily biodegradable			
2	formic acid	64-18-6		200-579-1	
Туре)	aerobic biodegradation			
Valu	e		100	%	
Dura	ation		14	day(s)	
Method		OECD 301 C			
Soul	ce	ECHA			
Eval	uation	readily biodegradable			

Abio	Abiotic Degration								
No	Substance name	CAS no.		EC no.					
1	formic acid	64-18-6		200-579-1					
Туре	e	Hydrolysis							
Half	-life		119	h					
рН١	/alue		7						
Refe	erence temperature		50	°C					
Method		440/2008/EC C.7.							
Sou	rce	ECHA							

12.3 Bioaccumulative potential

<u> </u>	Bloaccumulative potential								
Part	Partition coefficient n-octanol/water (log value)								
No	Substance name		CAS no.		EC no.				
1	(Z)-N-9-octadecenylpropane-1,3-diamine)	7173-62-8		230-528-9				
log F	Pow			0.03					
Refe	erence temperature			25.7	°C				
Meth	nod	OECD 123							
Soul	rce	ECHA							
2	propan-2-ol		67-63-0		200-661-7				
log F	Pow			0.05					
Refe	erence temperature			25	°C				
Soul	rce	ECHA							
3	formic acid		64-18-6		200-579-1				
log F	Pow			-2.1					
Refe	erence temperature			23	°C				
Meth	nod	92/69/EEC, /	4.8						
Sou	rce	ECHA							

12.4 Mobility in soil

	ii - mobility iii son								
Mob	Mobility in soil								
No	Substance name		CAS no.		EC no.				
1	formic acid		64-18-6		200-579-1				
log Koc		<		1.25					
Reference temperature				23	°C				
Method		OECD 121							
Sou	rce	ECHA							

Trade name: KRONES colclean CG 1001

Current version: 3.0.1, issued: 08.06.2021 Replaced version: 3.0.0, issued: 14.12.2020 Region: GB

12.5 Results of PBT and vPvB assessment

No data available

12.6 Endocrine disrupting properties

No data available.

12.7 Other adverse effects

No data available.

12.8 Other information

Other information

Do not discharge product unmonitored into the environment.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Disposal of the product should be carried out in accordance with all applicable regulations following consultation with the responsible local authority and the disposal company in an authorised and suitable disposal facility. Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

Packaging

Residues must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.

SECTION 14: Transport information

14.1 Transport ADR/RID/ADN

The product is not subject to ADR/RID/ADN regulations.

14.2 Transport IMDG

The product is not subject to IMDG regulations.

14.3 Transport ICAO-TI / IATA

The product is not subject to ICAO-TI / IATA regulations.

14.4 Other information

No data available.

14.5 Environmental hazards

Information on environmental hazards, if relevant, please see 14.1 - 14.3.

14.6 Special precautions for user

No data available.

14.7 Maritime transport in bulk according to IMO instruments

Not relevant

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulations

Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

REACH candidate list of substances of very high concern (SVHC) for authorisation

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject

Current version: 3.0.1, issued: 08.06.2021 Reglaced version: 3.0.0, issued: 14.12.2020 Region: GB

to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES

The product is considered being subject to REACH regulation (EC) 1907/2006 annex

No 3

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances

This product is not subject to Part 1 or 2 of Annex I.

Other regulations

Adhere to the national sanitary and occupational safety regulations when using this product.

15.2 Chemical safety assessment

No data available.

SECTION 16: Other information

Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section.

Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

EUH071 Corrosive to the respiratory tract.
H225 Highly flammable liquid and vapour.
H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H331 Toxic if inhaled.

H336 May cause drowsiness or dizziness.

H372 Causes damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

Notes relating to the identification, classification and labelling of substances and mixtures ((EC) No 1272/2008, Annex VI)

В

Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations. In Part 3 entries with Note B have a general designation of the following type: 'nitric acid ... %'. In this case the supplier must state the percentage concentration of the solution on the label. Unless otherwise stated, it is assumed that the percentage concentration is calculated on a weight/weight basis.

Creation of the safety data sheet

UMCO GmbH - D-21107 Hamburg, Georg-Wilhelm-Strasse 187, Tel.: +49(40)555 546 300, Fax: +49(40)555 546 357, e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Alterations/supplements:

Alterations to the previous edition are marked in the left-hand margin.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH.

Trade name: KRONES colclean CG 1001

Current version: 3.0.1, issued: 08.06.2021 Replaced version: 3.0.0, issued: 14.12.2020 Region: GB

Prod-ID 760595