Trade name: KRONES colclean CG 1011

Current version: 1.0.1, issued: 08.06.2021 Reglaced version: 1.0.0, issued: 29.05.2020 Region: GB

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

KRONES colclean CG 1011

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

Conveyor lubricant

Uses advised against

No data available.

1.3 Details of the supplier of the safety data sheet

Address

KIC KRONES Internationale Cooperationsgesellschaft mbH

Böhmerwaldstraße 5 93073 Neutraubling

Telephone no. +49 9401 70-3020 Fax no. +49 9401 70-3696 e-mail kic@kic-krones.com

Advice on Safety Data Sheet

sdb_info@umco.de

1.4 Emergency telephone number

For medical advice (in German and English):

+49 (0)551 192 40 (Giftinformationszentrum Nord)

In case of transport incidents and other emergencies:

+44 (0) 1235 239 670 (NCEC, National Chemical Emergency Centre)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 (CLP)

Eye Dam. 1; H318

Classification information

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)

Hazard pictograms



Signal word

Danger

Hazardous component(s) to be indicated on label:

(Z)-N-9-octadecenylpropane-1,3-diamine

Hazard statement(s)

H318 Causes serious eye damage.

Trade name: KRONES colclean CG 1011

Current version: 1.0.1, issued: 08.06.2021 Replaced version: 1.0.0, issued: 29.05.2020 Region: GB

Precautionary statement(s)

P280 Wear protective gloves/eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

2.3 Other hazards

No data available.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable. The product is not a substance.

3.2 Mixtures

Hazardous ingredients

No	Substance name			Additional information			
	CAS / EC / Index /	Classification (EC) 1272/2008 (CLP)	Conce	ntration	%		
	REACH no						
1	(Z)-N-9-octadeceny	/lpropane-1,3-diamine					
	7173-62-8	Acute Tox. 4; H302	>=	5.00 - < 10.00	wt%		
	230-528-9	Skin Corr. 1B; H314					
	-	Eye Dam. 1; H318					
	01-2119487002-46	STOT RE 1; H372					
		Aquatic Acute 1; H400					
		Aquatic Chronic 1; H410					
2	Alcohols, C16-18, e						
	68439-49-6	Eye Irrit. 2; H319	<	2.50	wt%		
	500-212-8						
	-						
	-						
3	propan-2-ol						
	67-63-0	Eye Irrit. 2; H319	<	2.50	wt%		
	200-661-7	Flam. Liq. 2; H225					
	603-117-00-0	STOT SE 3; H336					
	01-2119457558-25						
4	formic acid			er to footnote (2)			
	64-18-6	Flam. Liq. 3; H226	<	2.50	wt%		
	200-579-1	Acute Tox. 4; H302					
	607-001-00-0	Skin Corr. 1A; H314					
	01-2119491174-37	Eye Dam. 1; H318					
		Acute Tox. 3; H331					
		EUH071					
5		ediyl), .alpha(carboxymethyl)omega					
	(octyloxy)-(4-11 EC						
	53563-70-5	Eye Dam. 1; H318	<	2.50	wt%		
	-	Skin Irrit. 2; H315					
	-						
	-						

Full Text for all H-phrases and EUH-phrases: pls. see section 16

⁽²⁾ According to the latest state of knowledge and applying the criteria set out in annex I to Regulation (EC) No 1272/2008, the aforementioned classification is required. This classification goes beyond the classification set out in table 3, Annex VI to Regulation (CE) No 1272/2008.

No	Note	Specific concentration limits	M-factor	M-factor
			(acute)	(chronic)
1	-	-	M = 10	M = 1
4	В	Skin Irrit. 2; H315: C >= 2%	-	-
		Eye Irrit. 2; H319: C >= 2%		
		Eye Dam. 1; H318: C >= 10%		
		Skin Corr. 1B; H314: C >= 10%		

Trade name: KRONES colclean CG 1011

Current version: 1.0.1, issued: 08.06.2021 Replaced version: 1.0.0, issued: 29.05.2020 Region: GB

Eye Dam. 1; H318: C >= 90% Skin Corr. 1A; H314: C >= 90%		
---	--	--

Full text for the notes: pls. see section 16 "Notes relating to the identification, classification and labelling of substances ((EC) No 1272/2008, Annex VI)".

Acu	Acute toxicity estimate (ATE) values					
No	oral	dermal	inhalative			
1	500 mg/kg bodyweight					
4	730 mg/kg bodyweight					

3.3 Other information

Neutralization product from (Z)-N-9-octadecenylpropane-1,3-diamine with formic acid: This substance ia a completely dissociated ion mixture.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Remove contaminated clothing and shoes immediately, and launder thoroughly before reusing. In case of persisting adverse effects, consult a physician.

After inhalation

Remove affected persons from dangerous area by observing suitable respiratory protection measures. Ensure supply of fresh air. In case of persisting adverse effects consult a physician.

After skin contact

In case of contact with skin wash off with water. Consult a doctor if skin irritation persists.

After eye contact

Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the unaffected eye (at least 10 to 15 minutes). Get immediate ophthalmic treatment.

After ingestion

Rinse the mouth thoroughly with water. Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed

No data available.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Product itself is non-combustible; adapt fire extinguishing measures to surrounding areas.

Unsuitable extinguishing media

High power water jet

5.2 Special hazards arising from the substance or mixture

In the event of fire, the following can be released: Toxic gases/vapours

5.3 Advice for firefighters

Use self-contained breathing apparatus. Wear protective clothing. Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations. Do not allow run-off from fire fighting to enter drains or water courses.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Refer to protective measures listed in sections 7 and 8. Ensure adequate ventilation. High risk of slipping due to leakage/spillage of product.

Current version: 1.0.1, issued: 08.06.2021 Replaced version: 1.0.0, issued: 29.05.2020 Region: GB

For emergency responders

Personal protective equipment (PPE) - see section 8.

6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil.

6.3 Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regulations (see section 13).

6.4 Reference to other sections

Information regarding safe handling, see section 7. Information regarding personal protective measures, see section 8. Information regarding waste disposal, see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Risks inherent to handling the product must be minimised by applying the appropriate protective and preventive measures. Working processes should - so far as possible, according to the state of the art - be designed to rule out bodily contact or the release of hazardous substances. Provide good ventilation at the work area (local exhaust ventilation, if necessary).

General protective and hygiene measures

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Do not inhale vapours. Avoid contact with eyes and skin. Wash hands before breaks and after work. Remove contaminated clothing and shoes and launder thoroughly before reusing. Use barrier skin cream. Provide eye wash fountain in work area.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions

Keep container tightly closed and dry in a cool, well-ventilated place.

Requirements for storage rooms and vessels

Containers which are opened must be carefully closed and kept upright to prevent leakage. Always keep in containers of same material as the original.

Incompatible products

Substances to be avoided, see section 10.

7.3 Specific end use(s)

No data available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values

No	Substance name	CAS no.		EC no.		
1	propan-2-ol	67-63-0		200-661-7		
	List of approved workplace exposure limits (WELs) / EH40					
	Propan-2-ol					
	WEL short-term (15 min reference period)	1250	mg/m³	500	ppm	
	WEL long-term (8-hr TWA reference period)	999	mg/m³	400	ppm	
2	formic acid	64-18-6		200-579-1		
	2006/15/EC					
	Formic acid					
	WEL long-term (8-hr TWA reference period)	9	mg/m³	5	ppm	
	List of approved workplace exposure limits (WELs) / EH40					
	Formic acid					
	WEL long-term (8-hr TWA reference period)	9.6	mg/m³	5	ppm	

DNEL, DMEL and PNEC values

Current version: 1.0.1, issued: 08.06.2021 Replaced version: 1.0.0, issued: 29.05.2020 Region: GB

DNEL values (worker)

	DIVEL VAIAGO (WOINGI)				
No	Substance name			CAS / EC	no
	Route of exposure	Exposure time	Effect	Value	
1	(Z)-N-9-octadecenylpro	pane-1,3-diamine		7173-62-8	
				230-528-9)
	dermal	Long term (chronic)	systemic	5.6	μg/kg bw/day
	inhalative	Long term (chronic)	systemic	39.5	μg/m³
2	propan-2-ol			67-63-0	
				200-661-7	•
	dermal	Long term (chronic)	systemic	888	mg/kg/day
	inhalative	Long term (chronic)	systemic	500	mg/m³
3	formic acid			64-18-6	
				200-579-1	
	inhalative	Long term (chronic)	local	9.5	mg/m³
	inhalative	Short term (acut)	systemic	19	mg/m³

DNEL value (consumer)

No	Substance name			CAS / EC n	0
	Route of exposure	Exposure time	Effect	Value	
1	(Z)-N-9-octadecenylprop	pane-1,3-diamine		7173-62-8	
				230-528-9	
	oral	Long term (chronic)	systemic	2	μg/kg bw/day
	dermal	Long term (chronic)	systemic	2	μg/kg bw/day
	inhalative	Long term (chronic)	systemic	6.96	μg/m³
2	propan-2-ol			67-63-0	
				200-661-7	
	oral	Long term (chronic)	systemic	26	mg/kg/day
	dermal	Long term (chronic)	systemic	319	mg/kg/day
	inhalative	Long term (chronic)	systemic	89	mg/m³
3	formic acid			64-18-6	
				200-579-1	
	inhalative	Long term (chronic)	local	3	mg/m³
	inhalative	Short term (acut)	systemic	9.5	mg/m³

PNEC values

Na	FINE Values					
No	Substance name		CAS / EC no			
	ecological compartment	Type	Value			
1	propan-2-ol		67-63-0			
			200-661-7			
	water	fresh water	140.9	mg/L		
	water	Aqua intermittent	140.9	mg/L		
	water	marine water	140.9	mg/L		
	water	fresh water sediment	552	mg/L		
	water	marine water sediment	552	mg/L		
	soil	-	28	mg/kg		
	sewage treatment plant	-	2251	mg/L		
	secondary poisoning	-	160	mg/kg		
	with reference to: food					
2	formic acid		64-18-6			
			200-579-1			
	water	fresh water	2	mg/L		
	water	marine water	0.2	mg/L		
	water	Aqua intermittent	1	mg/L		
	water	fresh water sediment	13.4	mg/kg dry		
				weight		
	water	marine water sediment	1.34	mg/kg dry		
				weight		
	soil	-	1.5	mg/kg dry		
				weight		
	sewage treatment plant	-	7.2	mg/L		

Current version: 1.0.1, issued: 08.06.2021 Reglaced version: 1.0.0, issued: 29.05.2020 Region: GB

8.2 Exposure controls

Appropriate engineering controls

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and solvent vapour below the OEL (=Occupational Exposure Limit), suitable respiratory protection must be worn.

Personal protective equipment

Respiratory protection

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of aerosol and mist formation, take appropriate measures for breathing protection in the event workplace threshold values are not specified.

Eye / face protection

Safety glasses with side protection shield (EN 166)

Hand protection

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific workstation suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

Appropriate Material	butyl rubber		
Material thickness	>	0.11	mm
Breakthrough time	>	480	min
Appropriate Material	nitrile rubber		
Material thickness	>	0.11	mm
Breakthrough time	>	480	min
Appropriate Material	PVC		
Material thickness	>	0.11	
Breakthrough time	>	480	min

Other

Chemical-resistant work clothes.

Environmental exposure controls

No data available.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

State of aggregation						
liquid						
Form/Colour						
liquid						
yellow						
Odour						
characteristic						
pH value						
Value		4	- 6			
Boiling point / boiling range						
Value	арр	or.	100	°C		
Melting point/freezing point						
Value	арр	r.	0	°C		
Decomposition temperature						
No data available						
Flash point						
No data available						

Trade name: KRONES colclean CG 1011

Current version: 1.0.1, issued: 08.06.2021 Reglaced version: 1.0.0, issued: 29.05.2020 Region: GB

Ignition	tem	perature

No data available

Auto-ignition temperature

Comments Product is not selfigniting.

Oxidising properties

nο

Flammability

No data available

Lower explosion limit

No data available

Upper explosion limit

No data available

Vapour pressure

No data available

Relative vapour density

No data available

Relative density

Value 0.998

Density

No data available

Solubility in water

Comments Completely miscible

Solubility

No data available

Part	Partition coefficient n-octanol/water (log value)						
No	Substance name		CAS no.		EC no.		
1	(Z)-N-9-octadecenylpropane-1,3-diamine	•	7173-62-8		230-528-9		
log F	Pow			0.03			
Refe	erence temperature			25.7	°C		
Meth	nod	OECD 123					
Soul	rce	ECHA					
2	propan-2-ol		67-63-0		200-661-7		
log F	Pow			0.05			
Refe	erence temperature			25	°C		
Soul	rce	ECHA					
3	formic acid		64-18-6		200-579-1		
log F	Pow			-2.1			
Refe	erence temperature			23	°C		
Method		92/69/EEC, A	4.8				
Soul	rce	ECHA					

Viscosity

No data available

Particle characteristics

No data available

9.2 Other information

Other information

No data available.

SECTION 10: Stability and reactivity

Trade name: KRONES colclean CG 1011

Current version: 1.0.1, issued: 08.06.2021 Replaced version: 1.0.0, issued: 29.05.2020 Region: GB

10.1 Reactivity

Dangerous reactions are not expected if the product is handled according to its intended use.

10.2 Chemical stability

Stable under recommended storage and handling conditions (See section 7).

10.3 Possibility of hazardous reactions

Dangerous reactions are not to be expected when handling product according to its intended use.

10.4 Conditions to avoid

None, if handled according to intended use.

10.5 Incompatible materials

None known.

10.6 Hazardous decomposition products

None, if handled according to intended use.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acu	Acute oral toxicity (result of the ATE calculation for the mixture)			
No	Product Name	Product Name		
1	KRONES colclean CG 1011			
Com	nments	The result of the applied calculation method according to the European Regulation (EC) 1272/2008 (CLP), Paragraph 3.1.3.6, Part 3 of Annex I is outside the values that imply a classification / labelling of this mixture according to table 3.1.1 defining the respective categories (ATE oral > 2000 mg/kg).		

Acute oral toxicity				
No Substance name		CAS no.		EC no.
1 (Z)-N-9-octadecenylpropane-1,3-diamine)	7173-62-8		230-528-9
LD50			500	mg/kg bodyweight
Species	rat			
Method	OECD 423			
Source	ECHA			
2 propan-2-ol		67-63-0		200-661-7
LD50			5840	mg/kg bodyweight
Species	rat			
Method	OECD 401			
Source	ECHA			
Evaluation/classification	Based on av	ailable data, the	classification	n criteria are not met.
3 formic acid		64-18-6		200-579-1
LD50			730	mg/kg bodyweight
Species	rat			
Method	OECD 401			
Source	ECHA			

Acute dermal toxicity No data available

Acu	Acute inhalational toxicity (result of the ATE calculation for the mixture)			
No	Product Name			
1	KRONES colclean CG 1011			
The result of the applied calculation method according to the European Regulation (EC) 1272/2008 (CLP), Paragraph 3.1.3. Part 3 of Annex I is outside the values that imply a classificatio labelling of this mixture according to table 3.1.1 defining the respective categories (ATE for inhalation: > 20.000 ppmV (gase)		European Regulation (EC) 1272/2008 (CLP), Paragraph 3.1.3.6, Part 3 of Annex I is outside the values that imply a classification /		

Current version: 1.0.1, issued: 08.06.2021 Replaced version: 1.0.0, issued: 29.05.2020 Region: GB

Acut	e inhalational toxicity				
No	Substance name		CAS no.		EC no.
1	propan-2-ol		67-63-0		200-661-7
LC50		>		10000	ppmV
Dura	tion of exposure			6	h
State	e of aggregation	Vapour			
Spec	cies	rat			
Meth	od	OECD 403			
Sour	ce	ECHA			
Eval	uation/classification	Based on ava	ailable data, th	e classification	n criteria are not met.
2	formic acid		64-18-6		200-579-1
LC50				7.85	mg/l
Dura	tion of exposure			4	h
State	e of aggregation	Vapour			
Spec	cies	rat			
Meth	od	OECD 403			
Sour	ce	ECHA			

Skir	Skin corrosion/irritation				
No	Substance name		CAS no.	EC no.	
1	(Z)-N-9-octadecenylpropane-1,3-diamin	е	7173-62-8	230-528-9	
Spe	cies	rabbit			
Metl	nod	OECD 404			
Sou	rce	ECHA			
Eval	uation	corrosive			
2	propan-2-ol		67-63-0	200-661-7	
Spe	cies	rabbit			
Source		ECHA			
Evaluation no		non-irritant			
Evaluation/classification Ba		Based on av	ailable data, the c	lassification criteria are not met.	

Seri	Serious eye damage/irritation				
No	Substance name	CAS no.	EC no.		
1	propan-2-ol	67-63-0	200-661-7		
Spe	cies	rabbit			
Method		OECD 405			
Source		ECHA			
Evaluation		irritant			
Evaluation/classification Based on available data, the classification criteria are met.			n criteria are met.		

Respiratory or skin sensitisation				
No Substance name	CAS no.	EC no.		
1 propan-2-ol	67-63-0	200-661-7		
Route of exposure	Skin			
Species	guinea pig			
Method	OECD 406			
Source	ECHA	ECHA		
Evaluation	non-sensitizing	non-sensitizing		
Evaluation/classification	Based on available data, the class	Based on available data, the classification criteria are not met.		
2 formic acid	64-18-6	200-579-1		
Route of exposure	Skin			
Species	guinea pig			
Method	OECD 406			
Source	ECHA			
Evaluation	non-sensitizing			

Geri	Germ cell mutagenicity				
No	Substance name	CAS no.	EC no.		
1	(Z)-N-9-octadecenylpropane-1,3-diamine	7173-62-8	230-528-9		
Species		Salmonella typhimurium: TA 1535,	TA 1537, TA 98, TA 100;		
		Escherichia coli WP2 uvrA			
Meth	nod	OECD 471			

Current version: 1.0.1, issued: 08.06.2021 Replaced version: 1.0.0, issued: 29.05.2020 Region: GB

Source	ECHA		
Evaluation/classification	Based on available data, the class	Based on available data, the classification criteria are not met.	
2 propan-2-ol	67-63-0	200-661-7	
Source	ECHA		
Evaluation/classification	Based on available data, the class	ssification criteria are not met.	
3 formic acid	64-18-6	200-579-1	
Source	ECHA		
Evaluation/classification	Based on available data, the class	Based on available data, the classification criteria are not met.	

Rep	Reproduction toxicity				
No	Substance name	CAS no.	EC no.		
1	(Z)-N-9-octadecenylpropane-1,3-diamine	7173-62-8	230-528-9		
Туре	e of examination	oral			
Spec	cies	rat			
Meth	nod	OECD 416			
Sour	ce	ECHA			
Eval	uation/classification	Based on available data, the classification	n criteria are not met.		
2	2 formic acid 64-18-6 200-579-1		200-579-1		
Sour	ce	ECHA			
Eval	uation/classification	Based on available data, the classification criteria are not met.			

Carcinogenicity	
No data available	

STOT - single exposure No data available

STO	STOT - repeated exposure			
No	Substance name	CAS no.	EC no.	
1	(Z)-N-9-octadecenylpropane-1,3-diamine	7173-62-8	230-528-9	
Rou	te of exposure	oral		
Spe	cies	rat		
Meth	nod	OECD 408		
Soul	rce	ECHA		
Eval	uation/classification	Based on available data, the class	ssification criteria are met.	
2	propan-2-ol	67-63-0	200-661-7	
Rou	te of exposure	inhalational		
Soul	rce	ECHA		
Eval	uation/classification	Based on available data, the class	ssification criteria are not met.	
3	formic acid	64-18-6	200-579-1	
Rou	te of exposure	inhalational		
NOA	\EC	0.	122 mg/l	
Dura	ation of exposure	13	week/s	
Spe	cies	rat		
Meth	nod	OECD 413		
Soul	rce	ECHA		
Eval	uation/classification	Based on available data, the class	ssification criteria are met.	

Asp	piration hazard
No o	data available

11.2 Information on other hazards

Endocrine disrupting properties

No data available.

Other information

No data available.

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish (acute)

Current version: 1.0.1, issued: 08.06.2021 Replaced version: 1.0.0, issued: 29.05.2020 Region: GB

No	Substance name	CAS no.		EC no.
1	propan-2-ol	67-63-0		200-661-7
LC5)		9640	mg/l
Dura	ition of exposure		96	h
Spec	cies	Pimephales promelas		
Meth	nod	OECD 203		
Sour	ce	ECHA		
2	formic acid	64-18-6		200-579-1
LC5)		130	mg/l
Dura	ition of exposure		96	h
Spec	cies	Danio rerio		
with	reference to	CAS 540-69-2		
Meth	nod	OECD 203		
Sour	ce	ECHA		

Toxicity to fish (chronic)	
No data available	

Toxicity to Daphnia (acute)					
No Substance name	C/	AS no.		EC no.	
1 (Z)-N-9-octadecenylpropane-1,3-diamine	71	73-62-8		230-528-9	
EC50			290	μg/l	
Duration of exposure		•	48	h	
Species	Daphnia magna				
Method	OECD 211				
Source	ECHA				
2 propan-2-ol	67	'-63-0		200-661-7	
EC50	>		10000	mg/l	
Duration of exposure			24	h	
Species	Daphnia magna				
Method	OECD 202				
Source	ECHA				
3 formic acid	64	-18-6		200-579-1	
EC50		;	365	mg/l	
Duration of exposure		4	48	h	
Species	Daphnia magna				
with reference to	CAS 540-69-2				
Method	OECD 202				
Source	ECHA				

Toxi	Toxicity to Daphnia (chronic)					
No	Substance name		CAS no.		EC no.	
1	(Z)-N-9-octadecenylpropane-1,3-diamine		7173-62-8		230-528-9	
NOE	EC .			100	μg/l	
Dura	tion of exposure			21	day(s)	
Spec	cies	Daphnia mag	na			
Meth	nod	OECD 211				
Soul	ce	ECHA				
2	formic acid		64-18-6		200-579-1	
NOE	EC .	>=		100	mg/l	
Dura	ation of exposure			21	day(s)	
Spec	cies	Daphnia mag	na			
Meth	nod	OECD 211				
Sour	ce	ECHA				

Toxi	Toxicity to algae (acute)					
No	Substance name	CAS no.		EC no.		
1	(Z)-N-9-octadecenylpropane-1,3-diamine	7173-62-8		230-528-9		
EC5	50	320 -	1000	μg/l		
Dura	ation of exposure		72	h		
Spe	cies	Desmodesmus subspicatus				
Meth	hod	OECD 201				

Current version: 1.0.1, issued: 08.06.2021 Replaced version: 1.0.0, issued: 29.05.2020 Region: GB

Source	ECHA			
2 formic acid	64-18-6		200-579-1	
EC50	>	1000	mg/l	
Duration of exposure		72	h	
Species	Desmodesmus subspicatus			
with reference to	CAS 590-29-4			
Method	OECD 201			
Source	ECHA			

Toxicity to algae (chronic) No data available

Bac	Bacteria toxicity						
No	Substance name	CAS no.		EC no.			
1	formic acid	64-18-6		200-579-1			
NOE	EC		72	mg/l			
Dura	ation of exposure		13	day(s)			
Spe	cies	activated sludge					
Meth	nod	92/69/EEC, C.3.					
Soul	rce	ECHA					

12.2 Persistence and degradability

	legradability			
No	Substance name	CAS no.		EC no.
1	propan-2-ol	67-63-0		200-661-7
Туре)	BOD/COD		
Valu	e		53	%
Dura	ation		5	day(s)
Soul	rce	ECHA		
Eval	uation	readily biodegradable		
2	formic acid	64-18-6		200-579-1
Туре)	aerobic biodegradation		
Valu	e		100	%
Dura	ation		14	day(s)
Meth	nod	OECD 301 C		
Soul	rce	ECHA		
Eval	uation	readily biodegradable		

Abio	Abiotic Degration						
No	Substance name	CAS no.		EC no.			
1	formic acid	64-18-6		200-579-1			
Туре		Hydrolysis					
Half	-life		119	h			
pH \	value		7				
Refe	erence temperature		50	°C			
Metl	nod	440/2008/EC C.7.					
Sou	rce	ECHA					

12.3 Bioaccumulative potential

Part	Partition coefficient n-octanol/water (log value)					
No	Substance name		CAS no.		EC no.	
1	(Z)-N-9-octadecenylpropane-1,3-diamine		7173-62-8		230-528-9	
log F	Pow			0.03		
Refe	erence temperature			25.7	°C	
Metl	nod	OECD 123				
Sou	rce	ECHA				
2	propan-2-ol		67-63-0		200-661-7	
log F	Pow			0.05		
Refe	erence temperature			25	°C	
Sou	rce	ECHA				
3	formic acid		64-18-6		200-579-1	

Trade name: KRONES colclean CG 1011

Current version: 1.0.1, issued: 08.06.2021 Replaced version: 1.0.0, issued: 29.05.2020 Region: GB

log Pow		-2.1	
Reference temperature		23	°C
Method	92/69/EEC, A.8		
Source	ECHA		

12.4 Mobility in soil

Mobility in soil							
No	Substance name		CAS no.		EC no.		
1	formic acid		64-18-6		200-579-1		
log Koc		<		1.25			
Reference temperature				23	°C		
Method		OECD 121					
Source		ECHA					

12.5 Results of PBT and vPvB assessment

No data available.

12.6 Endocrine disrupting properties

No data available.

12.7 Other adverse effects

No data available.

12.8 Other information

Other information	
Do not discharge product unmonitored into the environment.	

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Disposal of the product should be carried out in accordance with all applicable regulations following consultation with the responsible local authority and the disposal company in an authorised and suitable disposal facility. Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

Packaging

Residues must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.

SECTION 14: Transport information

14.1 Transport ADR/RID/ADN

The product is not subject to ADR/RID/ADN regulations.

14.2 Transport IMDG

The product is not subject to IMDG regulations.

14.3 Transport ICAO-TI / IATA

The product is not subject to ICAO-TI / IATA regulations.

14.4 Other information

No data available.

14.5 Environmental hazards

Information on environmental hazards, if relevant, please see 14.1 - 14.3.

14.6 Special precautions for user

No data available.

14.7 Maritime transport in bulk according to IMO instruments

Not relevant

Current version: 1.0.1, issued: 08.06.2021 Reglaced version: 1.0.0, issued: 29.05.2020 Region: GB

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulations

Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

REACH candidate list of substances of very high concern (SVHC) for authorisation

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES

The product is considered being subject to REACH regulation (EC) 1907/2006 annex No 3 XVII.

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances

This product is not subject to Part 1 or 2 of Annex I.

Other regulations

Adhere to the national sanitary and occupational safety regulations when using this product.

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for this mixture.

SECTION 16: Other information

Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section.

Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

EUH071 Corrosive to the respiratory tract.
H225 Highly flammable liquid and vapour.
H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H331 Toxic if inhaled.

H336 May cause drowsiness or dizziness.

H372 Causes damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

Notes relating to the identification, classification and labelling of substances and mixtures ((EC) No 1272/2008, Annex VI)

В

Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations. In Part 3 entries with Note B have a general designation of the following type: 'nitric acid ... %'. In this case the supplier must state the percentage concentration of the solution on the label. Unless otherwise stated, it is assumed that the percentage concentration is calculated on a weight/weight basis.

Trade name: KRONES colclean CG 1011

Current version: 1.0.1, issued: 08.06.2021 Reglaced version: 1.0.0, issued: 29.05.2020 Region: GB

Creation of the safety data sheet

UMCO GmbH - D-21107 Hamburg, Georg-Wilhelm-Strasse 187, Tel.: +49(40)555 546 300, Fax: +49(40)555 546 357, e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Alterations/supplements:

Alterations to the previous edition are marked in the left-hand margin.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH.

Prod-ID 760597