Trade name: KRONES colclean DI 4001

Current version: 1.0.1, issued: 08.06.2021 Reglaced version: 1.0.0, issued: 09.03.2020 Region: GB

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name

#### **KRONES** colclean DI 4001

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

#### Relevant identified uses of the substance or mixture

Disinfectant

#### Uses advised against

No data available.

#### 1.3 Details of the supplier of the safety data sheet

#### Address

KIC KRONES Internationale Cooperationsgesellschaft mbH

Böhmerwaldstraße 5 93073 Neutraubling

Telephone no. +49 9401 70-3020 Fax no. +49 9401 70-3696 e-mail kic@kic-krones.com

#### **Advice on Safety Data Sheet**

sdb info@umco.de

#### 1.4 Emergency telephone number

For medical advice (in German and English):

+49 (0)551 192 40 (Giftinformationszentrum Nord)

In case of transport incidents and other emergencies:

+44 (0) 1235 239 670 (NCEC, National Chemical Emergency Centre)

## **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

### Classification in accordance with Regulation (EC) No 1272/2008 (CLP)

Eye Dam. 1; H318 Flam. Liq. 3; H226 STOT SE 3; H336

## **Classification information**

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

#### 2.2 Label elements

## Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)

#### **Hazard pictograms**



GHS02



3HS05



GHS07

#### Signal word

Danger

## Hazardous component(s) to be indicated on label:

propan-1-ol

Trade name: KRONES colclean DI 4001

Current version: 1.0.1, issued: 08.06.2021 Replaced version: 1.0.0, issued: 09.03.2020 Region: GB

Hazard statement(s)

H226 Flammable liquid and vapour.
H318 Causes serious eye damage.
H336 May cause drowsiness or dizziness.

Precautionary statement(s)

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P501 Dispose of contents/container to a facility in accordance with local and national

regulations.

#### 2.3 Other hazards

PBT assessment

The product is not considered to be a PBT.

vPvB assessment

The product is not considered to be a vPvB.

## **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Not applicable. The product is not a substance.

#### 3.2 Mixtures

#### Hazardous ingredients

No	Substance name		Additi	ional information	n	
	CAS / EC / Index /	Classification (EC) 1272/2008 (CLP)	Conce	entration		%
	REACH no					
1	propan-1-ol					
	71-23-8	Eye Dam. 1; H318	>=	25.00 - <	50.00	wt%
	200-746-9	Flam. Liq. 2; H225				
	603-003-00-0	STOT SE 3; H336				
	01-2119486761-29					
2	ethanol					
	64-17-5	Flam. Liq. 2; H225	>=	10.00 - <	25.00	wt%
	200-578-6	Eye Irrit. 2; H319				
	603-002-00-5					
	01-2119457610-43					
L						<u> </u>

Full Text for all H-phrases and EUH-phrases: pls. see section 16

No	Note	Specific concentration limits	M-factor (acute)	M-factor (chronic)
2	-	Eye Irrit. 2; H319: C >= 50%	-	-

## **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

#### **General information**

Remove contaminated clothing and shoes immediately, and launder thoroughly before reusing. In case of persisting adverse effects, consult a physician.

#### After inhalation

Remove affected persons from dangerous area by observing suitable respiratory protection measures. Ensure supply of fresh air. In case of persisting adverse effects consult a physician.

#### After skin contact

In case of contact with skin wash off with water. Consult a doctor if skin irritation persists.

## After eye contact

Trade name: KRONES colclean DI 4001

Current version: 1.0.1, issued: 08.06.2021 Replaced version: 1.0.0, issued: 09.03.2020 Region: GB

Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the unaffected eye (at least 10 to 15 minutes). Get medical attention if pain still persists.

#### After ingestion

Rinse the mouth thoroughly with water. Do not induce vomiting. Never give anything by mouth to an unconscious person. Seek medical advice.

### 4.2 Most important symptoms and effects, both acute and delayed

No data available.

#### 4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically

## **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

#### Suitable extinguishing media

Foam; Extinguishing powder; Water spray jet; Carbon dioxide; Alcohol-resistant foam

#### Unsuitable extinguishing media

High power water jet

#### 5.2 Special hazards arising from the substance or mixture

In the event of fire, the following can be released: Toxic pyrolysis products; Carbon monoxide and carbon dioxide

#### 5.3 Advice for firefighters

Use self-contained breathing apparatus. Wear protective clothing. Do not inhale explosion and/or combustion byproducts. Run-off water from fire fighting must not be discharged into drains or enter surface water. Cool closed containers exposed to fire with water. Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

## **SECTION 6: Accidental release measures**

## 6.1 Personal precautions, protective equipment and emergency procedures

#### For non-emergency personnel

Refer to protective measures listed in sections 7 and 8. Exclude sources of ignition and ventilate the area. Use personal protective clothing.

#### For emergency responders

Personal protective equipment (PPE) - see section 8.

### 6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil. Prevent spread over a wide area (e.g. by containment or oil barriers).

## 6.3 Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regulations (see section 13).

#### 6.4 Reference to other sections

Information regarding safe handling, see section 7. Information regarding personal protective measures, see section 8. Information regarding waste disposal, see section 13.

## **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

## Advice on safe handling

Risks inherent to handling the product must be minimised by applying the appropriate protective and preventive measures. Working processes should - so far as possible, according to the state of the art - be designed to rule out bodily contact or the release of hazardous substances. Provide good ventilation at the work area (local exhaust ventilation, if necessary).

#### General protective and hygiene measures

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Do not inhale vapours. Avoid contact with eyes and skin. Wash hands before breaks and after work. Remove contaminated clothing and shoes and

Trade name: KRONES colclean DI 4001

Current version: 1.0.1, issued: 08.06.2021 Replaced version: 1.0.0, issued: 09.03.2020 Region: GB

launder thoroughly before reusing.

#### Advice on protection against fire and explosion

Isolate from sources of heat, sparks and open flame. Keep away from sources of ignition - refrain from smoking. Take precautionary measures against static charges. No sparking tools should be used.

#### 7.2 Conditions for safe storage, including any incompatibilities

#### Technical measures and storage conditions

Keep container tightly closed and dry in a cool, well-ventilated place. Protect from heat and direct sunlight.

#### Requirements for storage rooms and vessels

Containers which are opened must be carefully closed and kept upright to prevent leakage. Always keep in containers of same material as the original.

#### Incompatible products

Substances to be avoided, see section 10.

#### 7.3 Specific end use(s)

No data available.

## **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

## Occupational exposure limit values

No	Substance name	CAS no.		EC no.	
1	propan-1-ol	71-23-8		200-746-9	
	List of approved workplace exposure limits (WELs) /	EH40			
	Propan-1-ol				
	WEL short-term (15 min reference period)	625	mg/m³	250	ppm
	WEL long-term (8-hr TWA reference period)	500	mg/m³	200	ppm
	Comments	Sk			
2	ethanol	64-17-5		200-578-6	
	List of approved workplace exposure limits (WELs) /	EH40			
	Ethanol				
	WEL long-term (8-hr TWA reference period)	1920	mg/m³	1000	ppm

## **DNEL, DMEL and PNEC values**

#### **DNEL values (worker)**

No	Substance name		CAS / EC	no	
	Route of exposure	Exposure time	Effect	Value	
1	propan-1-ol			71-23-8	
				200-746-9	
	dermal	Long term (chronic)	systemic	136	mg/kg/day
	inhalative	Short term (acut)	systemic	1723	mg/m³
	inhalative	Long term (chronic)	systemic	268	mg/m³
2	ethanol			64-17-5	
				200-578-6	
	dermal	Long term (chronic)	systemic	343	mg/kg/day
	inhalative	Long term (chronic)	systemic	950	mg/m³

## **DNEL value (consumer)**

No	Substance name			CAS / EC no	
	Route of exposure	Exposure time	Effect	Value	
1	propan-1-ol			71-23-8	
				200-746-9	
	oral	Long term (chronic)	systemic	61	mg/kg/day
	dermal	Long term (chronic)	systemic	81	mg/kg/day
	inhalative	Short term (acut)	systemic	1036	mg/m³
	inhalative	Long term (chronic)	systemic	80	mg/m³
2	ethanol			64-17-5	

**Current version :** 1.0.1, issued: 08.06.2021 **Replaced version:** 1.0.0, issued: 09.03.2020 **Region:** GB

			200-578-6	
oral	Long term (chronic)	systemic	87	mg/kg/day
dermal	Long term (chronic)	systemic	206	mg/kg/day
inhalative	Long term (chronic)	systemic	114	mg/m³

#### **PNEC values**

No	Substance name		CAS / EC no	
	ecological compartment	Туре	Value	
1	propan-1-ol		71-23-8	
			200-746-9	
	water	fresh water	6.83	mg/L
	water	Aqua intermittent	10	mg/L
	water	marine water	0.683	mg/L
	water	fresh water sediment	27.5	mg/kg dry weight
	water	marine water sediment	2.75	mg/kg dry weight
	soil	-	1.49	mg/kg dry weight
	sewage treatment plant	-	96	mg/L
2	ethanol		64-17-5	
			200-578-6	
	water	fresh water	0.96	mg/L
	water	Aqua intermittent	2.75	mg/L
	water	marine water	0.79	mg/L
	water	fresh water sediment	3.6	mg/kg dry weight
	water	marine water sediment	2.9	mg/L
	soil	-	0.63	mg/kg dry weight
	sewage treatment plant	-	580	mg/L
	secondary poisoning	-	0.38	mg/kg food

## 8.2 Exposure controls

#### Appropriate engineering controls

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and solvent vapour below the OEL (=Occupational Exposure Limit), suitable respiratory protection must be worn.

## Personal protective equipment

#### Respiratory protection

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of aerosol and mist formation, take appropriate measures for breathing protection in the event workplace threshold values are not specified.

Respirator kurzzetig Filtergerät

Respiratory filter (gas): A

#### Eye / face protection

Safety glasses with side protection shield (EN 166)

#### Hand protection

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific workstation suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

Appropriate Material butyl rubber

Material thickness > 0.5 mm
Breakthrough time > 480 min
Appropriate Material nitrile rubber

Material thickness 0.5

mm

Trade name: KRONES colclean DI 4001

Current version: 1.0.1, issued: 08.06.2021 Replaced version: 1.0.0, issued: 09.03.2020 Region: GB

Breakthrough time

>

480

min

Other

No data available

Chemical-resistant work clothes.

**Environmental exposure controls** 

No data available.

# SECTION 9: Physical and chemical properties

## 9.1 Information on basic physical and chemical properties

State of aggregation				
liquid				
Form/Colour				
liquid				
colourless				
Odour				
alcohol-like				
pH value				
Value		7		
Boiling point / boiling range	·			
Value	<	100	°C	
Melting point/freezing point Value	<	0	°C	
		0	C	
Decomposition temperature				
No data available				
Flash point				
Value		27.5	°C	
Ignition temperature				
No data available				
Oxidising properties				
not oxidizing				
Flammability				
No data available				
Lower explosion limit  No data available				
Upper explosion limit				
No data available				
Vapour pressure				
No data available				
Relative vapour density				
No data available				 
Relative density				
Value		0.9		
Density				
No data available				
Solubility in water Comments	Completel	v misciblo		
	Completer	y miscible		 
Solubility				

Trade name: KRONES colclean DI 4001

Current version: 1.0.1, issued: 08.06.2021 Replaced version: 1.0.0, issued: 09.03.2020 Region: GB

Partition coefficient n-octanol/water (log	value)				
No Substance name		CAS no.		EC no.	
1 propan-1-ol		71-23-8		200-746-9	
log Pow	0.2		- 1.6		
Reference temperature			25	°C	
with reference to	pH 7				
Method	OECD 117				
Source	ECHA				
2 ethanol		64-17-5		200-578-6	
log Pow			-0.35		
Reference temperature			24	°C	
with reference to	pH 7,4				
Method	OECD 107				
Source	ECHA				

Viscosity	
No data available	

Particle characteristics	
No data available	

## 9.2 Other information

Other information	
No data available.	

## **SECTION 10: Stability and reactivity**

## 10.1 Reactivity

Stable at ambient temperature.

#### 10.2 Chemical stability

Stable under recommended storage and handling conditions (See section 7).

## 10.3 Possibility of hazardous reactions

Dangerous reactions are not to be expected when handling product according to its intended use.

## 10.4 Conditions to avoid

Heat, naked flames and other ignition sources. Protect from sun.

#### 10.5 Incompatible materials

Oxidizing agents; Acids

#### 10.6 Hazardous decomposition products

None, if handled according to intended use.

## **SECTION 11: Toxicological information**

## 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acut	Acute oral toxicity			
No	Substance name	CAS no.	EC no.	
1	propan-1-ol	71-23-8	200-746-9	
LD50		3730	mg/kg bodyweight	
Spec	cies	rat		
Source		ECHA		
Evalu	uation/classification	Based on available data, the classification criteria are not met.		
2	ethanol	64-17-5	200-578-6	
LD50		10470	mg/kg bodyweight	
Spec	eies	rat		
with reference to		95% ethanol in water		
Method		OECD 401		
Sour	ce	ECHA		

## Acute dermal toxicity

Current version: 1.0.1, issued: 08.06.2021 Replaced version: 1.0.0, issued: 09.03.2020 Region: GB

No	Substance name	CAS	no.	EC no.
1	propan-1-ol	71-23	3-8	200-746-9
LD5	0		4032	mg/kg bodyweight
Spe	cies	rabbit		
Metl	nod	OECD 402		
Sou	rce	ECHA		
Evaluation/classification Based on available		Based on available	data, the classification	n criteria are not met.

Acu	Acute inhalational toxicity				
No	Substance name		CAS no.		EC no.
1	propan-1-ol		71-23-8		200-746-9
LC5	0	>		33.8	mg/l
Dura	ation of exposure			4	h
State	e of aggregation	Vapour			
Spec	cies	rat			
Meth	Method				
Soul	rce	ECHA			
Eval	uation/classification	Based on ava	ailable data, the	classificatior	n criteria are not met.
2	ethanol		64-17-5		200-578-6
LC5	0			124.7	mg/l
Dura	ation of exposure			4	h
State of aggregation		Vapour			
Species		rat			
l ·		OECD 403			
Soul	rce rce	ECHA			

Skir	Skin corrosion/irritation				
No	Substance name	CAS no	),	EC no.	
1	propan-1-ol	71-23-8		200-746-9	
Spe	cies	rabbit			
Metl	nod	OECD 404			
Sou	rce	ECHA			
Eval	uation	non-irritant			
Eval	uation/classification	Based on available data, the classification criteria are not met.			
2	ethanol	64-17-5		200-578-6	
Spe	cies	rabbit			
Metl	nod	OECD 404			
Sou	rce	ECHA			
Eval	uation	non-irritant			

Seri	Serious eye damage/irritation			
No	Substance name	CAS no.	EC no.	
1	propan-1-ol	71-23-8	200-746-9	
Spe	cies	rabbit		
Metl	nod	OECD 405		
Sou	rce	ECHA		
Eval	uation	Irreversible effects on the eye		
Eval	uation/classification	Based on available data, the classification criteria are met.		
2	ethanol	64-17-5	200-578-6	
Spe	cies	rabbit		
Method		OECD 405		
Source		ECHA		
Eval	uation	irritant		

Respiratory or skin sensitisation			
No Substance name	CAS no.	EC no.	
1 propan-1-ol	71-23-8	200-746-9	
Route of exposure	Skin		
Species	guinea pig		
Method	OECD 406		
Source	ECHA		
Evaluation	non-sensitizing		

Current version: 1.0.1, issued: 08.06.2021 Replaced version: 1.0.0, issued: 09.03.2020 Region: GB

Evaluation/classification	Based on available data, the classification	criteria are not met.
2 ethanol	64-17-5	200-578-6
Route of exposure	Skin	
Species	mouse	
Source	ECHA	
Evaluation	non-sensitizing	

Ger	Germ cell mutagenicity			
No	Substance name	CAS no. EC no.		
1	propan-1-ol	71-23-8 200-746-9		
Туре	e of examination	in vitro gene mutation study in bacteria		
Spe	cies	Salmonella typhimurium / Escherichia coli		
Metl	nod	OECD 471		
Sou	rce	ECHA		
Eval	uation/classification	Based on available data, the classification criteria are not met.		
Туре	Type of examination In vitro mammalian cell gene mutation test			
Spe	cies	Chinese hamster Ovary (CHO)		
Metl	nod	OECD 476		
Sou	rce	ECHA		
Eval	uation/classification	Based on available data, the classification criteria are not met.		
Туре	e of examination	In vitro Mammalian Chromosomal Aberration Test		
Spe	cies	Chinese hamster V79 cells		
Metl	nod	OECD 473		
Sou	rce	ECHA		
Eval	uation/classification	on/classification Based on available data, the classification criteria are not met.		
2	ethanol	64-17-5 200-578-6		
Sou	ECHA			
Eval	Evaluation/classification Based on available data, the classification criteria are not met.			

Reproduction toxicity			
No Substance name	CAS no. EC no.		
1 propan-1-ol	71-23-8 200-746-9		
Route of exposure	inhalational		
Type of examination	Toxicity study		
Species	rat		
Method	OECD 413		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		
Route of exposure	inhalational		
Type of examination	Prenatal Developmental Toxicity Study		
Species	rat		
Method	OECD 414		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		
2 ethanol	64-17-5 200-578-6		
Route of exposure	oral		
NOAEL			
Type of examination	2 generation study		
Species	mouse		
Method	OECD 416		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		
Route of exposure	inhalational		
NOAEL			
Type of examination	Prenatal Developmental Toxicity Study		
Species	rat		
Method	OECD 414		
Source	l ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		

Carcinogenicity		
No Substance name	CAS no.	EC no.

Current version: 1.0.1, issued: 08.06.2021 Replaced version: 1.0.0, issued: 09.03.2020 Region: GB

1	ethanol	64-17-5	200-578-6
Source		ECHA	
Evaluation/classification		Based on available data, the classificatio	n criteria are not met.

# STOT - single exposure No data available

STC	STOT - repeated exposure				
No	Substance name	CAS no.	EC no.		
1	propan-1-ol	71-23-8	200-746-9		
Rou	te of exposure	inhalational			
Spe	cies	rat			
Met	hod	OECD 413			
Sou	rce	ECHA			
Eva	luation/classification	Based on available data, the c	lassification criteria are not met.		
Route of exposure		oral			
Species		rat			
Sou	rce	ECHA			
Eva	luation/classification	Based on available data, the classification criteria are not met.			
2	ethanol	64-17-5	200-578-6		
Rou	te of exposure	oral			
Dura	ation of exposure		14 week/s		
Spe	cies	rat			
Target organ		kidneys			
Method		OECD 408			
Source		ECHA			
Eva	luation/classification	Based on available data, the c	lassification criteria are not met.		

Aspiration hazard	
No data available	

#### 11.2 Information on other hazards

## **Endocrine disrupting properties**

No data available.

#### Other information

No data available.

# SECTION 12: Ecological information

## 12.1 Toxicity

Toxicity to fish (acute)		
No Substance name	CAS no.	EC no.
1 propan-1-ol	71-23-8	200-746-9
LC50	4555	mg/l
Duration of exposure	96	h
Species	Pimephales promelas	
Method	OECD 203	
Source	ECHA	
Evaluation/classification	Based on available data, the classification	on criteria are not met.
2 ethanol	64-17-5	200-578-6
LC50	14200	mg/l
Duration of exposure	96	h
Species	Pimephales promelas	
Method	EPA	
Source	ECHA	

Toxicity to fish (chronic)	
No data available	

Toxi	city to Daphnia (acute)		
No	Substance name	CAS no.	EC no.

Current version: 1.0.1, issued: 08.06.2021 Replaced version: 1.0.0, issued: 09.03.2020 Region: GB

1 propan-1-ol	71-23-8	200-746	6-9
EC50	36	644	mg/l
Duration of exposure	48	3	h
Species	Daphnia magna		
Method	DIN 38412 Part 11		
Source	ECHA		
Evaluation/classification	Based on available data, the cla	ssification criteria	are not met.
2 ethanol	64-17-5	200-578	8-6
EC50	50	)12	mg/l
Duration of exposure	48	3	h
Species	Ceriodaphnia dubia		
Method	ASTM Standard E 729-80		
Source	ECHA		

Toxi	city to Daphnia (chronic)			
No	Substance name	CAS no.		EC no.
1	ethanol	64-17-5		200-578-6
NOE	EC		9.6	mg/l
Dura	ation of exposure		9	day(s)
Spe	cies	Daphnia magna		
Soul	rce	ECHA		

Tox	Toxicity to algae (acute)				
No	Substance name	CAS no.	EC no.		
1	propan-1-ol	71-23-8	200-746-9		
EC5	50	9170	mg/l		
Dura	ation of exposure	72	h		
Spe	cies	Pseudokirchneriella subcapitata			
Sou	rce	ECHA			
Eval	luation/classification	Based on available data, the classificati	on criteria are not met.		
2	ethanol	64-17-5	200-578-6		
EC5	50	275	mg/l		
Dura	ation of exposure	72	h		
Spe	cies	Chlorella vulgaris			
Metl	hod	OECD 201			
Sou	rce	ECHA			

Toxicity to algae (chronic)	
No data available	

Bacteria toxicity	
No data available	

## 12.2 Persistence and degradability

Biod	legradability				
No	Substance name	CAS no.		EC no.	
1	propan-1-ol	71-23-8		200-746-9	
Type		aerobic biodegradation			
Value	e		75	%	
Dura	ition		20	day(s)	
Sour	ce	ECHA			
Evalu	uation	readily biodegradable			
2	ethanol	64-17-5		200-578-6	
Type		aerobic biodegradation			
Value	e	appr.	84	%	
Dura	ition		20	day(s)	
Meth	nod	OECD			
Sour	ce	ECHA			
Eval	uation	readily biodegradable			
Value				%	

## 12.3 Bioaccumulative potential

Trade name: KRONES colclean DI 4001

Current version: 1.0.1, issued: 08.06.2021 Replaced version: 1.0.0, issued: 09.03.2020 Region: GB

Partition coefficient n-octanol/water (log val	ue)				
No Substance name		CAS no.		EC no.	
1 propan-1-ol		71-23-8		200-746-9	
log Pow	0.2	-	1.6		
Reference temperature			25	°C	
with reference to	pH 7				
Method	OECD 117				
Source	ECHA				
2 ethanol		64-17-5		200-578-6	
log Pow			-0.35		
Reference temperature			24	°C	
with reference to	pH 7,4				
Method	OECD 107				
Source	ECHA				

#### 12.4 Mobility in soil

No data available.

#### 12.5 Results of PBT and vPvB assessment

Results of PBT and vPvB assessment		
PBT assessment	The product is not considered to be a PBT.	
vPvB assessment	The product is not considered to be a vPvB.	

#### 12.6 Endocrine disrupting properties

No data available.

#### 12.7 Other adverse effects

No data available.

#### 12.8 Other information

Other information	
Do not discharge product unmonitored into the environment.	

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

#### **Product**

Disposal of the product should be carried out in accordance with all applicable regulations following consultation with the responsible local authority and the disposal company in an authorised and suitable disposal facility. Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

#### Packaging

Residues must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.

## **SECTION 14: Transport information**

## 14.1 Transport ADR/RID/ADN

Class 3
Classification code F1
Packing group III
Hazard identification no. 30
UN number UN1987

Proper shipping name ALCOHOLS, N.O.S. Technical name propan-1-ol

3

ethanol
Tunnel restriction code

D/E

14.2 Transport IMDG

Label

Class 3

Trade name: KRONES colclean DI 4001

Current version: 1.0.1, issued: 08.06.2021 Reglaced version: 1.0.0, issued: 09.03.2020 Region: GB

Packing group III

UN number UN1987

Proper shipping name ALCOHOLS, N.O.S. Technical name propan-1-ol

propan-1-ol ethanol

emanor F-F S-D

EmS F-E, S-D

Label 3

#### 14.3 Transport ICAO-TI / IATA

Class 3
Packing group III
UN number UN1987
Proper shipping name Alcohols, n.o.s.
Technical name propan-1-ol ethanol

3

#### 14.4 Other information

Label

No data available.

#### 14.5 Environmental hazards

Information on environmental hazards, if relevant, please see 14.1 - 14.3.

#### 14.6 Special precautions for user

No data available.

#### 14.7 Maritime transport in bulk according to IMO instruments

Not relevant

#### **SECTION 15: Regulatory information**

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulations

## Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

## REACH candidate list of substances of very high concern (SVHC) for authorisation

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

# Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES

The product is considered being subject to REACH regulation (EC) 1907/2006 annex No 3, 40 XVII.

## Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances

This product is subject to Part I of Annex I, risk category:

P5c

# Directive 2010/75/EU on industrial emissions (integrated pollution prevention and control) VOC content 61 %

#### Other regulations

Adhere to the national sanitary and occupational safety regulations when using this product.

#### 15.2 Chemical safety assessment

A chemical safety assessment has been carried out for the following substance/s in this mixture: A Chemical Safety Assessment has been carried out for one or more of the substances within this mixture.

CAS no. 71-23-8 EC no. 200-746-9

Trade name: KRONES colclean DI 4001

Current version: 1.0.1, issued: 08.06.2021 Replaced version: 1.0.0, issued: 09.03.2020 Region: GB

## **SECTION 16: Other information**

#### Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section.

# Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

H225 Highly flammable liquid and vapour. H319 Causes serious eye irritation.

#### Creation of the safety data sheet

UMCO GmbH - D-21107 Hamburg, Georg-Wilhelm-Strasse 187, Tel.: +49(40)555 546 300, Fax: +49(40)555 546 357, e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

#### Alterations/supplements:

Alterations to the previous edition are marked in the left-hand margin.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH.

Prod-ID 760610