Trade name: KRONES colclean IC 1003

Current version: 1.0.1, issued: 08.06.2021

Replaced version: 1.0.0, issued: 14.05.2020

Region: GB

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 **Product identifier** 

Trade name

# KRONES colclean IC 1003

1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses of the substance or mixture Detergent

**Uses advised against** No data available.

#### 1.3 Details of the supplier of the safety data sheet

#### Address

KIC KRONES Internationale Cooperationsgesellschaft mbHBöhmerwaldstraße 593073Neutraubling

Telephone no.	+49 9401 70-3020
Fax no.	+49 9401 70-3696
e-mail	kic@kic-krones.com

Advice on Safety Data Sheet sdb\_info@umco.de

#### 1.4 Emergency telephone number

For medical advice (in German and English): +49 (0)551 192 40 (Giftinformationszentrum Nord) In case of transport incidents and other emergencies: +44 (0) 1235 239 670 (NCEC, National Chemical Emergency Centre)

## **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

#### Classification in accordance with Regulation (EC) No 1272/2008 (CLP)

Eye Dam. 1; H318 Met. Corr. 1; H290 Skin Corr. 1; H314

#### **Classification information**

Product is classified as "Corrosive" based on the extreme pH-value, see:

- Regulation 1272/2008 (CLP), Annex. I, number 3.2.2.2 / 3.2.3.1.2

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

#### 2.2 Label elements

#### Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)

#### Hazard pictograms



Signal word Danger

Current version : 1.0.1, issued: 08.06.2021

Replaced version: 1.0.0, issued: 14.05.2020

Region: GB

# Hazardous component(s) to be indicated on label:

sodium hydroxide	
<b>Hazard statement(s)</b> H290 H314	May be corrosive to metals. Causes severe skin burns and eye damage.
Precautionary stateme	nt(s)
P260	Do not breathe dust/fume/gas/mist/vapours/spray.
P264	Wash thoroughly after handling.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
Othor bazarda	

#### 2.3 Other hazards

No data available.

# **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Not applicable. The product is not a substance.

#### 3.2 Mixtures

#### Hazardous ingredients

No	Substance name		Addit	ional information	1	
	CAS / EC / Index /	Classification (EC) 1272/2008 (CLP)	Conce	entration		%
	REACH no					
1	sodium hydroxide					
	1310-73-2	Skin Corr. 1A; H314	>=	25.00 - <	50.00	wt%
	215-185-5	Met. Corr. 1; H290				
	011-002-00-6	Eye Dam. 1; H318				
	01-2119457892-27					

Full Text for all H-phrases and EUH-phrases: pls. see section 16

No	Note	Specific concentration limits	M-factor (acute)	M-factor (chronic)
1	-	Skin Irrit. 2; H315: C >= 0.5% Eye Irrit. 2; H319: C >= 0.5%	-	-
		Skin Corr. 1B; H314: C >= 2%		
		Skin Corr. 1A; H314: C >= 5%		

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

#### **General information**

Remove contaminated clothing and shoes immediately, and launder thoroughly before reusing. Seek medical advice immediately.

#### After inhalation

Remove affected persons from dangerous area by observing suitable respiratory protection measures. Ensure supply of fresh air. Do not use mouth-to-mouth or mouth-to-nose resuscitation. Call a doctor immediately.

#### After skin contact

Wash immediately with plenty of water for several minutes. Call a doctor immediately.

#### After eye contact

Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the unaffected eye (at least 10 to 15 minutes). Get immediate ophthalmic treatment.

#### After ingestion

Rinse out mouth and give plenty of water to drink. Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a doctor immediately.

Trade name: KRONES colclean IC 1003

Current version : 1.0.1, issued: 08.06.2021

Replaced version: 1.0.0, issued: 14.05.2020

# 4.2 Most important symptoms and effects, both acute and delayed

Symptoms burns

**4.3** Indication of any immediate medical attention and special treatment needed Treat symptomatically.

#### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

# Suitable extinguishing media

Product itself is non-combustible; adapt fire extinguishing measures to surrounding areas.

**Unsuitable extinguishing media** High power water jet

#### 5.2 Special hazards arising from the substance or mixture

In the event of fire, the following can be released: Toxic gases/vapours; Pyrolysis products

#### 5.3 Advice for firefighters

Use self-contained breathing apparatus. Wear protective clothing. Do not inhale explosion and/or combustion byproducts. Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

#### For non-emergency personnel

Refer to protective measures listed in sections 7 and 8. Use personal protective clothing. Ensure adequate ventilation. Remove persons to safety. Avoid contact with skin, eyes and clothing.

# For emergency responders

Personal protective equipment (PPE) - see section 8.

#### 6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil.

#### 6.3 Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regulations (see section 13).

#### 6.4 Reference to other sections

Information regarding safe handling, see section 7. Information regarding personal protective measures, see section 8. Information regarding waste disposal, see section 13.

### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

#### Advice on safe handling

Risks inherent to handling the product must be minimised by applying the appropriate protective and preventive measures. Working processes should - so far as possible, according to the state of the art - be designed to rule out bodily contact or the release of hazardous substances. Provide good ventilation at the work area (local exhaust ventilation, if necessary).

#### General protective and hygiene measures

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Do not inhale vapours. Avoid contact with eyes and skin. Wash hands before breaks and after work. Remove contaminated clothing and shoes and launder thoroughly before reusing. Clean skin thoroughly after work; apply skin cream. Have emergency shower available. Provide eye wash fountain in work area.

#### 7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions

## Trade name: KRONES colclean IC 1003

Current version : 1.0.1, issued: 08.06.2021

Region: GB

Keep container tightly closed and dry in a cool, well-ventilated place. Keep from freezing. Protect from sun.

#### Requirements for storage rooms and vessels

Containers which are opened must be carefully closed and kept upright to prevent leakage. Always keep in containers of same material as the original. Provide alkali-resistant floor.

#### Incompatible products Substances to be avoided, see section 10. Do not store together with: Acids; Metals

#### 7.3 Specific end use(s)

No data available.

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1 **Control parameters**

#### **Occupational exposure limit values**

No	Substance name	CAS no.	EC no.
1	sodium hydroxide	1310-73-2	215-185-5
	List of approved workplace exposure limits (WELs) /	EH40	
	Sodium hydroxide		
	WEL short-term (15 min reference period)	2	mg/m³

#### **DNEL, DMEL and PNEC values**

No	Substance name			CAS / EC no
	Route of exposure	Exposure time	Effect	Value
	sodium hydroxide			1310-73-2
				215-185-5
	inhalative	Long term (chronic)	local	1 mg/m <sup>3</sup>
	DNEL value (consumer	)	· ·	040/50
				CAS / EC no
No	Substance name			
	Substance name Route of exposure	Exposure time	Effect	Value

#### 8.2 **Exposure controls**

inhalative

#### Appropriate engineering controls

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and solvent vapour below the OEL (=Occupational Exposure Limit), suitable respiratory protection must be worn.

local

215-185-5

1

mg/m<sup>3</sup>

#### Personal protective equipment

#### **Respiratory protection**

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of aerosol and mist formation, take appropriate measures for breathing protection in the event workplace threshold values are not specified. B-P3

Respirator

#### Eye / face protection

Safety glasses with side protection shield (EN 166); Tightly fitting safety glasses (EN 166).

#### Hand protection

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific workstation suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

Appropriate Material	Viton		
Material thickness	>=	0.4	mm

Long term (chronic)

urrent version : 1.0.1, issued: 08.06.202	21 <b>F</b>	Replaced version:	1.0.0, issued: 14.05.2020	Region: (
Breakthrough time Appropriate Material Material thickness	> butyl rubber >=	480 0.5	min mm	
Breakthrough time Appropriate Material	> PVC	480	min	
Material thickness Breakthrough time	>= >	0.5 480	mm min	
Other Chemical-resistant work clo Environmental exposure o				
No data available.	.0111 015			
ECTION 9: Physical and c				
.1 Information on basic ph State of aggregation	ysical and chemica	al properties		
liquid				
Form/Colour				
liquid yellowish				
Odour				
odourless				
pH value			-	
Value		13	3	
Boiling point / boiling range No data available				
Melting point/freezing point No data available				
Decomposition temperature No data available				
Flash point No data available				
Ignition temperature No data available				
Auto-ignition temperature Comments	Prod	uct is not selfign	iting.	
Oxidising properties not oxidizing				
Flammability No data available				
Lower explosion limit No data available				
Upper explosion limit No data available				
Vapour pressure No data available				
Relative vapour density No data available				
Relative density		4	AE	
Value		1.	45	

Current version : 1.0.1, issued: 08.06.2021

Density	
No data available	
Solubility in water	
Comments	miscible
Solubility	
No data available	
Partition coefficient n-octanol/water (log value	ie)
No data available	
Viscosity	
No data available	
Particle characteristics	
No data available	

Replaced version: 1.0.0, issued: 14.05.2020

#### 9.2 Other information

Other information No data available.

# **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

Dangerous reactions are not expected if the product is handled according to its intended use.

### 10.2 Chemical stability

Stable under recommended storage and handling conditions (See section 7).

### 10.3 Possibility of hazardous reactions Reactions with metals, with evolution of hydrogen. Exothermic reaction with: acids

#### 10.4 Conditions to avoid None, if handled according to intended use.

- 10.5 Incompatible materials
- Oxidizing agents; Acids 10.6 Hazardous decomposition products

None, if handled according to intended use.

# **SECTION 11: Toxicological information**

# 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity	
No data available	
Acute dermal toxicity	
No data available	
Acute inhalational toxicity	
No data available	
Skin corrosion/irritation	
No Product Name	
1 KRONES colclean IC 1003	
Comments	pH >= 11,5
Evaluation	corrosive
Serious eye damage/irritation	
No Product Name	
1 KRONES colclean IC 1003	
Comments	pH >= 11,5
Evaluation	corrosive

GΒ

Region: 0
-----------

## Trade name: KRONES colclean IC 1003

Current version : 1.0.1, issued: 08.06.2021

Replaced version: 1.0.0, issued: 14.05.2020

Region: GB

Respiratory or skin sensitisation	040	F0 m
No Substance name	CAS no. 1310-73-2	EC no.
1 sodium hydroxide Route of exposure	1310-73-2	215-185-5
Species	Human	
Source	ECHA	
Evaluation	non-sensitizing	
Evaluation/classification	Based on available data, the class	sification criteria are not met.
Germ cell mutagenicity		
Reproduction toxicity		
lo data available		
Carcinogenicity		
No data available		
STOT - single exposure		
No data available		
STOT - repeated exposure		
Aspiration hazard		
No data available		
2 Information on other hazards		
Endocrine disrupting properties		
No data available.		
Other information		
No data available.		
CTION 12: Ecological information		
l Toxicity		
Foxicity to fish (acute)		
No data available		
Foxicity to fish (chronic) No data available		
Foxicity to Daphnia (acute)		<b>FO</b>
No Substance name sodium hydroxide	CAS no. 1310-73-2	EC no. 215-185-5
I sodium hydroxide	40	
Duration of exposure	40	
		••
Species	Cenodaprinia spec	
	Ceriodaphnia spec ECHA	
Source		
Source Foxicity to Daphnia (chronic)		
Species Source Foxicity to Daphnia (chronic) No data available		
Source Foxicity to Daphnia (chronic) No data available Foxicity to algae (acute)		
Source Foxicity to Daphnia (chronic) No data available Foxicity to algae (acute)		
Source Foxicity to Daphnia (chronic) No data available Foxicity to algae (acute) No data available Foxicity to algae (chronic)		
Source Foxicity to Daphnia (chronic)		
Source Foxicity to Daphnia (chronic) No data available Foxicity to algae (acute) No data available Foxicity to algae (chronic)		

### 12.2 Persistence and degradability

No data available.

Current version : 1.0.1, issued: 08.06.2021

Replaced version: 1.0.0, issued: 14.05.2020

Region: GB

#### **12.3 Bioaccumulative potential** No data available.

#### **12.4 Mobility in soil** No data available.

- **12.5 Results of PBT and vPvB assessment** No data available.
- **12.6 Endocrine disrupting properties** No data available.
- **12.7 Other adverse effects** No data available.

### 12.8 Other information

### Other information

Do not discharge product unmonitored into the environment.

### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

#### Product

Disposal of the product should be carried out in accordance with all applicable regulations following consultation with the responsible local authority and the disposal company in an authorised and suitable disposal facility. Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

#### Packaging

Residues must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.

### **SECTION 14: Transport information**

#### 14.1 Transport ADR/RID/ADN

14.5	Environmental hazards	
14.4	Other information No data available.	
14.3	<b>Transport ICAO-TI / IATA</b> Class Packing group UN number Proper shipping name Label	8 II UN1824 Sodium hydroxide solution 8
14.2	<b>Transport IMDG</b> Class Packing group UN number Proper shipping name EmS Label	8 II UN1824 SODIUM HYDROXIDE SOLUTION F-A, S-B 8
14.1	Class Classification code Packing group Hazard identification no. UN number Proper shipping name Tunnel restriction code Label	8 C5 II 80 UN1824 SODIUM HYDROXIDE SOLUTION E 8

### Trade name: KRONES colclean IC 1003

Current version : 1.0.1, issued: 08.06.2021

Replaced version: 1.0.0, issued: 14.05.2020

Information on environmental hazards, if relevant, please see 14.1 - 14.3.

- **14.6** Special precautions for user No data available.
- 14.7 Maritime transport in bulk according to IMO instruments Not relevant

#### **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulations

Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

REACH candidate list of substances of very high concern (SVHC) for authorisation

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

 Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES

 The product is considered being subject to REACH regulation (EC) 1907/2006 annex

 No 3

**Directive 2012/18/EU** on the control of major-accident hazards involving dangerous substances This product is not subject to Part 1 or 2 of Annex I.

#### Other regulations

H318

XVII.

Adhere to the national sanitary and occupational safety regulations when using this product.

#### 15.2 Chemical safety assessment

No data available.

#### **SECTION 16: Other information**

#### Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section.

# Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

Causes serious eye damage.

#### Creation of the safety data sheet

UMCO GmbH - D-21107 Hamburg, Georg-Wilhelm-Strasse 187, Tel.: +49(40)555 546 300, Fax: +49(40)555 546 357, e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Alterations/supplements:

Alterations to the previous edition are marked in the left-hand margin.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH.

# Trade name: KRONES colclean IC 1003

Current version: 1.0.1, issued: 08.06.2021

Replaced version: 1.0.0, issued: 14.05.2020

Region: GB

Prod-ID 760628