Trade name: KRONES colclean MC 1002

Current version: 1.0.2, issued: 08.06.2021 Replaced version: 1.0.1, issued: 06.07.2020 Region: GB

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

KRONES colclean MC 1002

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

Cleaning agent

Uses advised against

No data available.

1.3 Details of the supplier of the safety data sheet

Address

KIC KRONES Internationale Cooperationsgesellschaft mbH

Böhmerwaldstraße 5 93073 Neutraubling

Telephone no. +49 9401 70-3020 Fax no. +49 9401 70-3696 e-mail kic@kic-krones.com

Advice on Safety Data Sheet

sdb info@umco.de

1.4 Emergency telephone number

For medical advice (in German and English):

+49 (0)551 192 40 (Giftinformationszentrum Nord)

In case of transport incidents and other emergencies:

+44 (0) 1235 239 670 (NCEC, National Chemical Emergency Centre)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 (CLP)

Eye Dam. 1; H318 Skin Corr. 1; H314

Classification information

Product is classified as "Corrosive" based on the extreme pH-value, see:

- Regulation 1272/2008 (CLP), Annex. I, number 3.2.2.2 / 3.2.3.1.2

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)

Hazard pictograms



Signal word

Danger

Trade name: KRONES colclean MC 1002

Current version: 1.0.2, issued: 08.06.2021 Replaced version: 1.0.1, issued: 06.07.2020 Region: GB

Hazardous component(s) to be indicated on label:

Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs. (4-Alkylbenzenesulfonic acid)

potassium hydroxide

Hazard statement(s)

H314 Causes severe skin burns and eye damage.

Precautionary statement(s)

P260 Do not breathe mist/vapours/spray.
P264 Wash thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

2.3 Other hazards

PBT assessment

The product is not considered to be a PBT.

vPvB assessment

The product is not considered to be a vPvB.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable. The product is not a substance.

3.2 Mixtures

Hazardous ingredients

No	Substance name		Additio	nal infor	mation	
	CAS / EC / Index /	Classification (EC) 1272/2008 (CLP)	Concen	tration		%
	REACH no					
1	Alkane C6-C8 (ever	n numbered), 1-sulphonic acid, sodium salt				
	1474044-66-0	Acute Tox. 4; H302	>=	5.00 -	< 10.00	wt%
	939-625-7	Eye Irrit. 2; H319				
	-	Skin Irrit. 2; H315				
	01-2119985168-23					
2		cid, 4-C10-13-sec-alkyl derivs. (4-				
	Alkylbenzenesulfo					
	85536-14-7	Acute Tox. 4; H302	<	5.00		wt%
	287-494-3	Skin Corr. 1C; H314				
	-	Aquatic Chronic 3; H412				
	01-2119490234-40	•				
3	2-propylheptane-1-					
	160875-66-1	Eye Dam. 1; H318	<	5.00		wt%
	-	Acute Tox. 4; H302				
	-					
	-					
4	2-propylheptane-1-					
	160875-66-1	Eye Dam. 1; H318	<	5.00		wt%
	-					
	-					
_	-					
5	potassium hydroxi					
	1310-58-3	Acute Tox. 4; H302	<	5.00		wt%
	215-181-3	Skin Corr. 1A; H314				
	019-002-00-8	Met. Corr. 1; H290				
	01-2119487136-33	Eye Dam. 1; H318				

Full Text for all H-phrases and EUH-phrases: pls. see section 16

Current version: 1.0.2, issued: 08.06.2021 Replaced version: 1.0.1, issued: 06.07.2020 Region: GB

No	Note	Specific concentration limits	M-factor (acute)	M-factor (chronic)
5	-	Skin Irrit. 2; H315: C >= 0.5%	-	-
		Eye Irrit. 2; H319: C >= 0.5%		
		Skin Corr. 1B; H314: C >= 2%		
		Skin Corr. 1A; H314: C >= 5%		

Acu	Acute toxicity estimate (ATE) values				
No	oral	dermal	inhalative		
1	1999 mg/kg bodyweight				
2	1470 mg/kg bodyweight				
5	333 mg/kg bodyweight				

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Remove contaminated clothing and shoes immediately, and launder thoroughly before reusing.

After inhalation

Remove affected persons from dangerous area by observing suitable respiratory protection measures. Ensure supply of fresh air. Do not use mouth-to-mouth or mouth-to-nose resuscitation. Call a doctor immediately.

After skin contact

Wash immediately with plenty of water for several minutes. Seek medical attention.

After eye contact

Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the unaffected eye (at least 10 to 15 minutes). Get immediate ophthalmic treatment.

After ingestion

Rinse out mouth and give plenty of water to drink. Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms

burns

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Foam; Extinguishing powder; Water spray jet; Carbon dioxide

Unsuitable extinguishing media

High power water jet

5.2 Special hazards arising from the substance or mixture

In the event of fire, the following can be released: Carbon monoxide and carbon dioxide; Sulphur oxides (SxOy); Phosphorus oxides

5.3 Advice for firefighters

Use self-contained breathing apparatus. Wear protective clothing. Do not inhale explosion and/or combustion byproducts. Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Refer to protective measures listed in sections 7 and 8. Use personal protective clothing. Ensure adequate

Trade name: KRONES colclean MC 1002

Current version: 1.0.2, issued: 08.06.2021 Replaced version: 1.0.1, issued: 06.07.2020 Region: GB

ventilation. Remove persons to safety.

For emergency responders

Personal protective equipment (PPE) - see section 8.

6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil.

6.3 Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regulations (see section 13).

6.4 Reference to other sections

Information regarding safe handling, see section 7. Information regarding personal protective measures, see section 8. Information regarding waste disposal, see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Risks inherent to handling the product must be minimised by applying the appropriate protective and preventive measures. Working processes should - so far as possible, according to the state of the art - be designed to rule out bodily contact or the release of hazardous substances. Provide good ventilation at the work area (local exhaust ventilation, if necessary).

General protective and hygiene measures

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Do not inhale vapours. Avoid contact with eyes and skin. Wash hands before breaks and after work. Use barrier skin cream. Remove contaminated clothing and shoes and launder thoroughly before reusing. Have emergency shower available. Provide eye wash fountain in work area.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions

Keep container tightly closed and dry in a cool, well-ventilated place.

Requirements for storage rooms and vessels

Containers which are opened must be carefully closed and kept upright to prevent leakage. Always keep in containers of same material as the original. Provide acid-resistant floor.

Incompatible products

Substances to be avoided, see section 10. Do not store together with: Metals; Alkalies; Reducing agents

7.3 Specific end use(s)

No data available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values

No	Substance name	CAS no.		EC no.
1	potassium hydroxide	1310-58-3		215-181-3
	List of approved workplace exposure limits (WELs) /	EH40		
	Potassium hydroxide (as Cyanide)			
	WEL short-term (15 min reference period)	5	mg/m³	
	WEL long-term (8-hr TWA reference period)	1	mg/m³	

DNEL, DMEL and PNEC values

DNEL values (worker)

	Dital values (worker)				
No	Substance name		CAS / EC no		
	Route of exposure	Exposure time	Effect	Value	
1	Alkane C6-C8 (even numl	pered), 1-sulphonic acid, s	odium salt	1474044-66-0	
				939-625-7	

Current version: 1.0.2, issued: 08.06.2021 Replaced version: 1.0.1, issued: 06.07.2020 Region: GB

	dermal	Long term (chronic)	systemic	430	mg/kg/day
	inhalative	Long term (chronic)	systemic	30.32	mg/m³
2	Benzenesulfonic acid, 4-0 acid)	C10-13-sec-alkyl derivs. (4	-Alkylbenzenesulfonic	85536-14-7 287-494-3	
	dermal	Long term (chronic)	systemic	170	mg/kg/day
	inhalative	Long term (chronic)	systemic	12	mg/m³
	inhalative	Long term (chronic)	local	12	mg/m³
3	potassium hydroxide			1310-58-3 215-181-3	
	inhalative	Long term (chronic)	local	1	mg/m³

DNEL value (consumer)

	DIVEL Value (Collisatillet)			040/50	
No	Substance name			CAS / EC no	
	Route of exposure	Exposure time	Effect	Value	
1	Alkane C6-C8 (even num	bered), 1-sulphonic acid, s	odium salt	1474044-66-	0
	,			939-625-7	
	oral	Long term (chronic)	systemic	2.15	mg/kg/day
	dermal	Long term (chronic)	systemic	215	mg/kg/day
	inhalative	Long term (chronic)	systemic	7.48	mg/m³
2	Benzenesulfonic acid, 4-	C10-13-sec-alkyl derivs. (4	-Alkylbenzenesulfonic	85536-14-7	
	acid)			287-494-3	
	oral	Long term (chronic)	systemic	0.85	mg/kg/day
	dermal	Long term (chronic)	systemic	85	mg/kg/day
	inhalative	Long term (chronic)	systemic	3	mg/m³
	inhalative	Long term (chronic)	local	3	mg/m³
3	potassium hydroxide		•	1310-58-3	
				215-181-3	
	inhalative	Long term (chronic)	local	1	mg/m³

PNEC values

No	Substance name		CAS / EC no	
	ecological compartment	Туре	Value	
1	Benzenesulfonic acid, 4-C10-13-sec-al	kyl derivs. (4-Alkylbenzenesulfonic	85536-14-7	
	acid)		287-494-3	
	water	fresh water	0.287	mg/L
	water	marine water	0.0287	mg/L
	water	Aqua intermittent	0.0167	mg/L
	water	fresh water sediment	0.287	mg/kg dry
				weight
	water	marine water sediment	0.287	mg/kg dry
				weight
	soil	-	35	mg/kg dry
				weight
	sewage treatment plant	-	3.43	mg/L

8.2 Exposure controls

Appropriate engineering controls

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and solvent vapour below the OEL (=Occupational Exposure Limit), suitable respiratory protection must be worn.

Personal protective equipment

Respiratory protection

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of aerosol and mist formation, take appropriate measures for breathing protection in the event workplace threshold values are not specified. combination filter

Respiratory filter (part): A-P2

Eye / face protection

Safety glasses with side protection shield (EN 166); Tightly fitting safety glasses (EN 166).

Hand protection

Trade name: KRONES colclean MC 1002

Current version: 1.0.2, issued: 08.06.2021 Replaced version: 1.0.1, issued: 06.07.2020 Region: GB

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific workstation suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

Appropriate Material butyl rubber Material thickness >= 0.5 Breakthrough time 480 min Appropriate Material natural latex Material thickness 0.5 >= Breakthrough time 480 min Appropriate Material nitrile rubber 0.4 Material thickness mm 480 Breakthrough time >= min

Other

Acid-resistant protective clothing

Environmental exposure controls

No data available.

Upper explosion limit

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

1 Information on basic physical	and chemical prop	Derties		
State of aggregation liquid				
Form/Colour liquid				
colourless				
Odour characteristic				
characteristic				
pH value				
Value		13.5		
Boiling point / boiling range				
Value	>	100	°C	
Melting point/freezing point				
Value	<	0	°C	
Decomposition temperature				
No data available				
Flash point				
No data available				
Ignition temperature				
No data available				
Auto-ignition temperature				
Comments	Product is no	ot selfigniting.		
Oxidising properties				
not oxidizing				
Flammability				
No data available				
No data available				
110 data available				

Trade name: KRONES colclean MC 1002

Current version: 1.0.2, issued: 08.06.2021 Replaced version: 1.0.1, issued: 06.07.2020 Region: GB

No data available

Vapour pressure

No data available

Relative vapour density

No data available

Relative density

Value appr. 1.06

Density

No data available

Solubility in water

Comments Completely miscible

Solubility

No data available

Part	Partition coefficient n-octanol/water (log value)					
No	Substance name		CAS no.		EC no.	
1	Alkane C6-C8 (even numbered), 1-sulph	onic acid,	1474044-66-0		939-625-7	
	sodium salt					
log F	Pow			-0.7		
Refe	erence temperature			20	°C	
Meth	nod	OECD 107				
Soul	rce	ECHA				

Viscosity

No data available

Particle characteristics

No data available

9.2 Other information

Other information

No data available.

SECTION 10: Stability and reactivity

10.1 Reactivity

Dangerous reactions are not expected if the product is handled according to its intended use.

10.2 Chemical stability

Stable under recommended storage and handling conditions (See section 7).

10.3 Possibility of hazardous reactions

Dangerous reactions are not to be expected when handling product according to its intended use.

10.4 Conditions to avoid

None, if handled according to intended use.

10.5 Incompatible materials

Metals; Acids; Halogenated compounds

10.6 Hazardous decomposition products

None, if handled according to intended use.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

F	Acute oral toxicity (result of the ATE calculation for the mixture)			
1	ю	Product Name		
1		KRONES colclean MC 1002		

Current version: 1.0.2, issued: 08.06.2021 Replaced version: 1.0.1, issued: 06.07.2020 Region: GB

Comments	The result of the applied calculation method according to the
	European Regulation (EC) 1272/2008 (CLP), Paragraph 3.1.3.6,
	Part 3 of Annex I is outside the values that imply a classification /
	labelling of this mixture according to table 3.1.1 defining the
	respective categories (ATE oral > 2000 mg/kg).

Acu	te oral toxicity				
No	Substance name		CAS no.		EC no.
1	Alkane C6-C8 (even numbered), 1-sulphonic acid, sodium salt		1474044-66-0		939-625-7
LD5	0	>		1550	mg/kg bodyweight
Spec	cies	rat			
Soul	rce	ECHA			
2	Benzenesulfonic acid, 4-C10-13-sec-alky Alkylbenzenesulfonic acid)	/l derivs. (4-	85536-14-7		287-494-3
LD5	0	appr.		1470	mg/kg bodyweight
Spec	cies	rat			
Meth	nod	OECD 401			
Sour	rce	ECHA			
3	potassium hydroxide		1310-58-3		215-181-3
LD5	0			333	mg/kg bodyweight
Spec	cies	rat			
Method		OECD 425			
Soul	rce	ECHA			

Acu	Acute dermal toxicity						
No	Substance name		CAS no.		EC no.		
1	Alkane C6-C8 (even numbered), 1-sulph	nonic acid,	1474044-66-0		939-625-7		
	sodium salt						
LD5	0	>		2001	mg/kg bodyweight		
Spe	cies	rat					
Meth	nod	OECD 402					
Soul	rce	ECHA					

Acute inhalational tox	ty
No data available	

Skin	Skin corrosion/irritation				
No	Product Name				
1	KRONES colclean MC 1002				
Com	nments	pH >= 11,5			
Eval	uation	corrosive			

Seri	Serious eye damage/irritation				
No	Product Name				
1	KRONES colclean MC 1002				
Con	nments	pH >= 11,5			
Eval	luation	corrosive			

Res	piratory or skin sensitisation			
No	Substance name	C	AS no.	EC no.
1	Alkane C6-C8 (even numbered), 1-sulph	onic acid, 14	174044-66-0	939-625-7
	sodium salt			
Rou	te of exposure	Skin		
Spe	cies	guinea pig		
Metl	nod	OECD 406		
Sou	rce	ECHA		
Eval	uation	non-sensitizing		
2	potassium hydroxide	13	310-58-3	215-181-3
Rou	te of exposure	Skin		
Species		guinea pig		
Source		ECHA		
Eval	uation	non-sensitizing		

Current version: 1.0.2, issued: 08.06.2021 Region: GB Replaced version: 1.0.1, issued: 06.07.2020

Ger	m cell mutagenicity					
No	Substance name		CAS no.	EC no.		
1	Alkane C6-C8 (even numbered), 1-sulph sodium salt	onic acid,	1474044-66-0	939-625-7		
Spe		Salmonella	typhimurium TA98, TA	100, TA102, TA1535, TA1537		
Method		OECD 471				
Sou	rce	ECHA				
Eval	luation/classification	Based on a	ailable data, the class	sification criteria are not met.		
2	potassium hydroxide		1310-58-3	215-181-3		
Туре	e of examination	Ames-Test				
Species		Bacteria - Salmonella typhimurium				
Source		ECHA				
Evaluation/classification		Based on available data, the classification criteria are not met.				

Re	pr	od	uct	ion	tox	icity
		•		••		

No data available

Carcinogenicity	
No data available	

STOT - single exposure

No data available

STOT - repeated exposure

No data available

Aspiration hazard	
No data available	

11.2 Information on other hazards

Endocrine disrupting properties

No data available.

Other information

No data available.

SECTION 12: Ecological information

12.1 Toxicity

Toxi	Toxicity to fish (acute)					
No	Substance name		CAS no.		EC no.	
1	Alkane C6-C8 (even numbered), 1-sulph	onic acid,	1474044-66-0		939-625-7	
	sodium salt					
LC5	0	>		100	mg/l	
Dura	Duration of exposure			96	h	
Spec	Species					
Meth	Method					
Sour	Source					
2	potassium hydroxide		1310-58-3		215-181-3	
LC5	0			80	mg/l	
Dura	Duration of exposure			96	h	
Species		Gambusia af	finis			
Source		ECHA				
Eval	uation/classification	Based on ava	ailable data, the	classificat	ion criteria are not met.	

Toxicity to fish (chronic) No data available

Toxicity to Daphnia (acute)	
No data available	

Toxicity to Daphnia (chronic)	
No data available	

Current version: 1.0.2, issued: 08.06.2021 Replaced version: 1.0.1, issued: 06.07.2020 Region: GB

Toxicity to algae (acute)							
No	Substance name	CAS no.			EC no.		
1	Alkane C6-C8 (even numbered), 1-sulph	onic acid,	1474044-66-0		939-625-7		
	sodium salt						
EC5	0	>	1	00	mg/l		
Dura	ation of exposure		7	'2	h		
Species		Pseudokirchneriella subcapitata					
Method		OECD 201					
Soul	rce	ECHA					

Toxicity to algae (chronic)

No data available

Bacteria toxicity
No data available

12.2 Persistence and degradability

in a constant and						
Biod	odegradability					
No	o Substance name		CAS no.		EC no.	
1	Alkane C6-C8 (even numbered), 1-sulph	onic acid,	1474044-66-0		939-625-7	
	sodium salt					
Valu	e			89.7	%	
Dura	ation			28	day(s)
Method		OECD 301 B				
Source		ECHA				
Eval	luation	readily biodeg	gradable			

12.3 Bioaccumulative potential

Part	Partition coefficient n-octanol/water (log value)					
No	Substance name		CAS no.		EC no.	
1	Alkane C6-C8 (even numbered), 1-sulph	onic acid,	1474044-66-0		939-625-7	
	sodium salt					
log I	Pow			-0.7		
Refe	erence temperature			20	°C	
Method		OECD 107				
Sou	rce	ECHA				

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB assessment

Results of PBT and vPvB assessment					
	PBT assessment	The product is not considered to be a PBT.			
	vPvB assessment	The product is not considered to be a vPvB.			

12.6 Endocrine disrupting properties

No data available.

12.7 Other adverse effects

No data available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Disposal of the product should be carried out in accordance with all applicable regulations following consultation with the responsible local authority and the disposal company in an authorised and suitable disposal facility. Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

Packaging

Residues must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified

Trade name: KRONES colclean MC 1002

Current version: 1.0.2, issued: 08.06.2021 Reglaced version: 1.0.1, issued: 06.07.2020 Region: GB

by the regional disposer.

SECTION 14: Transport information

14.1 Transport ADR/RID/ADN

Class 8
Classification code C5
Packing group II
Hazard identification no. 80
UN number UN3266

Proper shipping name CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S.

Technical name Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs. (4-Alkylbenzenesulfonic acid)

potassium hydroxide

Tunnel restriction code E Label 8

14.2 Transport IMDG

Class 8
Packing group II
UN number UN3266

Proper shipping name CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S.

Technical name Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs. (4-Alkylbenzenesulfonic acid)

potassium hydroxide

EmS F-A, S-B Label 8

14.3 Transport ICAO-TI / IATA

Class 8
Packing group II
UN number UN3266

Proper shipping name Corrosive liquid, basic, inorganic, n.o.s.

Technical name Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs. (4-Alkylbenzenesulfonic acid)

potassium hydroxide

Label 8

14.4 Other information

No data available.

14.5 Environmental hazards

Information on environmental hazards, if relevant, please see 14.1 - 14.3.

14.6 Special precautions for user

No data available.

14.7 Maritime transport in bulk according to IMO instruments

Not relevant

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulations

Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

REACH candidate list of substances of very high concern (SVHC) for authorisation

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON

Current version: 1.0.2, issued: 08.06.2021 Reglaced version: 1.0.1, issued: 06.07.2020 Region: GB

THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES					
The product is considered being subject to REACH regulation (EC) 1907/2006 annex	No 3				
XVII.					

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances

This product is not subject to Part 1 or 2 of Annex I.

Other regulations

Adhere to the national sanitary and occupational safety regulations when using this product.

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for this mixture.

SECTION 16: Other information

Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section.

Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

H290 May be corrosive to metals.
H302 Harmful if swallowed.
H315 Causes skin irritation.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.

H412 Harmful to aquatic life with long lasting effects.

Creation of the safety data sheet

UMCO GmbH - D-21107 Hamburg, Georg-Wilhelm-Strasse 187, Tel.: +49(40)555 546 300, Fax: +49(40)555 546 357, e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Alterations/supplements:

Alterations to the previous edition are marked in the left-hand margin.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH.

Prod-ID 760641