Current version : 1.0.2, issued: 08.06.2021

Replaced version: 1.0.1, issued: 19.03.2021

Region: GB

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 **Product identifier**

Trade name

KRONES hydrocare 1902

1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses of the substance or mixture membrane cleaner

Uses advised against No data available.

1.3 Details of the supplier of the safety data sheet

Address

KIC KRONES Internationale Cooperationsgesellschaft mbHBöhmerwaldstraße 593073Neutraubling

 Telephone no.
 +49 9401 70-3020

 Fax no.
 +49 9401 70-3696

 e-mail
 kic@kic-krones.com

Advice on Safety Data Sheet sdb_info@umco.de

1.4 Emergency telephone number

For medical advice (in German and English): +49 (0)551 192 40 (Giftinformationszentrum Nord) In case of transport incidents and other emergencies: +44 (0) 1235 239 670 (NCEC, National Chemical Emergency Centre)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 (CLP)

Eye Dam. 1; H318 Met. Corr. 1; H290 Skin Corr. 1; H314

Classification information

Product is classified as "Corrosive" based on the extreme pH-value, see:

- Regulation 1272/2008 (CLP), Annex. I, number 3.2.2.2 / 3.2.3.1.2

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)

Hazard pictograms



Signal word Danger

Current version : 1.0.2, issued: 08.06.2021

Replaced version: 1.0.1, issued: 19.03.2021

Hazard statement(s) H290 H314	May be corrosive to metals. Causes severe skin burns and eye damage.
Precautionary statement	(s)
P260	Do not breathe mist/vapours/spray.
P264	Wash thoroughly after handling.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
P501	Dispose of contents/container to a facility in accordance with local and national regulations.

2.3 Other hazards

No data available.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable. The product is not a substance.

3.2 Mixtures

Hazardous ingredients

	Substance name Additional information					
No	Substance name		Addit			
	CAS / EC / Index /	Classification (EC) 1272/2008 (CLP)	Conc	entration	%	
	REACH no					
1	sodium hydroxide					
	1310-73-2	Skin Corr. 1A; H314	>=	25.00 - < 50.0	00 wt%	
	215-185-5	Met. Corr. 1; H290				
	011-002-00-6	Eye Dam. 1; H318				
	01-2119457892-27					
2	2-phosphonobutan	e-1,2,4-tricarboxylic acid				
	37971-36-1	Met. Corr. 1; H290	<	2.50	wt%	
	253-733-5	Eye Irrit. 2; H319				
	-					
	01-2119436643-39					

Full Text for all H-phrases and EUH-phrases: pls. see section 16

No	Note	Specific concentration limits	M-factor (acute)	M-factor (chronic)
1	-	Skin Irrit. 2; H315: C >= 0.5% Eye Irrit. 2; H319: C >= 0.5% Skin Corr. 1B; H314: C >= 2% Skin Corr. 1A; H314: C >= 5%	-	-

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Remove contaminated clothing and shoes immediately, and launder thoroughly before reusing.

After inhalation

Remove affected persons from dangerous area by observing suitable respiratory protection measures. Ensure supply of fresh air. Do not use mouth-to-mouth or mouth-to-nose resuscitation. In case of persisting adverse effects consult a physician.

After skin contact

Wash immediately with plenty of water for several minutes. Seek medical attention.

After eye contact

Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the

Current version : 1.0.2, issued: 08.06.2021 Replaced version: 1.0.1, issued: 19.03.2021

Region: GB

unaffected eye (at least 10 to 15 minutes). Get immediate ophthalmic treatment.

After ingestion

Do not induce vomiting. Never give anything by mouth to an unconscious person. Rinse out mouth and give plenty of water to drink. Call a doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms burns

4.3 Indication of any immediate medical attention and special treatment needed Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Extinguishing measures to suit surroundings.

Unsuitable extinguishing media High power water jet

5.2 Special hazards arising from the substance or mixture

In the event of fire, the following can be released: Toxic gases/vapours; Corrosive gases/vapours

5.3 Advice for firefighters

Use self-contained breathing apparatus. Wear protective clothing. Do not inhale explosion and/or combustion byproducts. Do not allow run-off from fire fighting to enter drains or water courses. Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Refer to protective measures listed in sections 7 and 8. Use personal protective clothing. Remove persons to safety. Ensure adequate ventilation.

For emergency responders

Personal protective equipment (PPE) - see section 8.

6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil.

6.3 Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regulations (see section 13).

6.4 Reference to other sections

Information regarding safe handling, see section 7. Information regarding personal protective measures, see section 8. Information regarding waste disposal, see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Risks inherent to handling the product must be minimised by applying the appropriate protective and preventive measures. Working processes should - so far as possible, according to the state of the art - be designed to rule out bodily contact or the release of hazardous substances. Provide good ventilation at the work area (local exhaust ventilation, if necessary).

General protective and hygiene measures

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Do not inhale vapours. Avoid contact with eyes and skin. Wash hands before breaks and after work. Remove contaminated clothing and shoes and launder thoroughly before reusing. Have emergency shower available. Provide eye wash fountain in work area. Have emergency shower available.

Current version : 1.0.2, issued: 08.06.2021

Region: GB

7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions

Keep container tightly closed and dry in a cool, well-ventilated place. Keep from freezing. Protect from heat and direct sunlight.

Requirements for storage rooms and vessels

Containers which are opened must be carefully closed and kept upright to prevent leakage. Always keep in containers of same material as the original.

Incompatible products

Substances to be avoided, see section 10.

7.3 Specific end use(s)

No data available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values

No	Substance name	CAS no.		EC no.	
1	sodium hydroxide	1310-73-2		215-185-5	
	List of approved workplace exposure limits (WELs) / EH40				
	Sodium hydroxide				
	WEL short-term (15 min reference period)	2	mg/m³		

DNEL, DMEL and PNEC values

DNEL values (worker)

No	Substance name			CAS / EC no	
	Route of exposure Exposure time Effect			Value	
1	1 sodium hydroxide			1310-73-2	
				215-185-5	
	inhalative	Long term (chronic)	local	1	mg/m³

DNEL value (consumer)

No	Substance name		CAS / EC no		
	Route of exposure	Exposure time	Effect	Value	
1			1310-73-2 215-185-5		
	inhalative	Long term (chronic)	local	1	mg/m³

8.2 Exposure controls

Appropriate engineering controls

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and solvent vapour below the OEL (=Occupational Exposure Limit), suitable respiratory protection must be worn.

Personal protective equipment

Respiratory protection

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of aerosol and mist formation, take appropriate measures for breathing protection in the event workplace threshold values are not specified.

Respirator

BE P

Eye / face protection

Safety glasses with side protection shield (EN 166); Tightly fitting safety glasses (EN 166).

Hand protection

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific work-station suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves.

Current version : 1.0.2, issued: 08.06.2021

Replaced version: 1.0.1, issued: 19.03.2021

Region: GB

Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves. Appropriate Material nitrile rubber

, appropriate material			
Material thickness	>	0.35	mm
Breakthrough time	>	480	min
Appropriate Material	butyl rubber		
Material thickness	>	0.5	mm
Breakthrough time	>	480	min
Appropriate Material	viton		
Material thickness	>	0.4	mm
Breakthrough time	>	480	mm
0.41			

Other

Chemical-resistant work clothes.

Environmental exposure controls

No data available.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

State of aggregation	
Form/Colour liquid yellowish; clear	
Odour odourless	
pH value Value	13
Boiling point / boiling range No data available	
Melting point/freezing point Value	2° 0 > 2
Decomposition temperature No data available	
Flash point No data available	
Ignition temperature No data available	
Auto-ignition temperature Comments	Product is not selfigniting.
Oxidising properties not oxidizing	
Flammability No data available	
Lower explosion limit No data available	
Upper explosion limit No data available	
Vapour pressure No data available	
Relative vapour density	

Current version : 1.0.2, issued: 08.06.2021	Replaced version: 1.0.1, issued: 19.03.2021	Region: GB
No data available		
Relative density		
Value	appr. 1.4	
Density		
No data available		
Solubility in water		
Comments	Completely miscible	
Solubility		
No data available		
Partition coefficient n-octanol/water (log val	ue)	
No data available	,	
Viscosity		
No data available		
Particle characteristics		
No data available		
9.2 Other information		
Other information		

No data available.

SECTION 10: Stability and reactivity

10.1 Reactivity

Dangerous reactions are not expected if the product is handled according to its intended use.

10.2 Chemical stability Stable under recommended storage and handling conditions (See section 7).

- **10.3 Possibility of hazardous reactions** Reactions with metals, with evolution of hydrogen.
- **10.4 Conditions to avoid** Protect from heat and direct sunlight. Keep from freezing.
- **10.5 Incompatible materials** Oxidizing agents; Metals; Acids
- **10.6 Hazardous decomposition products** None, if handled according to intended use.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity	
No data available	
Acute dermal toxicity	
No data available	
Acute inhalational toxicity	
No data available	
Skin corrosion/irritation	
No Product Name	
1 KRONES hydrocare 1902	
Comments	pH >= 11,5
Evaluation	corrosive
Serious eye damage/irritation	

Current version : 1.0.2, issued: 08.06.2021

Replaced version: 1.0.1, issued: 19.03.2021

Region: GB

No	Product Name		
1	KRONES hydrocare 1902		
Corr	nments	pH >= 11,5	
Eval	luation	corrosive	
Daa	piratory or skin sensitisation		
	Substance name	CAS no.	EC no.
1	sodium hydroxide		215-185-5
-	te of exposure	Skin	215-165-5
Spe		Human	
Sou		ECHA	
	luation	non-sensitizing	
Eva	luation/classification	Based on available data, the classification	criteria are not met
Ger	m cell mutagenicity		
	data available		
Don	roduction toxicity		
	data available		
INO C			
Care	cinogenicity		
No c	data available		
STO	OT - single exposure		
	data available		
	OT - repeated exposure		
No c	data available		
Asp	iration hazard		
	data available		
2 I	nformation on other hazards		
	Endocrine disrupting properties		
	No data available.		
	Other information		

No data available.

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish (acute)				
No data available				
Toxicity to fish (chronic)				
No data available				
Toxicity to Daphnia (acute)				
No Substance name	CAS no.		EC no.	
1 sodium hydroxide	1310-73-2		215-185-5	
EC50		40.4	mg/l	
Duration of exposure		48	h	
Species	Ceriodaphnia spec			
Source	ECHA			
Taviaita (a Daubuia (abuauia)				
Toxicity to Daphnia (chronic)				
No data available				
Toxicity to algae (acute)				
No data available				
Toxicity to algae (chronic)				
No data available				
Bacteria toxicity				
Bacteria toxicity				

Current version : 1.0.2, issued: 08.06.2021

Replaced version: 1.0.1, issued: 19.03.2021

Region: GB

No data available

- 12.2 Persistence and degradability No data available.
- **12.3 Bioaccumulative potential** No data available.
- **12.4 Mobility in soil** No data available.
- **12.5 Results of PBT and vPvB assessment** No data available.
- **12.6 Endocrine disrupting properties** No data available.
- 12.7 Other adverse effects

No data available.

12.8 Other information

Other information Do not discharge product unmonitored into the environment.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Disposal of the product should be carried out in accordance with all applicable regulations following consultation with the responsible local authority and the disposal company in an authorised and suitable disposal facility. Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

Packaging

Residues must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.

SECTION 14: Transport information

14.1 Transport ADR/RID/ADN

	Class Classification code Packing group Hazard identification no. UN number Proper shipping name Tunnel restriction code Label	8 C5 II 80 UN1824 SODIUM HYDROXIDE SOLUTION E 8
14.2	Transport IMDG Class Packing group UN number Proper shipping name EmS Label	8 II UN1824 SODIUM HYDROXIDE SOLUTION F-A, S-B 8
14.3	Transport ICAO-TI / IATA Class Packing group UN number Proper shipping name Label	8 II UN1824 Sodium hydroxide solution 8

Current version : 1.0.2, issued: 08.06.2021

Replaced version: 1.0.1, issued: 19.03.2021

Region: GB

14.4 Other information

No data available.

- **14.5** Environmental hazards Information on environmental hazards, if relevant, please see 14.1 - 14.3.
- **14.6** Special precautions for user No data available.
- 14.7 Maritime transport in bulk according to IMO instruments Not relevant

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

REACH candidate list of substances of very high concern (SVHC) for authorisation

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

 Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES

 The product is considered being subject to REACH regulation (EC) 1907/2006 annex
 No 3

 XVII.
 XVII.

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances This product is not subject to Part 1 or 2 of Annex I.

Other regulations

Adhere to the national sanitary and occupational safety regulations when using this product.

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for this mixture.

SECTION 16: Other information

Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section.

Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

H318	Causes serious eye damage.
H319	Causes serious eye irritation.

Creation of the safety data sheet

UMCO GmbH - D-21107 Hamburg, Georg-Wilhelm-Strasse 187, Tel.: +49(40)555 546 300, Fax: +49(40)555 546 357, e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

EU safety data sheet

Trade name: KRONES hydrocare 1902

Current version : 1.0.2, issued: 08.06.2021

Replaced version: 1.0.1, issued: 19.03.2021

Region: GB

Alterations/supplements:

Alterations to the previous edition are marked in the left-hand margin.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH. Prod-ID 760657