

EU safety data sheet

Trade name: KRONES colclean DI 1011

Current version : 2.0.1, issued: 08.06.2021

Replaced version: 2.0.0, issued: 10.03.2021

Region: GB

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

KRONES colclean DI 1011

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

Disinfectant

Uses advised against

No data available.

1.3 Details of the supplier of the safety data sheet

Address

KIC KRONES Internationale Cooperationsgesellschaft mbH
Böhmerwaldstraße 5
93073 Neutraubling

Telephone no. +49 9401 70-3020
Fax no. +49 9401 70-3696
e-mail kic@kic-krones.com

Advice on Safety Data Sheet

sdb_info@umco.de

1.4 Emergency telephone number

For medical advice (in German and English):

+49 (0)551 192 40 (Giftinformationszentrum Nord)

In case of transport incidents and other emergencies:

+44 (0) 1235 239 670 (NCEC, National Chemical Emergency Centre)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 (CLP)

Acute Tox. 4; H302

Acute Tox. 4; H312

Acute Tox. 4; H332

Aquatic Chronic 1; H410

Eye Dam. 1; H318

Met. Corr. 1; H290

Org. Perox. F; H242

Skin Corr. 1A; H314

Classification information

Classification and labelling with respect to acute dermal toxicity are based on toxicological studies performed on the product (mixture).

Classification and labelling with respect to acute inhalative toxicity are based on toxicological studies performed on the product (mixture).

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)

Hazard pictograms

EU safety data sheet

Trade name: KRONES colclean DI 1011

Current version : 2.0.1, issued: 08.06.2021

Replaced version: 2.0.0, issued: 10.03.2021

Region: GB



GHS02



GHS05



GHS07



GHS09

Signal word

Danger

Hazardous component(s) to be indicated on label:

Acetic acid
hydrogen peroxide solution
peracetic acid . . . %

Hazard statement(s)

H242 Heating may cause a fire.
H290 May be corrosive to metals.
H302+H312+H332 Harmful if swallowed, in contact with skin or if inhaled
H314 Causes severe skin burns and eye damage.
H410 Very toxic to aquatic life with long lasting effects.

Hazard statements (EU)

EUH071 Corrosive to the respiratory tract.

Precautionary statement(s)

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P234 Keep only in original packaging.
P260 Do not breathe mist/vapours/spray.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTER/doctor.
P403 Store in a well-ventilated place.
P411 Store at temperatures not exceeding 30 °C.
P501 Dispose of contents/container to a facility in accordance with local and national regulations.

2.3 Other hazards

No data available.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable. The product is not a substance.

3.2 Mixtures

Hazardous ingredients

No	Substance name		Additional information	
	CAS / EC / Index / REACH no	Classification (EC) 1272/2008 (CLP)	Concentration	%
1	Acetic acid			
	64-19-7 200-580-7 607-002-00-6 01-2119475328-30	Flam. Liq. 3; H226 Skin Corr. 1A; H314 Eye Dam. 1; H318	>= 10.00 - < 25.00	wt%
2	hydrogen peroxide solution			
	7722-84-1 231-765-0 008-003-00-9 01-2119485845-22	Acute Tox. 4; H302 Acute Tox. 4; H332 Ox. Liq. 1; H271 Skin Corr. 1A; H314 Aquatic Chronic 3; H412 Eye Dam. 1; H318	>= 10.00 - < 25.00	wt%

EU safety data sheet

Trade name: KRONES colclean DI 1011

Current version : 2.0.1, issued: 08.06.2021

Replaced version: 2.0.0, issued: 10.03.2021

Region: GB

		STOT SE 3; H335		
3	peracetic acid . . . %		pls. refer to footnote (2)	
	79-21-0 201-186-8 607-094-00-8 01-2119531330-56	Flam. Liq. 3; H226 Org. Perox. D; H242 Acute Tox. 3; H301 Acute Tox. 4; H312 Acute Tox. 3; H331 Skin Corr. 1A; H314 Eye Dam. 1; H318 Aquatic Acute 1; H400 Aquatic Chronic 1; H410	>= 10.00 - < 25.00	wt%

Full Text for all H-phrases and EUH-phrases: pls. see section 16

(2) According to the latest state of knowledge and applying the criteria set out in annex I to Regulation (EC) No 1272/2008, the aforementioned classification is required. This classification goes beyond the classification set out in table 3, Annex VI to Regulation (CE) No 1272/2008.

No	Note	Specific concentration limits	M-factor (acute)	M-factor (chronic)
1	B	Skin Irrit. 2; H315: C >= 10% Eye Irrit. 2; H319: C >= 10% Skin Corr. 1B; H314: C >= 25% Skin Corr. 1A; H314: C >= 90%	-	-
2	B	Eye Irrit. 2; H319: C >= 5% Eye Dam. 1; H318: C >= 8% Skin Irrit. 2; H315: C >= 35% STOT SE 3; H335: C >= 35% Skin Corr. 1B; H314: C >= 50% Ox. Liq. 2; H272: C >= 50% Aquatic Chronic 3; H412: C >= 63% Ox. Liq. 1; H271: C >= 70% Skin Corr. 1A; H314: C >= 70%	-	-
3	-	STOT SE 3; H335: C >= 1% Skin Corr. 1C; H314: C >= 3% Skin Corr. 1B; H314: C >= 5% Skin Corr. 1A; H314: C >= 10%	-	M = 10

Full text for the notes: pls. see section 16 "Notes relating to the identification, classification and labelling of substances ((EC) No 1272/2008, Annex VI)".

Acute toxicity estimate (ATE) values

No	oral	dermal	inhalative
3	63 mg/kg bodyweight		

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Remove contaminated clothing and shoes immediately, and launder thoroughly before reusing. In case of persisting adverse effects, consult a physician.

After inhalation

Remove affected persons from dangerous area by observing suitable respiratory protection measures. Ensure supply of fresh air. If breathing is irregular or stopped, administer artificial respiration. In case of persisting adverse effects consult a physician.

After skin contact

When in contact with the skin, clean with soap and water. Consult a doctor if skin irritation persists.

After eye contact

Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the unaffected eye (at least 10 to 15 minutes). Call a doctor immediately.

After ingestion

Rinse the mouth thoroughly with water. Do not induce vomiting. Never give anything by mouth to an unconscious person.

EU safety data sheet

Trade name: KRONES colclean DI 1011

Current version : 2.0.1, issued: 08.06.2021

Replaced version: 2.0.0, issued: 10.03.2021

Region: GB

4.2 Most important symptoms and effects, both acute and delayed

No data available.

4.3 Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water; Water mist

Unsuitable extinguishing media

Dry powder; Foam

5.2 Special hazards arising from the substance or mixture

In the event of fire, the following can be released: Oxygen; In case of fire: danger of pressure build up, which could result in container rupture.

5.3 Advice for firefighters

Use self-contained breathing apparatus. Wear protective clothing. Cool endangered containers with water spray jet. Run-off water from fire fighting must not be discharged into drains or enter surface water. Do not inhale explosion and/or combustion byproducts.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Refer to protective measures listed in sections 7 and 8. Avoid contact with skin, eyes and clothing. Remove persons to safety. Ensure adequate ventilation. Keep away from ignition sources.

For emergency responders

Personal protective equipment (PPE) - see section 8.

6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil. In case of entry into waterways, soil or drains, inform the responsible authorities.

6.3 Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regulations (see section 13). Do not return leaked product to original canister or tank due to risk of decomposition.

6.4 Reference to other sections

Information regarding safe handling, see section 7. Information regarding personal protective measures, see section 8. Information regarding waste disposal, see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Risks inherent to handling the product must be minimised by applying the appropriate protective and preventive measures. Working processes should - so far as possible, according to the state of the art - be designed to rule out bodily contact or the release of hazardous substances. Provide good ventilation at the work area (local exhaust ventilation, if necessary).

General protective and hygiene measures

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Do not inhale vapours. Avoid contact with eyes and skin. Wash hands before breaks and after work. Remove contaminated clothing and shoes and launder thoroughly before reusing.

Advice on protection against fire and explosion

Keep away from sources of ignition - refrain from smoking. Isolate from sources of heat, sparks and open flame.

EU safety data sheet

Trade name: KRONES colclean DI 1011

Current version : 2.0.1, issued: 08.06.2021

Replaced version: 2.0.0, issued: 10.03.2021

Region: GB

7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions

Keep container tightly closed and dry in a cool, well-ventilated place. Protect from direct sunlight. Keep from freezing.

Recommended storage temperature

Value < 20 °C

Requirements for storage rooms and vessels

Containers which are opened must be carefully closed and kept upright to prevent leakage. Always keep in containers of same material as the original.

Inappropriate material iron; aluminium; zinc

Incompatible products

Substances to be avoided, see section 10.

7.3 Specific end use(s)

No data available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values

No	Substance name	CAS no.	EC no.
1	Acetic acid	64-19-7	200-580-7
	2017/164/EU		
	Acetic acid		
	WEL short-term (15 min reference period)	50	mg/m ³ 20 ppm
	WEL long-term (8-hr TWA reference period)	25	mg/m ³ 10 ppm
	List of approved workplace exposure limits (WELs) / EH40		
	Acetic acid		
	WEL short-term (15 min reference period)	50	mg/m ³ 20 ppm
	WEL long-term (8-hr TWA reference period)	25	mg/m ³ 10 ppm
2	hydrogen peroxide solution	7722-84-1	231-765-0
	List of approved workplace exposure limits (WELs) / EH40		
	Hydrogen peroxide		
	WEL short-term (15 min reference period)	2.8	mg/m ³ 2 ppm
	WEL long-term (8-hr TWA reference period)	1.4	mg/m ³ 1 ppm

DNEL, DMEL and PNEC values

DNEL values (worker)

No	Substance name	CAS / EC no		
	Route of exposure	Exposure time	Effect	Value
1	Acetic acid	64-19-7 200-580-7		
	inhalative	Long term (chronic)	local	25 mg/m ³
	inhalative	Short term (acut)	local	25 mg/m ³
2	hydrogen peroxide solution	7722-84-1 231-765-0		
	inhalative	Short term (acut)	local	3 mg/m ³
	inhalative	Long term (chronic)	local	1.4 mg/m ³
3	peracetic acid . . . %	79-21-0 201-186-8		
	inhalative	Long term (chronic)	systemic	0.56 mg/m ³
	inhalative	Short term (acut)	systemic	0.56 mg/m ³
	inhalative	Long term (chronic)	local	0.56 mg/m ³
	inhalative	Short term (acut)	local	0.56 mg/m ³

DNEL value (consumer)

No	Substance name	CAS / EC no		
	Route of exposure	Exposure time	Effect	Value

EU safety data sheet

Trade name: KRONES colclean DI 1011

Current version : 2.0.1, issued: 08.06.2021

Replaced version: 2.0.0, issued: 10.03.2021

Region: GB

1	Acetic acid			64-19-7 200-580-7
	inhalative	Long term (chronic)	local	25 mg/m ³
	inhalative	Short term (acut)	local	25 mg/m ³
2	hydrogen peroxide solution			7722-84-1 231-765-0
	inhalative	Short term (acut)	local	1.93 mg/m ³
	inhalative	Long term (chronic)	local	0.21 mg/m ³
3	peracetic acid . . . %			79-21-0 201-186-8
	oral	Long term (chronic)	systemic	1.25 mg/kg/day
	oral	Short term (acut)	systemic	1.25 mg/kg/day
	inhalative	Long term (chronic)	systemic	0.28 mg/m ³
	inhalative	Short term (acut)	systemic	0.28 mg/m ³
	inhalative	Long term (chronic)	local	0.28 mg/m ³
	inhalative	Short term (acut)	local	0.28 mg/m ³

PNEC values

No	Substance name		CAS / EC no
	ecological compartment	Type	Value
1	Acetic acid		64-19-7 200-580-7
	water	fresh water	3.058 mg/L
	water	marine water	0.3058 mg/L
	water	fresh water sediment	11.36 mg/kg
	water	marine water sediment	1.136 mg/kg
	water	Aqua intermittent	30.58 mg/L
	soil	-	0.47 mg/kg
	sewage treatment plant	-	85 mg/L
2	hydrogen peroxide solution		7722-84-1 231-765-0
	water	fresh water	0.0126 mg/L
	water	marine water	0.0126 mg/L
	water	fresh water sediment	0.047 mg/kg dry weight
	water	Aqua intermittent	1.38 mg/L
	soil	-	0.0019 mg/kg moist mass
	soil	-	0.0023 mg/kg dry weight
	sewage treatment plant	-	4.66 mg/L
3	peracetic acid . . . %		79-21-0 201-186-8
	water	fresh water	0 mg/L
	water	marine water	0 mg/L
	water	Aqua intermittent	0.002 mg/L
	water	fresh water sediment	0 mg/kg dry weight
	water	marine water sediment	0 mg/kg dry weight
	soil	-	0.32 mg/kg dry weight
	sewage treatment plant	-	0.051 mg/L

8.2 Exposure controls

Appropriate engineering controls

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and solvent vapour below the OEL (=Occupational Exposure Limit), suitable respiratory protection must be worn.

Personal protective equipment

EU safety data sheet

Trade name: KRONES colclean DI 1011

Current version : 2.0.1, issued: 08.06.2021

Replaced version: 2.0.0, issued: 10.03.2021

Region: GB

Respiratory protection

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of aerosol and mist formation, take appropriate measures for breathing protection in the event workplace threshold values are not specified.

Respiratory filter (gas) : B-NO-P2, B-P2

Eye / face protection

Safety glasses with side protection shield (EN 166)

Hand protection

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific work-station suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

Appropriate Material	butyl rubber		
Material thickness	>	0.5	mm
Breakthrough time	>	480	min
Appropriate Material	Fluorocarbon rubber (Viton)		
Inappropriate material	nitrile rubber		
Inappropriate material	rubber		
Inappropriate material	Leather		
Inappropriate material	fabric		

Other

Chemical-resistant work clothes.

Environmental exposure controls

No data available.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

State of aggregation	
liquid	
Form/Colour	
liquid	
colourless	
Odour	
pungent	
pH value	
Value	2.9
Boiling point / boiling range	
Value	105 °C
Melting point/freezing point	
Value	< -18 °C
Decomposition temperature	
Value	> 60 °C
Comments	SADT
Comments	Value valid for plastic drums with 220 kg and smaller packages.
Flash point	
Value	71.5 °C
Method	DIN EN ISO 2719
Ignition temperature	
No data available	
Auto-ignition temperature	

EU safety data sheet

Trade name: KRONES colclean DI 1011

Current version : 2.0.1, issued: 08.06.2021

Replaced version: 2.0.0, issued: 10.03.2021

Region: GB

Value	°C
Comments	Product is not selfigniting.

Oxidising properties
oxidizer

Explosive properties
This product is not explosive. In and after use danger of production of inflammable compounds.

Flammability
No data available

Lower explosion limit
No data available

Upper explosion limit
No data available

Vapour pressure
No data available

Relative vapour density
No data available

Relative density	
Value	1.149
Method	REACH A.3

Density		
Value	1.15	g/cm ³
Reference temperature	20	°C

Solubility in water	
Comments	Completely miscible

Solubility
No data available

Partition coefficient n-octanol/water (log value)			
No	Substance name	CAS no.	EC no.
1	hydrogen peroxide solution	7722-84-1	231-765-0
log Pow		-1.57	
Source		ECHA	
2	peracetic acid . . . %	79-21-0	201-186-8
log Pow		-0.66	- -0.46
Reference temperature		25 °C	
Method		EPA OPPTS 830.7550	
Source		ECHA	

Viscosity		
Value	1.618	mm ² /s
Source	OECD 114	

Particle characteristics
No data available

9.2 Other information

Other information
Surface tension: < 60 mN/m

SECTION 10: Stability and reactivity

10.1 Reactivity

Stable at ambient temperature.

10.2 Chemical stability

EU safety data sheet

Trade name: KRONES colclean DI 1011

Current version : 2.0.1, issued: 08.06.2021

Replaced version: 2.0.0, issued: 10.03.2021

Region: GB

Stable under recommended storage and handling conditions (See section 7).

10.3 Possibility of hazardous reactions

Dangerous reactions are not to be expected when handling product according to its intended use. Self-accelerating exothermic reaction under development of oxygen.

10.4 Conditions to avoid

High temperatures. Protect from heat and direct sunlight.

10.5 Incompatible materials

Metals; Alkalis; Reducing agents; combustible materials; solvents; Metal salts

10.6 Hazardous decomposition products

Oxygen

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity (result of the ATE calculation for the mixture)	
No	Product Name
1	KRONES colclean DI 1011
ATE (Mixture)	389.38 mg/kg
Method	Calculation method according Regulation (EC) No 1272/2008, (CLP), annex I, part 3, section 3.1.3.6.

Acute oral toxicity			
No	Substance name	CAS no.	EC no.
1	hydrogen peroxide solution	7722-84-1	231-765-0
LD50		693.7	mg/kg bodyweight
Species with reference to	rat (female)		
Method	70% Solution		
Source	OECD 401		
	ECHA		
2	peracetic acid . . . %	79-21-0	201-186-8
LD50		63 - 86	mg/kg bodyweight
Species	rat		
Method	EPA OPP 81-1		
Source	ECHA		

Acute dermal toxicity	
No	Product Name
1	KRONES colclean DI 1011
Comments	The acute toxicity data refer to the dossier submitted for the active substance CAS: 79-21-0.

Acute inhalational toxicity	
No	Product Name
Comments	The acute toxicity data refer to the dossier submitted for the active substance CAS: 79-21-0.

Skin corrosion/irritation			
No	Substance name	CAS no.	EC no.
1	hydrogen peroxide solution	7722-84-1	231-765-0
Species with reference to	rabbit		
Method	70% solution		
Source	OECD 404		
Evaluation	ECHA		
	corrosive		
2	peracetic acid . . . %	79-21-0	201-186-8
Species	rabbit		
Method	OECD 404		
Source	ECHA		
Evaluation	corrosive		

EU safety data sheet

Trade name: KRONES colclean DI 1011

Current version : 2.0.1, issued: 08.06.2021

Replaced version: 2.0.0, issued: 10.03.2021

Region: GB

Serious eye damage/irritation			
No	Substance name	CAS no.	EC no.
1	hydrogen peroxide solution	7722-84-1	231-765-0
Species with reference to Method		rabbit 10% Solution OECD 405	
Source		ECHA	
Evaluation		strongly irritant	
2	peracetic acid . . . %	79-21-0	201-186-8
Species		rabbit	
Source		ECHA	
Evaluation		corrosive	
Respiratory or skin sensitisation			
No	Substance name	CAS no.	EC no.
1	hydrogen peroxide solution	7722-84-1	231-765-0
Route of exposure		Skin	
Source		ECHA	
Evaluation		non-sensitizing	
2	peracetic acid . . . %	79-21-0	201-186-8
Route of exposure		Skin	
Species		guinea pig	
Method		GPMT, EU B.6	
Source		ECHA	
Evaluation		non-sensitizing	
Germ cell mutagenicity			
No	Substance name	CAS no.	EC no.
1	hydrogen peroxide solution	7722-84-1	231-765-0
		2000	mg/l
Type of examination		Micronucleus test	
Species		mouse	
Method		OECD 474	
Source		ECHA	
Evaluation/classification		Based on available data, the classification criteria are not met.	
Reproduction toxicity			
No data available			
Carcinogenicity			
No	Substance name	CAS no.	EC no.
1	hydrogen peroxide solution	7722-84-1	231-765-0
Source		ECHA	
Evaluation/classification		Based on available data, the classification criteria are not met.	
STOT - single exposure			
No	Substance name	CAS no.	EC no.
1	hydrogen peroxide solution	7722-84-1	231-765-0
Duration of exposure		26	mg/kg bw/d
		90	day(s)
Species with reference to Method		Mouse (male) 35% Solution OECD 408	
Source		ECHA	
STOT - repeated exposure			
No	Substance name	CAS no.	EC no.
1	hydrogen peroxide solution	7722-84-1	231-765-0
Duration of exposure		2.9	mg/kg
		28	day(s)
Species		rat	
Method		OECD 412	
Source		ECHA	

EU safety data sheet

Trade name: KRONES colclean DI 1011

Current version : 2.0.1, issued: 08.06.2021

Replaced version: 2.0.0, issued: 10.03.2021

Region: GB

Aspiration hazard

No data available

11.2 Information on other hazards

Endocrine disrupting properties

No data available.

Other information

No data available.

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish (acute)

No	Substance name	CAS no.	EC no.
1	hydrogen peroxide solution	7722-84-1	231-765-0
LC50		16.4	mg/l
Duration of exposure		96	h
Species	Pimephales promelas		
Method	EPA		
Source	ECHA		
2	peracetic acid . . . %	79-21-0	201-186-8
LC50		0.53	mg/l
Duration of exposure		96	h
Species	Oncorhynchus mykiss		
Method	OECD 203		
Source	ECHA		

Toxicity to fish (chronic)

No	Substance name	CAS no.	EC no.
1	peracetic acid . . . %	79-21-0	201-186-8
NOEC		0.002	mg/l
Duration of exposure		33	day(s)
Species	Danio rerio		
Method	OECD 210		
Source	ECHA		

Toxicity to Daphnia (acute)

No	Substance name	CAS no.	EC no.
1	hydrogen peroxide solution	7722-84-1	231-765-0
EC50		2.4	mg/l
Duration of exposure		48	h
Species	Daphnia pulex		
Method	EPA		
Source	ECHA		
2	peracetic acid . . . %	79-21-0	201-186-8
EC50		0.73	mg/l
Duration of exposure		48	h
Species	Daphnia magna		
Method	OECD 202		
Source	ECHA		

Toxicity to Daphnia (chronic)

No	Substance name	CAS no.	EC no.
1	peracetic acid . . . %	79-21-0	201-186-8
NOEC		0.012	mg/l
Duration of exposure		21	day(s)
Species	Daphnia magna		
Method	OECD 211		
Source	ECHA		

Toxicity to algae (acute)

EU safety data sheet

Trade name: KRONES colclean DI 1011

Current version : 2.0.1, issued: 08.06.2021

Replaced version: 2.0.0, issued: 10.03.2021

Region: GB

No	Substance name	CAS no.	EC no.
1	hydrogen peroxide solution	7722-84-1	231-765-0
ErC50		2.62	mg/l
Duration of exposure		72	h
Species	Skeletonema costatum		
Method	OECD 201		
Source	ECHA		
2	peracetic acid . . . %	79-21-0	201-186-8
EC50		0.16	mg/l
Duration of exposure		72	h
Species	Pseudokirchneriella subcapitata		
Source	ECHA		

Toxicity to algae (chronic)

No	Substance name	CAS no.	EC no.
1	hydrogen peroxide solution	7722-84-1	231-765-0
NOEC		0.63	mg/l
Duration of exposure		72	h
Species	Skeletonema costatum		
Method	OECD 201		
Source	ECHA		

Bacteria toxicity

No data available

12.2 Persistence and degradability

Biodegradability			
No	Substance name	CAS no.	EC no.
1	hydrogen peroxide solution	7722-84-1	231-765-0
Source	ECHA		
Evaluation	readily biodegradable		
2	peracetic acid . . . %	79-21-0	201-186-8
Type	aerobic biodegradation		
Value		98	%
Duration		28	day(s)
Method	OECD 301 E		
Source	ECHA		

12.3 Bioaccumulative potential

Partition coefficient n-octanol/water (log value)			
No	Substance name	CAS no.	EC no.
1	hydrogen peroxide solution	7722-84-1	231-765-0
log Pow		-1.57	
Source	ECHA		
2	peracetic acid . . . %	79-21-0	201-186-8
log Pow		-0.66	-0.46
Reference temperature		25	°C
Method	EPA OPPTS 830.7550		
Source	ECHA		

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB assessment

No data available.

12.6 Endocrine disrupting properties

No data available.

12.7 Other adverse effects

No data available.

12.8 Other information

EU safety data sheet

Trade name: KRONES colclean DI 1011

Current version : 2.0.1, issued: 08.06.2021

Replaced version: 2.0.0, issued: 10.03.2021

Region: GB

Other information

Do not discharge product unmonitored into the environment.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Disposal of the product should be carried out in accordance with all applicable regulations following consultation with the responsible local authority and the disposal company in an authorised and suitable disposal facility. Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

Packaging

Residues must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.

SECTION 14: Transport information

14.1 Transport ADR/RID/ADN

Class	5.2
Classification code	P1
Hazard identification no.	539
UN number	UN3109
Proper shipping name	ORGANIC PEROXIDE TYPE F, LIQUID
Tunnel restriction code	D
Label	5.2+8

14.2 Transport IMDG

Class	5.2
Subsidiary Risk	8
UN number	UN3109
Proper shipping name	ORGANIC PEROXIDE TYPE F, LIQUID
EmS	F-J, S-R
Label	5.2+8

14.3 Transport ICAO-TI / IATA

Class	5.2
Subrisk	8
UN number	UN3109
Proper shipping name	Organic peroxide type F, liquid
Label	5.2+8

14.4 Other information

No data available.

14.5 Environmental hazards

Information on environmental hazards, if relevant, please see 14.1 - 14.3.

14.6 Special precautions for user

No data available.

14.7 Maritime transport in bulk according to IMO instruments

Not relevant

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulations

Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation

EU safety data sheet

Trade name: KRONES colclean DI 1011

Current version : 2.0.1, issued: 08.06.2021

Replaced version: 2.0.0, issued: 10.03.2021

Region: GB

(EC) 1907/2006.

REACH candidate list of substances of very high concern (SVHC) for authorisation

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES

The product is considered being subject to REACH regulation (EC) 1907/2006 annex XVII.	No 3
--	------

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances

This product is subject to Part I of Annex I, risk category:	E1, P6b
--	---------

If the properties of the substance/product give rise to more than one classification, for the purposes of 2012/18/UE, the lowest qualifying quantities set out in Part 1 and Part 2 of Annex I shall apply.

Other regulations

Adhere to the national sanitary and occupational safety regulations when using this product.

15.2 Chemical safety assessment

No data available.

SECTION 16: Other information

Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section.

Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

H226	Flammable liquid and vapour.
H271	May cause fire or explosion; strong oxidiser.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H318	Causes serious eye damage.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H412	Harmful to aquatic life with long lasting effects.

Notes relating to the identification, classification and labelling of substances and mixtures ((EC) No 1272/2008, Annex VI)

B Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations. In Part 3 entries with Note B have a general designation of the following type: 'nitric acid ... %'. In this case the supplier must state the percentage concentration of the solution on the label. Unless otherwise stated, it is assumed that the percentage concentration is calculated on a weight/weight basis.

Creation of the safety data sheet

UMCO GmbH - D-21107 Hamburg, Georg-Wilhelm-Strasse 187, Tel.: +49(40)555 546 300, Fax: +49(40)555 546 357, e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

EU safety data sheet

Trade name: KRONES colclean DI 1011

Current version : 2.0.1, issued: 08.06.2021

Replaced version: 2.0.0, issued: 10.03.2021

Region: GB

Alterations/supplements:

Alterations to the previous edition are marked in the left-hand margin.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH.

Prod-ID 760074