

EC safety data sheet

Trade name: KRONES colfix HM 3007

Current version : 1.1.1, issued: 18.05.2020

Replaced version: 1.1.0, issued: 23.01.2020

Region: GB

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

KRONES colfix HM 3007

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

Adhesive for labelling

Uses advised against

No data available.

1.3 Details of the supplier of the safety data sheet

Address

KIC KRONES Internationale Cooperationsgesellschaft mbH
Böhmerwaldstraße 5
93073 Neutraubling

Telephone no. +49 9401 70-3020

Fax no. +49 9401 70-3696

e-mail kic@kic-krones.com

Advice on Safety Data Sheet

sdb_info@umco.de

1.4 Emergency telephone number

For medical advice (in German and English):

+49 (0)551 192 40 (Giftinformationszentrum Nord)

In case of transport incidents and other emergencies:

+44 (0) 1235 239 670 (NCEC, National Chemical Emergency Centre)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 (CLP)

Aquatic Chronic 3; H412

Repr. 1B; H360FD

Skin Sens. 1; H317

Classification information

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)

Hazard pictograms



GHS07



GHS08

Signal word

Danger

Hazardous component(s) to be indicated on label:

1,3-butadiene, 2-methyl, homopolymer, maleated 2 - [(2-methyl-1-oxo-2-propen-1-yl) oxy] ethyl ester

EC safety data sheet

Trade name: KRONES colfix HM 3007

Current version : 1.1.1, issued: 18.05.2020

Replaced version: 1.1.0, issued: 23.01.2020

Region: GB

2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one

Hazard statement(s)

H317 May cause an allergic skin reaction.
 H360FD May damage fertility. May damage the unborn child.
 H412 Harmful to aquatic life with long lasting effects.

Precautionary statement(s)

P201 Obtain special instructions before use.
 P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
 P280 Wear protective gloves/protective clothing/eye protection/face protection.
 P308+P313 IF exposed or concerned: Get medical advice/attention.

Supplemental label elements

"Restricted to professional users"

2.3 Other hazards

No data available.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable. The product is not a substance.

3.2 Mixtures

Hazardous ingredients

No	Substance name	Additional information	
	CAS / EC / Index / REACH no	Classification (EC) 1272/2008 (CLP)	Concentration
			%
1	1,3-butadiene, 2-methyl, homopolymer, maleated 2 - [(2-methyl-1-oxo-2-propen-1-yl) oxy] ethyl ester		
	848245-48-7 695-244-3 - -	Skin Sens. 1; H317	>= 25.00 - < 50.00 %-b.w.
2	(octahydro-4,7-methano-1H-indenediyl)bis(methylene) diacrylate		
	42594-17-2 255-901-3 - 01-2120051112-76	Aquatic Chronic 2; H411 Skin Sens. 1B; H317	>= 10.00 - < 25.00 %-b.w.
3	2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one		
	71868-10-5 400-600-6 606-041-00-6 01-0000015054-80	Acute Tox. 4*; H302 Aquatic Chronic 2; H411 Repr. 1B; H360FD	< 2.50 %-b.w.
4	cyclohexane		
	110-82-7 203-806-2 601-017-00-1 01-2119463273-41	Aquatic Acute 1; H400 Aquatic Chronic 1; H410 Asp. Tox. 1; H304 Flam. Liq. 2; H225 Skin Irrit. 2; H315 STOT SE 3; H336	< 0.50 %-b.w.
5	n-hexane		
	110-54-3 203-777-6 601-037-00-0 01-2119480412-44	Aquatic Chronic 2; H411 Asp. Tox. 1; H304 Flam. Liq. 2; H225 Repr. 2; H361f Skin Irrit. 2; H315 STOT RE 2; H373 STOT SE 3; H336	< 0.50 %-b.w.

Full Text for all H-phrases and EUH-phrases: pls. see section 16

(* , ** , *** , ****) Detailed explanation pls. refer to CLP regulation No. 1272/2008, annex VI, 1.2

EC safety data sheet

Trade name: KRONES colfix HM 3007

Current version : 1.1.1, issued: 18.05.2020

Replaced version: 1.1.0, issued: 23.01.2020

Region: GB

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Remove contaminated clothing and shoes immediately, and launder thoroughly before reusing. Poisonous symptoms can first be observed after several hours, therefore medical observation for at least 48 hours is necessary.

After inhalation

Remove affected persons from dangerous area by observing suitable respiratory protection measures. Ensure supply of fresh air. In case of persisting adverse effects consult a physician.

After skin contact

When in contact with the skin, clean with soap and water. Consult a doctor if skin irritation persists.

After eye contact

Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the unaffected eye (at least 10 to 15 minutes). Get immediate ophthalmic treatment.

After ingestion

Rinse mouth thoroughly with water. Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a doctor.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms

Skin irritation; reddening of the skin

4.3 Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

All quenching (arc-extinguishing) media available.

Unsuitable extinguishing media

High power water jet

5.2 Special hazards arising from the substance or mixture

In the event of fire, the following can be released: Toxic gases/vapours

5.3 Advice for firefighters

Use self-contained breathing apparatus. Wear protective clothing.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Refer to protective measures listed in sections 7 and 8. Remove persons to safety. High risk of slipping due to leakage/spillage of product. Avoid contact with skin, eyes and clothing.

For emergency responders

Personal protective equipment (PPE) - see Section 8.

6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil. In case of entry into waterways, soil or drains, inform the responsible authorities.

6.3 Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regulations (see section 13).

6.4 Reference to other sections

Information regarding safe handling, see chapter 7. Information regarding personal protective measures, see chapter 8. Information regarding waste disposal, see chapter 13.

EC safety data sheet

Trade name: KRONES colfix HM 3007

Current version : 1.1.1, issued: 18.05.2020

Replaced version: 1.1.0, issued: 23.01.2020

Region: GB

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Risks inherent to handling the product must be minimised by applying the appropriate protective and preventive measures. Working processes should - so far as possible, according to the state of the art - be designed to rule out bodily contact or the release of hazardous substances. Provide good ventilation at the work area (local exhaust ventilation, if necessary).

General protective and hygiene measures

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Do not inhale vapours. Avoid contact with eyes and skin. Wash hands before breaks and after work. Remove contaminated clothing and shoes and launder thoroughly before reusing.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions

Keep container tightly closed and dry in a cool, well-ventilated place. Keep from freezing.

Requirements for storage rooms and vessels

Containers which are opened must be carefully closed and kept upright to prevent leakage. Always keep in containers of same material as the original.

Incompatible products

Substances to be avoided, pls. See chapter 10.

7.3 Specific end use(s)

No data available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values

No	Substance name	CAS no.	EC no.
1	cyclohexane	110-82-7	203-806-2
	2006/15/EC		
	Cyclohexane		
	WEL long-term (8-hr TWA reference period)	700	mg/m ³ 200 ppm
	List of approved workplace exposure limits (WELs) / EH40		
	Cyclohexane		
	WEL short-term (15 min reference period)	1050	mg/m ³ 300 ppm
	WEL long-term (8-hr TWA reference period)	350	mg/m ³ 100 ppm
2	n-hexane	110-54-3	203-777-6
	2006/15/EC		
	n-Hexane		
	WEL long-term (8-hr TWA reference period)	72	mg/m ³ 20 ppm
	List of approved workplace exposure limits (WELs) / EH40		
	n-Hexane		
	WEL long-term (8-hr TWA reference period)	72	mg/m ³ 20 ppm

DNEL, DMEL and PNEC values

DNEL values (worker)

No	Substance name	CAS / EC no		
	Route of exposure	Exposure time	Effect	Value
1	2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one			71868-10-5 400-600-6
	dermal	Long term (chronic)	systemic	0.4 mg/kg/day
	inhalative	Long term (chronic)	systemic	2.82 mg/m ³
2	cyclohexane			110-82-7 203-806-2
	inhalative	Short term (acut)	systemic	700 mg/m ³

EC safety data sheet

Trade name: KRONES colfix HM 3007

Current version : 1.1.1, issued: 18.05.2020

Replaced version: 1.1.0, issued: 23.01.2020

Region: GB

3	n-hexane			110-54-3 203-777-6	
	dermal	Long term (chronic)	systemic	11	mg/kg
	inhalative	Long term (chronic)	systemic	75	mg/m ³

DNEL value (consumer)

No	Substance name			CAS / EC no	
	Route of exposure	Exposure time	Effect	Value	
1	2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one			71868-10-5 400-600-6	
	oral	Long term (chronic)	systemic	0.2	mg/kg/day
	dermal	Long term (chronic)	systemic	0.2	mg/kg/day
	inhalative	Long term (chronic)	systemic	0.7	mg/m ³
2	cyclohexane			110-82-7 203-806-2	
	dermal	Long term (chronic)	systemic	2016	mg/kg
	inhalative	Short term (acut)	local	700	mg/m ³
	inhalative	Long term (chronic)	systemic	700	mg/m ³
	inhalative	Long term (chronic)	local	700	mg/m ³
3	n-hexane			110-54-3 203-777-6	
	oral	Long term (chronic)	systemic	4	mg/kg
	dermal	Long term (chronic)	systemic	5.3	mg/kg
	inhalative	Long term (chronic)	systemic	16	mg/m ³

PNEC values

No	Substance name		CAS / EC no	
	ecological compartment	Type	Value	
1	(octahydro-4,7-methano-1H-indenediyl)bis(methylene) diacrylate		42594-17-2 255-901-3	
	water	fresh water	1.6	µg/L
	water	Aqua intermittent	16	µg/L
	water	marine water	0.16	µg/L
	water	fresh water sediment	0.658	mg/kg dry weight
	water	marine water sediment	0.066	mg/kg dry weight
	soil	-	0.131	mg/kg dry weight
	sewage treatment plant	-	10	mg/L
2	2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one		71868-10-5 400-600-6	
	water	fresh water	0.017	mg/L
	water	marine water	0.002	mg/L
	water	fresh water sediment	1.139	mg/kg
	water	marine water sediment	0.114	mg/kg
	soil	-	0.087	mg/kg
	sewage treatment plant	-	1	mg/L
	secondary poisoning	-	16.7	mg/kg
3	cyclohexane		110-82-7 203-806-2	
	water	fresh water	0.207	mg/L
	water	marine water	0.207	mg/L
	water	fresh water sediment	3.267	mg/kg
	water	marine water sediment	3.267	mg/kg
	soil	-	2.99	mg/kg

8.2 Exposure controls

Appropriate engineering controls

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and

EC safety data sheet

Trade name: KRONES colfix HM 3007

Current version : 1.1.1, issued: 18.05.2020

Replaced version: 1.1.0, issued: 23.01.2020

Region: GB

solvent vapour below the OEL (=Occupational Exposure Limit), suitable respiratory protection must be worn.

Personal protective equipment

Respiratory protection

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of aerosol and mist formation, take appropriate measures for breathing protection in the event workplace threshold values are not specified.

Respirator ABEK-P2

Eye / face protection

Safety glasses with side protection shield (EN 166)

Hand protection

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific work-station suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

Appropriate Material	NBR		
Material thickness	>	0.4	mm
Breakthrough time	>	480	mm

Other

Chemical-resistant work clothes.

Environmental exposure controls

No data available.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form/Colour	
liquid	
clear	
Odour	
characteristic	
Odour threshold	
No data available	
pH value	
No data available	
Boiling point / boiling range	
No data available	
Melting point / melting range	
No data available	
Decomposition point / decomposition range	
No data available	
Flash point	
Value	> 200 °C
Method	open cup
Auto-ignition temperature	
No data available	
Oxidising properties	
No data available	
Explosive properties	
No data available	
Flammability (solid, gas)	

EC safety data sheet

Trade name: KRONES colfix HM 3007

Current version : 1.1.1, issued: 18.05.2020

Replaced version: 1.1.0, issued: 23.01.2020

Region: GB

No data available			
Lower flammability or explosive limits			
No data available			
Upper flammability or explosive limits			
No data available			
Vapour pressure			
No data available			
Vapour density			
No data available			
Evaporation rate			
No data available			
Relative density			
No data available			
Density			
No data available			
Solubility in water			
No data available			
Solubility(ies)			
No data available			
Partition coefficient: n-octanol/water			
No	Substance name	CAS no.	EC no.
1	(octahydro-4,7-methano-1H-indenediyl)bis(methylene) diacrylate	42594-17-2	255-901-3
log Pow with reference to Method Source	4.54 pH 7,3 OECD 117 ECHA	-	4.64
2	2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one	71868-10-5	400-600-6
log Pow Reference temperature with reference to Source	3,09 25 pH 7 ECHA		°C
3	n-hexane	110-54-3	203-777-6
log Pow Reference temperature Source	4 20 ECHA		°C
Viscosity			
Value Type	600 - 800 dynamic		mPa*s

9.2 Other information

Other information
No data available.

SECTION 10: Stability and reactivity

10.1 Reactivity

Stable at ambient temperature.

10.2 Chemical stability

Stable under recommended storage and handling conditions (See section 7).

10.3 Possibility of hazardous reactions

Dangerous reactions are not to be expected when handling product according to its intended use.

EC safety data sheet

Trade name: KRONES colfix HM 3007

Current version : 1.1.1, issued: 18.05.2020

Replaced version: 1.1.0, issued: 23.01.2020

Region: GB

10.4 Conditions to avoid

None, if handled according to intended use.

10.5 Incompatible materials

None known.

10.6 Hazardous decomposition products

None, if handled according to intended use.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute oral toxicity			
No	Substance name	CAS no.	EC no.
1	(octahydro-4,7-methano-1H-indenediyl)bis(methylene) diacrylate	42594-17-2	255-901-3
LD50	>	2000	mg/kg bodyweight
Species	rat		
Method	OECD 423		
Source	ECHA		
2	2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one	71868-10-5	400-600-6
LD50	>	1984	mg/kg bodyweight
Species	rat		
Method	OECD 401		
Source	ECHA		
3	cyclohexane	110-82-7	203-806-2
LD50	>	5000	mg/kg bodyweight
Species	rat		
Method	OECD 401		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		
4	n-hexane	110-54-3	203-777-6
LD50	>	24	mg/kg bodyweight
Species	rat		
Method	OECD 401		
Source	ECHA		

Acute dermal toxicity			
No	Substance name	CAS no.	EC no.
1	(octahydro-4,7-methano-1H-indenediyl)bis(methylene) diacrylate	42594-17-2	255-901-3
LD50	>	2000	mg/kg bodyweight
Species	rat		
Method	OECD 402		
Source	ECHA		
2	2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one	71868-10-5	400-600-6
LD50	>	2000	mg/kg bodyweight
Species	rat		
Method	OECD 402		
Source	ECHA		
3	cyclohexane	110-82-7	203-806-2
LD50	>	2000	mg/kg bodyweight
Species	rabbit		
Method	OECD 402		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		

Acute inhalational toxicity			
No	Substance name	CAS no.	EC no.

EC safety data sheet

Trade name: KRONES colfix HM 3007

Current version : 1.1.1, issued: 18.05.2020

Replaced version: 1.1.0, issued: 23.01.2020

Region: GB

1	cyclohexane	110-82-7	203-806-2
LC50	>	19.07	mg/l
Duration of exposure		4	h
State of aggregation	Dust/mist		
Species	rat		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		

Skin corrosion/irritation			
No	Substance name	CAS no.	EC no.
1	(octahydro-4,7-methano-1H-indenediyl)bis(methylene) diacrylate	42594-17-2	255-901-3
Method	OECD 439		
Source	ECHA		
Evaluation	non-irritant		
Evaluation/classification	Based on available data, the classification criteria are not met.		
2	2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one	71868-10-5	400-600-6
Species	rabbit		
Method	OECD 404		
Source	ECHA		
Evaluation	non-irritant		

Serious eye damage/irritation			
No	Substance name	CAS no.	EC no.
1	(octahydro-4,7-methano-1H-indenediyl)bis(methylene) diacrylate	42594-17-2	255-901-3
Method	OECD 437		
Source	ECHA		
Evaluation	non-irritant		
Evaluation/classification	Based on available data, the classification criteria are not met.		
2	2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one	71868-10-5	400-600-6
Species	rabbit		
Method	OECD 405		
Source	ECHA		
Evaluation	non-irritant		

Respiratory or skin sensitisation			
No	Substance name	CAS no.	EC no.
1	(octahydro-4,7-methano-1H-indenediyl)bis(methylene) diacrylate	42594-17-2	255-901-3
Route of exposure	Skin		
Species	guinea pig		
Method	OECD 406		
Source	ECHA		
Evaluation	sensitizing		
Evaluation/classification	Based on available data, the classification criteria are met.		
2	2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one	71868-10-5	400-600-6
Route of exposure	respiratory tract		
Species	guinea pig		
Method	OECD 406		
Source	ECHA		
Evaluation	non-sensitizing		
3	n-hexane	110-54-3	203-777-6
Route of exposure	Skin		
Species	mouse		
Method	OECD 429		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		

EC safety data sheet

Trade name: KRONES colfix HM 3007

Current version : 1.1.1, issued: 18.05.2020

Replaced version: 1.1.0, issued: 23.01.2020

Region: GB

Germ cell mutagenicity			
No	Substance name	CAS no.	EC no.
1	(octahydro-4,7-methano-1H-indenediyl)bis(methylene) diacrylate	42594-17-2	255-901-3
Type of examination		in vitro gene mutation study in mammalian cells	
Species		Chinese hamster V79 cells	
Method		OECD 476	
Source		ECHA	
Evaluation/classification		Based on available data, the classification criteria are not met.	
Type of examination		in vitro gene mutation study in bacteria	
Species		Salmonella typhimurium TA98, TA100, TA102, TA1535, TA1537	
Method		OECD 471	
Source		ECHA	
Evaluation/classification		Based on available data, the classification criteria are not met.	
Type of examination		In vitro mammalian cytogenicity	
Species		Mouse lymphoma cells	
Method		OECD 487	
Source		ECHA	
Evaluation/classification		Based on available data, the classification criteria are not met.	
2	2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one	71868-10-5	400-600-6
Method		OECD 471	
Source		ECHA	
Evaluation/classification		Based on available data, the classification criteria are not met.	
3	n-hexane	110-54-3	203-777-6
Species		Salmonella typhimurium TA98, TA100, TA1535, TA1537	
Method		OECD 471	
Source		ECHA	
Evaluation/classification		Based on available data, the classification criteria are not met.	
Reproduction toxicity			
No	Substance name	CAS no.	EC no.
1	(octahydro-4,7-methano-1H-indenediyl)bis(methylene) diacrylate	42594-17-2	255-901-3
Route of exposure		oral	
Type of examination		Toxicity study	
Species		rat	
Method		OECD 421	
Source		ECHA	
Evaluation/classification		Based on available data, the classification criteria are not met.	
2	2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one	71868-10-5	400-600-6
NOAEL		40	mg/kg bw/d
Species		rat	
Method		OECD 414	
Source		ECHA	
Evaluation/classification		Based on available data, the classification criteria are met.	
3	n-hexane	110-54-3	203-777-6
Species		rat	
Method		OECD 416	
Source		ECHA	
Evaluation/classification		Based on available data, the classification criteria are not met.	
Carcinogenicity			
No data available			
STOT - single exposure			
No data available			
STOT - repeated exposure			
No	Substance name	CAS no.	EC no.
1	(octahydro-4,7-methano-1H-indenediyl)bis(methylene) diacrylate	42594-17-2	255-901-3

EC safety data sheet

Trade name: KRONES colfix HM 3007

Current version : 1.1.1, issued: 18.05.2020

Replaced version: 1.1.0, issued: 23.01.2020

Region: GB

Route of exposure	oral		
Species	rat		
Method	OECD 407		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		
2	2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one	71868-10-5	400-600-6
Method	OECD 407		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		
Aspiration hazard			
No data available			

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish (acute)			
No	Substance name	CAS no.	EC no.
1	(octahydro-4,7-methano-1H-indenediyl)bis(methylene) diacrylate	42594-17-2	255-901-3
LC50		1.65	mg/l
Duration of exposure		96	h
Species	Danio rerio		
Method	OECD 203		
Source	ECHA		
2	2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one	71868-10-5	400-600-6
LC50		9	mg/l
Duration of exposure		96	h
Species	Danio rerio		
Method	OECD 203		
Source	ECHA		
3	cyclohexane	110-82-7	203-806-2
LC50		4.53	mg/l
Duration of exposure		96	h
Species	Pimephales promelas		
Method	OECD 203		
Source	ECHA		
Toxicity to fish (chronic)			
No data available			
Toxicity to Daphnia (acute)			
No	Substance name	CAS no.	EC no.
1	(octahydro-4,7-methano-1H-indenediyl)bis(methylene) diacrylate	42594-17-2	255-901-3
EC50		2.36	mg/l
Duration of exposure		48	h
Species	Daphnia magna		
Method	OECD 202		
Source	ECHA		
2	2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one	71868-10-5	400-600-6
EC50		15.3	mg/l
Duration of exposure		25	h
Species	Daphnia magna		
Method	OECD 202		
Source	ECHA		
3	cyclohexane	110-82-7	203-806-2
EC50		0.9	mg/l
Duration of exposure		48	h

EC safety data sheet

Trade name: KRONES colfix HM 3007

Current version : 1.1.1, issued: 18.05.2020

Replaced version: 1.1.0, issued: 23.01.2020

Region: GB

Species	Daphnia magna
Method	OECD 202
Source	ECHA

Toxicity to Daphnia (chronic)			
No	Substance name	CAS no.	EC no.
1	2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one	71868-10-5	400-600-6
NOEC		1.0	mg/l
Duration of exposure		21	day(s)
Species	Daphnia magna		
Method	OECD 211		
Source	ECHA		

Toxicity to algae (acute)			
No	Substance name	CAS no.	EC no.
1	(octahydro-4,7-methano-1H-indenediy)bis(methylene) diacrylate	42594-17-2	255-901-3
EC50		1.6	mg/l
Duration of exposure		72	h
Species	Pseudokirchneriella subcapitata		
Method	OECD 201		
Source	ECHA		
2	2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one	71868-10-5	400-600-6
ErC50		1.6	mg/l
Duration of exposure		72	h
Species	Desmodesmus subspicatus		
Method	OECD 201		
Source	ECHA		
3	cyclohexane	110-82-7	203-806-2
ErC50	>	4.425	mg/l
Duration of exposure		72	h
Species	Pseudokirchneriella subcapitata		
Method	OECD 201		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		

Toxicity to algae (chronic)			
No	Substance name	CAS no.	EC no.
1	cyclohexane	110-82-7	203-806-2
NOEC		0.9	mg/l
Duration of exposure		72	h
Species	Pseudokirchneriella subcapitata		
Method	OECD 201		
Source	ECHA		

Bacteria toxicity	
No data available	

12.2 Persistence and degradability

Biodegradability			
No	Substance name	CAS no.	EC no.
1	(octahydro-4,7-methano-1H-indenediy)bis(methylene) diacrylate	42594-17-2	255-901-3
Type	aerobic biodegradation		
Value		28.1	%
Duration		28	
Method	OECD 301 F		
Source	ECHA		
Evaluation	Potentially biologically degradable (inherently biodegradable).		
2	2-methyl-1-(4-methylthiophenyl)-2-	71868-10-5	400-600-6

EC safety data sheet

Trade name: KRONES colfix HM 3007

Current version : 1.1.1, issued: 18.05.2020

Replaced version: 1.1.0, issued: 23.01.2020

Region: GB

morpholinopropan-1-one			
Value	<	1	%
Duration		28	day(s)
Method	OECD 301 B		
Source	ECHA		
Evaluation	not readily biodegradable		

Abiotic Degradation			
No	Substance name	CAS no.	EC no.
1	(octahydro-4,7-methano-1H-indenediy)bis(methylene) diacrylate	42594-17-2	255-901-3
Type		Hydrolysis	
Half-life		4	day(s)
pH value		1.2	
Reference temperature		37	°C
Method	OECD 111		
Source	ECHA		
Type		Hydrolysis	
Half-life		4.8	day(s)
pH value		9	
Reference temperature		50	°C
Method	OECD 111		
Source	ECHA		
2	2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one	71868-10-5	400-600-6
Type		Hydrolysis	
Source	ECHA		
Evaluation/classification	stable		

12.3 Bioaccumulative potential

Bioconcentration factor (BCF)			
No	Substance name	CAS no.	EC no.
1	2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one	71868-10-5	400-600-6
BCF		5.3 - 10.1	
Species	Oryzais latipes		
Method	Kanpogyo No. 5, Yakuhatu No. 615, 49-Kikyoku No. 392		
Source	ECHA		

Partition coefficient: n-octanol/water			
No	Substance name	CAS no.	EC no.
1	(octahydro-4,7-methano-1H-indenediy)bis(methylene) diacrylate	42594-17-2	255-901-3
log Pow		4.54 - 4.64	
with reference to		pH 7,3	
Method	OECD 117		
Source	ECHA		
2	2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one	71868-10-5	400-600-6
log Pow		3,09	
Reference temperature		25 °C	
with reference to		pH 7	
Source	ECHA		
3	n-hexane	110-54-3	203-777-6
log Pow		4	
Reference temperature		20 °C	
Source	ECHA		

12.4 Mobility in soil

Mobility in soil			
No	Substance name	CAS no.	EC no.
1	(octahydro-4,7-methano-1H-	42594-17-2	255-901-3

EC safety data sheet

Trade name: KRONES colfix HM 3007

Current version : 1.1.1, issued: 18.05.2020

Replaced version: 1.1.0, issued: 23.01.2020

Region: GB

indenediyl)bis(methylene) diacrylate			
log Koc		3.61	
Method	OECD 121		
Source	ECHA		
2	2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one	71868-10-5	400-600-6
log Koc		2.8	
Reference temperature		25	°C
Method	OECD 121		
Source	ECHA		

12.5 Results of PBT and vPvB assessment

No data available.

12.6 Other adverse effects

No data available.

12.7 Other information

Other information

Do not discharge product unmonitored into the environment.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Disposal of the product should be carried out in accordance with all applicable regulations following consultation with the responsible local authority and the disposal company in an authorised and suitable disposal facility. Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

Packaging

Residuals must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.

SECTION 14: Transport information

14.1 Transport ADR/RID/ADN

The product is not subject to ADR/RID/ADN regulations.

14.2 Transport IMDG

The product is not subject to IMDG regulations.

14.3 Transport ICAO-TI / IATA

The product is not subject to ICAO-TI / IATA regulations.

14.4 Other information

No data available.

14.5 Environmental hazards

Information on environmental hazards, if relevant, please see 14.1 - 14.3.

14.6 Special precautions for user

No data available.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not relevant

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)

EC safety data sheet

Trade name: KRONES colfix HM 3007

Current version : 1.1.1, issued: 18.05.2020

Replaced version: 1.1.0, issued: 23.01.2020

Region: GB

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

REACH candidate list of substances of very high concern (SVHC) for authorisation

The product contains following substance(s) meeting the criteria in Article 57 in association with Article 59 of the REACH regulation ((EC) 1907/2006) that are placed on the list of candidates considered for inclusion in annexe XIV (substances subject to Authorisation).

No	Substance name	CAS no.	EC no.
1	2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one	71868-10-5	400-600-6

Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, PREPARATIONS AND ARTICLES

The product is considered being subject to REACH regulation (EC) 1907/2006 annexe XVII. No 3

The product contains following substance(s) that are considered being subject to REACH regulation (EC) 1907/2006 annex XVII.

No	Substance name	CAS no.	EC no.	No
1	2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one	71868-10-5	400-600-6	30
2	cyclohexane	110-82-7	203-806-2	57

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances

This product is not subject to Part 1 or 2 of Annex I.

Other regulations

Adhere to the national sanitary and occupational safety regulations when using this product.

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for this mixture.

SECTION 16: Other information

Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

EC Directives 2000/39/EC, 2006/15/EC, 2009/161/EU

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding chapter.

Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

H225	Highly flammable liquid and vapour.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H336	May cause drowsiness or dizziness.
H361f	Suspected of damaging fertility.
H373	May cause damage to organs through prolonged or repeated exposure
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

Department issuing safety data sheet

UMCO GmbH - D-21107 Hamburg, Georg-Wilhelm-Strasse 187, Tel.: +49(40)555 546 300, Fax: +49(40)555 546 357, e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Alterations/supplements:

EC safety data sheet

Trade name: KRONES colfix HM 3007

Current version : 1.1.1, issued: 18.05.2020

Replaced version: 1.1.0, issued: 23.01.2020

Region: GB

Alterations to the previous edition are marked in the left-hand margin.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH.

Prod-ID 760679