

# EC safety data sheet

Trade name: KRONES celerol LU 7608 (Lubricant)

Current version : 2.0.2, issued: 25.05.2020

Replaced version: 2.0.1, issued: 20.01.2020

Region: GB

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Trade name

**KRONES celerol LU 7608 (Lubricant)**

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

Lubricant

Uses advised against

No data available.

### 1.3 Details of the supplier of the safety data sheet

Address

KIC KRONES Internationale Cooperationsgesellschaft mbH  
Böhmerwaldstraße 5  
93073 Neutraubling

Telephone no. +49 9401 70-3020

Fax no. +49 9401 70-3696

e-mail kic@kic-krones.com

Advice on Safety Data Sheet

sdb\_info@umco.de

### 1.4 Emergency telephone number

For medical advice (in German and English):

+49 (0)551 192 40 (Giftinformationszentrum Nord)

In case of transport incidents and other emergencies:

+44 (0) 1235 239 670 (NCEC, National Chemical Emergency Centre)

## SECTION 2: Hazards identification

### 2.2 Label elements

Not relevant

### 2.3 Other hazards

PBT assessment

The product is not considered to be a PBT.

vPvB assessment

The product is not considered to be a vPvB.

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

Not applicable. The product is not a substance.

### 3.2 Mixtures

Hazardous ingredients

No	Substance name	Additional information		
	CAS / EC / Index / REACH no	Classification (EC) 1272/2008 (CLP)	Concentration	%
1	<b>disodium-sebacate</b>			
	17265-14-4 241-300-3 - 01-2120762063-61	Eye Irrit. 2; H319	< 5.00	%-b.w.

Full Text for all H-phrases and EUH-phrases: pls. see section 16

## SECTION 4: First aid measures

# EC safety data sheet

**Trade name:** KRONES celerol LU 7608 (Lubricant)

**Current version :** 2.0.2, issued: 25.05.2020

**Replaced version:** 2.0.1, issued: 20.01.2020

**Region:** GB

## 4.1 Description of first aid measures

### General information

Remove contaminated clothing and shoes and launder thoroughly before reusing. In case of persisting adverse effects, consult a physician.

### After inhalation

Ensure supply of fresh air. In case of persisting adverse effects consult a physician.

### After skin contact

When in contact with the skin, clean with soap and water. Consult a doctor if skin irritation persists.

### After eye contact

Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the unaffected eye (at least 10 to 15 minutes). Get immediate ophthalmic treatment.

### After ingestion

Rinse mouth thoroughly with water. Do not induce vomiting. Never give anything by mouth to an unconscious person. By continuous complaints consult a physician.

## 4.2 Most important symptoms and effects, both acute and delayed

### Symptoms

Nausea; diarrhea; dermatitis; Eye irritation

## 4.3 Indication of any immediate medical attention and special treatment needed

No data available.

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

#### Suitable extinguishing media

Water mist; Alcohol-resistant foam; Dry chemical extinguisher; Carbon dioxide

#### Unsuitable extinguishing media

High power water jet

### 5.2 Special hazards arising from the substance or mixture

In the event of fire, the following can be released: Carbon monoxide and carbon dioxide; Metal oxides

### 5.3 Advice for firefighters

Use self-contained breathing apparatus. Wear protective clothing. Drums can explode from steam pressure.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

#### For non-emergency personnel

Refer to protective measures listed in sections 7 and 8. Remove persons to safety. Avoid contact with skin, eyes and clothing. High risk of slipping due to leakage/spillage of product.

#### For emergency responders

Personal protective equipment (PPE) - see Section 8.

### 6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil.

### 6.3 Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regulations (see section 13). Stop leak if safe to do so.

### 6.4 Reference to other sections

Information regarding safe handling, see chapter 7. Information regarding personal protective measures, see chapter 8. Information regarding waste disposal, see chapter 13.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

# EC safety data sheet

Trade name: KRONES celerol LU 7608 (Lubricant)

Current version : 2.0.2, issued: 25.05.2020

Replaced version: 2.0.1, issued: 20.01.2020

Region: GB

## Advice on safe handling

Risks inherent to handling the product must be minimised by applying the appropriate protective and preventive measures. Working processes should - so far as possible, according to the state of the art - be designed to rule out bodily contact or the release of hazardous substances. Provide good ventilation at the work area (local exhaust ventilation, if necessary).

## General protective and hygiene measures

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Wash hands before breaks and after work. Do not inhale vapours.

## 7.2 Conditions for safe storage, including any incompatibilities

### Technical measures and storage conditions

Keep container tightly closed and dry in a cool, well-ventilated place. Protect from heat and direct sunlight.

### Requirements for storage rooms and vessels

Containers which are opened must be carefully resealed and kept upright to prevent leakage. Always keep in containers of same material as the original.

### Incompatible products

Substances to be avoided, pls. See chapter 10.

## 7.3 Specific end use(s)

No data available.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### DNEL, DMEL and PNEC values

##### DNEL values (worker)

No	Substance name	CAS / EC no		
	Route of exposure	Exposure time	Effect	Value
1	disodium-sebacate	17265-14-4 241-300-3		
	dermal	Long term (chronic)	systemic	10 mg/kg/day
	inhalative	Long term (chronic)	systemic	35.26 mg/m <sup>3</sup>

##### DNEL value (consumer)

No	Substance name	CAS / EC no		
	Route of exposure	Exposure time	Effect	Value
1	disodium-sebacate	17265-14-4 241-300-3		
	oral	Long term (chronic)	systemic	5 mg/kg/day
	dermal	Long term (chronic)	systemic	5 mg/kg/day
	inhalative	Long term (chronic)	systemic	8.7 mg/m <sup>3</sup>

##### PNEC values

No	Substance name	CAS / EC no	
	ecological compartment	Type	Value
1	disodium-sebacate	17265-14-4 241-300-3	
	water	fresh water	0.018 mg/L
	water	marine water	0.002 mg/L
	water	fresh water sediment	10 mg/L
	water	marine water sediment	0.055 mg/L
	soil	-	0.099 mg/kg
	sewage treatment plant	-	10 mg/L

### 8.2 Exposure controls

#### Appropriate engineering controls

Ensure adequate ventilation, local exhaust at the work station if necessary.

#### Personal protective equipment

# EC safety data sheet

Trade name: KRONES celerol LU 7608 (Lubricant)

Current version : 2.0.2, issued: 25.05.2020

Replaced version: 2.0.1, issued: 20.01.2020

Region: GB

## Respiratory protection

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of aerosol and mist formation, take appropriate measures for breathing protection in the event workplace threshold values are not specified.

Respirator HEPA-Filter

## Eye / face protection

Safety glasses (EN 166)

## Hand protection

In case of intensive contact, wear protective gloves (EN 374). Before use, the protective gloves should be tested in any case for its specific work-station suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

Material thickness >= 0.35 mm

Breakthrough time >= 480 mm

## Other

Chemical-resistant work clothes.

## Environmental exposure controls

No data available.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

<b>Form/Colour</b>	
grease	
cream colour	
<b>Odour</b>	
No data available	
<b>Odour threshold</b>	
No data available	
<b>pH value</b>	
No data available	
<b>Boiling point / boiling range</b>	
No data available	
<b>Melting point / melting range</b>	
No data available	
<b>Decomposition point / decomposition range</b>	
No data available	
<b>Dropping point</b>	
Value	230 °C
<b>Flash point</b>	
Value	> 170 °C
Method	Cleveland
<b>Auto-ignition temperature</b>	
No data available	
<b>Oxidising properties</b>	
No data available	
<b>Explosive properties</b>	
No data available	
<b>Flammability (solid, gas)</b>	
No data available	

# EC safety data sheet

Trade name: KRONES celerol LU 7608 (Lubricant)

Current version : 2.0.2, issued: 25.05.2020

Replaced version: 2.0.1, issued: 20.01.2020

Region: GB

## Lower flammability or explosive limits

No data available

## Upper flammability or explosive limits

No data available

## Vapour pressure

No data available

## Vapour density

No data available

## Evaporation rate

No data available

## Relative density

No data available

## Density

Value	<	1	g/cm <sup>3</sup>
Reference temperature		25	°C

## Solubility in water

No data available

## Solubility(ies)

No data available

## Partition coefficient: n-octanol/water

No	Substance name	CAS no.	EC no.
1	disodium-sebacate	17265-14-4	241-300-3
	log Pow	-4.9	
	Reference temperature	20	°C
	with reference to		
	Method	pH 7,8	
	Source	OECD 105	
		ECHA	

## Viscosity

No data available

## 9.2 Other information

### Other information

No data available.

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Stable at ambient temperature.

### 10.2 Chemical stability

Stable under recommended storage and handling conditions (See section 7).

### 10.3 Possibility of hazardous reactions

Dangerous reactions are not to be expected when handling product according to its intended use.

### 10.4 Conditions to avoid

None, if handled according to intended use.

### 10.5 Incompatible materials

Oxidizing agents

### 10.6 Hazardous decomposition products

No data available.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

# EC safety data sheet

Trade name: KRONES celerol LU 7608 (Lubricant)

Current version : 2.0.2, issued: 25.05.2020

Replaced version: 2.0.1, issued: 20.01.2020

Region: GB

Acute oral toxicity			
No	Substance name	CAS no.	EC no.
1	disodium-sebacate	17265-14-4	241-300-3
LD50	>	5000	mg/kg bodyweight
Species	rat		
Method	OECD 401		
Source	ECHA		

Acute dermal toxicity			
No	Substance name	CAS no.	EC no.
1	disodium-sebacate	17265-14-4	241-300-3
LD50	>	2000	mg/kg bodyweight
Species	rat		
Method	OECD 402		
Source	ECHA		

Acute inhalational toxicity			
No data available			

Skin corrosion/irritation			
No	Substance name	CAS no.	EC no.
1	disodium-sebacate	17265-14-4	241-300-3
Species	rabbit		
Method	OECD 404		
Source	ECHA		
Evaluation	non-irritant		

Serious eye damage/irritation			
No data available			

Respiratory or skin sensitisation			
No data available			

Germ cell mutagenicity			
No	Substance name	CAS no.	EC no.
1	disodium-sebacate	17265-14-4	241-300-3
Species	hamster		
Method	OECD 476		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		

Reproduction toxicity			
No data available			

Carcinogenicity			
No data available			

STOT - single exposure			
No data available			

STOT - repeated exposure			
No	Substance name	CAS no.	EC no.
1	disodium-sebacate	17265-14-4	241-300-3
Route of exposure	oral		
NOEL	>=	1000	mg/kg bw/d
Species	rat		
Method	OECD 408		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		

Aspiration hazard			
No data available			

## SECTION 12: Ecological information

# EC safety data sheet

Trade name: KRONES celerol LU 7608 (Lubricant)

Current version : 2.0.2, issued: 25.05.2020

Replaced version: 2.0.1, issued: 20.01.2020

Region: GB

## 12.1 Toxicity

Toxicity to fish (acute)			
No	Substance name	CAS no.	EC no.
1	disodium-sebacate	17265-14-4	241-300-3
LC50	>	100	mg/l
Duration of exposure		96	h
Species	Danio rerio		
Method	OECD 203		
Source	ECHA		

Toxicity to fish (chronic)			
No data available			

Toxicity to Daphnia (acute)			
No	Substance name	CAS no.	EC no.
1	disodium-sebacate	17265-14-4	241-300-3
EC50		18	mg/l
Duration of exposure		48	h
Species	Daphnia magna		
Source	ECHA		

Toxicity to Daphnia (chronic)			
No data available			

Toxicity to algae (acute)			
No	Substance name	CAS no.	EC no.
1	disodium-sebacate	17265-14-4	241-300-3
EL50		38.7	mg/l
Duration of exposure		72	h
Species	Skeletonema costatum		
Method	ISO 10253		
Source	ECHA		

Toxicity to algae (chronic)			
No data available			

Bacteria toxicity			
No data available			

## 12.2 Persistence and degradability

Biodegradability			
No	Substance name	CAS no.	EC no.
1	disodium-sebacate	17265-14-4	241-300-3
Value		83	%
Duration		28	day(s)
Method	OECD 306		
Source	ECHA		

## 12.3 Bioaccumulative potential

Partition coefficient: n-octanol/water			
No	Substance name	CAS no.	EC no.
1	disodium-sebacate	17265-14-4	241-300-3
log Pow		-4.9	
Reference temperature		20	°C
with reference to	pH 7,8		
Method	OECD 105		
Source	ECHA		

## 12.4 Mobility in soil

No data available.

## 12.5 Results of PBT and vPvB assessment

Results of PBT and vPvB assessment			

# EC safety data sheet

**Trade name:** KRONES celerol LU 7608 (Lubricant)

**Current version :** 2.0.2, issued: 25.05.2020

**Replaced version:** 2.0.1, issued: 20.01.2020

**Region:** GB

PBT assessment vPvB assessment	The product is not considered to be a PBT. The product is not considered to be a vPvB.
-----------------------------------	---

## 12.6 Other adverse effects

No data available.

## 12.7 Other information

<b>Other information</b>
Do not discharge product unmonitored into the environment.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

#### Product

Disposal of the product should be carried out in accordance with all applicable regulations following consultation with the responsible local authority and the disposal company in an authorised and suitable disposal facility.

Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

#### Packaging

Residuals must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.

## SECTION 14: Transport information

### 14.1 Transport ADR/RID/ADN

The product is not subject to ADR/RID/ADN regulations.

### 14.2 Transport IMDG

The product is not subject to IMDG regulations.

### 14.3 Transport ICAO-TI / IATA

The product is not subject to ICAO-TI / IATA regulations.

### 14.4 Other information

No data available.

### 14.5 Environmental hazards

Information on environmental hazards, if relevant, please see 14.1 - 14.3.

### 14.6 Special precautions for user

No data available.

### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not relevant

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU regulations

<b>Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)</b>
According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

<b>REACH candidate list of substances of very high concern (SVHC) for authorisation</b>
According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

<b>Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, PREPARATIONS AND ARTICLES</b>
---



# EC safety data sheet

**Trade name:** KRONES celerol LU 7608 (Lubricant)

**Current version :** 2.0.2, issued: 25.05.2020

**Replaced version:** 2.0.1, issued: 20.01.2020

**Region:** GB

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances requiring authorisation as listed on Annex XVII of the REACH regulation (EC) 1907/2006.

**Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances**

This product is not subject to Part 1 or 2 of Annex I.

**Other regulations**

Adhere to the national sanitary and occupational safety regulations when using this product.

## 15.2 Chemical safety assessment

No data available.

## SECTION 16: Other information

**Sources of key data used to compile the data sheet:**

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

EC Directives 2000/39/EC, 2006/15/EC, 2009/161/EU

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding chapter.

**Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)**

H319 Causes serious eye irritation.

**Department issuing safety data sheet**

UMCO GmbH - D-21107 Hamburg, Georg-Wilhelm-Strasse 187, Tel.: +49(40)555 546 300, Fax: +49(40)555 546 357, e-mail: [umco@umco.de](mailto:umco@umco.de)

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

**Alterations/supplements:**

Alterations to the previous edition are marked in the left-hand margin.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH.

Prod-ID 760813