Trade name: KRONES celerol LU 7608 (Schmierstoffgeber)

Current version: 1.0.1, issued: 10.12.2019 Reglaced version: 1.0.0, issued: 20.11.2019 Region: GB

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

KRONES celerol LU 7608 (Schmierstoffgeber)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

Lubrication system

Uses advised against

No data available.

1.3 Details of the supplier of the safety data sheet

Address

KIC KRONES Internationale Cooperationsgesellschaft mbH

Böhmerwaldstraße 5 93073 Neutraubling

Telephone no. +49 9401 70-3020 Fax no. +49 9401 70-3696 e-mail kic@kic-krones.de

Advice on Safety Data Sheet

sdb_info@umco.de

1.4 Emergency telephone number

For medical advice (in German and English):

+49 (0)551 192 40 (Giftinformationszentrum Nord)

In case of transport incidents and other emergencies:

+44 (0) 1235 239 670 (NCEC, National Chemical Emergency Centre)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification information

This product is in the sense of article 3 of the Regulation (EC) 1907/2006 (REACH) an article and not subject to the labelling obligations according to:

- Art. 1, Regulation (EC) 1272/2008 (CLP).

To provide a safety data sheet is not mandatory for articles according to art. 31 of the Regulation (EC) 1907/2006 (REACH) and is done on a voluntary basis.

2.2 Label elements

Not relevant

2.3 Other hazards

No data available.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable. The product is not a substance.

3.2 Mixtures

Hazardous ingredients

ria_arabab ingreaterite						
No	Substance name		Additional information			
	CAS / EC / Index /	Classification (EC) 1272/2008 (CLP)	Conce	entration		%
	REACH no					
1	manganese dioxide					
	1313-13-9	Acute Tox. 4*; H302	>=	25.00 - <	50.00	%-b.w.
	215-202-6	Acute Tox. 4*; H332				
	025-001-00-3					
	-					

Trade name: KRONES celerol LU 7608 (Schmierstoffgeber)

Current version: 1.0.1, issued: 10.12.2019 Region: 1.0.0, issued: 20.11.2019 Region: GB

2	magnesium-perchlorate					
	10034-81-8	Ox. Sol. 2; H272	>=	10.00 - <	25.00	%-b.w.
	233-108-3	Skin Irrit. 2; H315				
	-	Eye Irrit. 2; H319				
	-	STOT SE 3; H335				
_		EUH014				
3	sodium azide	A . T . 0* 11000		10.00	25.00	0/ 1
	26628-22-8	Acute Tox. 2*; H300	>=	10.00 - <	25.00	%-b.w.
	247-852-1	Aquatic Acute 1; H400				
	011-004-00-7	Aquatic Chronic 1; H410				
4	propylene carbona	EUH032				
4	108-32-7	Eye Irrit. 2; H319	>=	5.00 - <	10.00	%-b.w.
	203-572-1	Lye IIII. 2, 11319	>=	5.00 - <	10.00	/0-D.W.
	607-194-00-1					
	01-2119537732-48					
5	1,2-dimethoxyethai	ne				
	110-71-4	Acute Tox. 4*; H332	>=	5.00 - <	10.00	%-b.w.
	203-794-9	EUH019				, , , , , , , , , , , , , , , , , , , ,
	603-031-00-3	Flam. Liq. 2; H225				
	-	Repr. 1B; H360FD				
6	lithium					
	7439-93-2	EUH014	<	5.00		%-b.w.
	231-102-5	Skin Corr. 1B; H314				
	003-001-00-4	Water-react. 1; H260				
	-					
7	Nickelsulfate hexal					
	10101-97-0	Acute Tox. 4*; H302	<	0.50		%-b.w.
	232-104-9	Acute Tox. 4*; H332				
	028-009-00-5	Aquatic Acute 1; H400				
	-	Aquatic Chronic 1; H410				
		Carc. 1A; H350i Muta. 2; H341				
		Muta. 2; H341 Repr. 1B; H360D***				
		Resp. Sens. 1; H334				
		Skin Irrit. 2; H315				
		Skin Sens. 1; H317				
		STOT RE 1; H372**				
	1	10.0.1.2	1			

Full Text for all H-phrases and EUH-phrases: pls. see section 16

(*,**,***) Detailed explanation pls. refer to CLP regulation No. 1272/2008, annex VI, 1.2

No	Note	Specific concentration limits	M-factor (acute)	M-factor (chronic)
7	-	Skin Sens. 1; H317: C >= 0.01% STOT RE 2; H373: C >= 0.1% STOT RE 1; H372: C >= 1% Skin Irrit. 2; H315: C >= 20%	M = 1	-

No	Route, target organ, concrete effect
7	H350i
	inhalational; -; -

3.3 Other information

The concentrations of the ingredients refer to the contained gas generator cell and the batteries, not to the whole system. Due to structural measures of the cells, the contained hazardous ingredients are not freely available for foreseeable use.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Trade name: KRONES celerol LU 7608 (Schmierstoffgeber)

Current version: 1.0.1, issued: 10.12.2019 Reglaced version: 1.0.0, issued: 20.11.2019 Region: GB

Measures refer to damaged lubrication systems. Remove contaminated clothing and shoes immediately, and launder thoroughly before reusing. Adhere to personal protective measures when giving first aid. Show MSDS to the attending physician.

After inhalation

Remove affected persons from dangerous area by observing suitable respiratory protection measures. Ensure supply of fresh air. Call a doctor immediately.

After skin contact

When in contact with the skin, clean with soap and water. Consult a doctor if skin irritation persists.

After eve contact

Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the unaffected eye (at least 10 to 15 minutes). Get immediate ophthalmic treatment.

After ingestion

Rinse mouth thoroughly with water. Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed

No data available.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Carbon dioxide; Water spray jet; Extinguishing powder; Foam

Unsuitable extinguishing media

High power water jet

5.2 Special hazards arising from the substance or mixture

In the event of fire, the following can be released: Nitrogen oxides (NOx); Hydrogen chloride (HCI); Toxic gases/vapours

5.3 Advice for firefighters

Use self-contained breathing apparatus. Wear protective clothing. Cool closed containers exposed to fire with water.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Refer to protective measures listed in sections 7 and 8. Keep people away and stay on the upwind side. Use breathing apparatus if exposed to vapours/dust/aerosol.

For emergency responders

Personal protective equipment (PPE) - see Section 8.

6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater.

6.3 Methods and material for containment and cleaning up

Take up mechanically. When collected, handle material as described under the section heading "Disposal considerations".

6.4 Reference to other sections

Information regarding safe handling, see chapter 7. Information regarding personal protective measures, see chapter 8. Information regarding waste disposal, see chapter 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Trade name: KRONES celerol LU 7608 (Schmierstoffgeber)

Current version: 1.0.1, issued: 10.12.2019 Reglaced version: 1.0.0, issued: 20.11.2019 Region: GB

Product inherent handling risks must be minimised taking the appropriate measures for protection and preventive actions. The working process should be designed to rule out the release of hazardous substances or skin contact as far it is possible by the state of the art. Provide good ventilation at the work area (local exhaust ventilation, if necessary).

General protective and hygiene measures

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Avoid contact with eyes and skin. Wash hands before breaks and after work. Remove contaminated clothing and shoes and launder thoroughly before reusing.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions

Keep container tightly closed and dry in a cool, well-ventilated place.

Requirements for storage rooms and vessels

Containers which are opened must be carefully closed and kept upright to prevent leakage. Always keep in containers of same material as the original.

Incompatible products

Substances to be avoided, pls. See chapter 10.

7.3 Specific end use(s)

No data available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

No parameters available for monitoring.

8.2 Exposure controls

Appropriate engineering controls

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and solvent vapour below the OEL (=Occupational Exposure Limit), suitable respiratory protection must be worn.

Personal protective equipment

Respiratory protection

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of dust formation, take appropriate measures for breathing protection in the event workplace threshold values are not specified.

Eye / face protection

Safety glasses with side protection shield (EN 166)

Hand protection

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific workstation suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

Appropriate Material butyl rubber

Material thickness > 0.4 mm
Breakthrough time > 480 mm

Other

Chemical-resistant work clothes.

Environmental exposure controls

No data available.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form/Colour	
Capsule	

Trade name: KRONES celerol LU 7608 (Schmierstoffgeber)

Current version: 1.0.1, issued: 10.12.2019 Reglaced version: 1.0.0, issued: 20.11.2019 Region: GB

Odour

No data available

Odour threshold

No data available

pH value

Value 8.3 - 8.8

Boiling point / boiling range

No data available

Melting point / melting range

No data available

Decomposition point / decomposition range

No data available

Flash point

No data available

Auto-ignition temperature

No data available

Oxidising properties

No data available

Explosive properties

No data available

Flammability (solid, gas)

No data available

Lower flammability or explosive limits

No data available

Upper flammability or explosive limits

No data available

Vapour pressure

No data available

Vapour density

No data available

Evaporation rate

No data available

Relative density

No data available

Density

No data available

Solubility in water

Comments miscible

Solubility(ies)

No data available

Partition coefficient: n-octanol/water

No data available

Viscosity

No data available

9.2 Other information

Other information

No data available.

Trade name: KRONES celerol LU 7608 (Schmierstoffgeber)

Current version: 1.0.1, issued: 10.12.2019 Reglaced version: 1.0.0, issued: 20.11.2019 Region: GB

SECTION 10: Stability and reactivity

10.1 Reactivity

Stable at ambient temperature.

10.2 Chemical stability

Stable under recommended storage and handling conditions (See section 7).

10.3 Possibility of hazardous reactions

Dangerous reactions are not to be expected when handling product according to its intended use.

10.4 Conditions to avoid

Heat, naked flames and other ignition sources.

10.5 Incompatible materials

No data available.

10.6 Hazardous decomposition products

No data available.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute oral toxicity

No data available

Acute dermal toxicity

No data available

Acute inhalational toxicity

No data available

Skin corrosion/irritation

No data available

Serious eye damage/irritation

No data available

Respiratory or skin sensitisation

No data available

Germ cell mutagenicity

No data available

Reproduction toxicity

No data available

Carcinogenicity

No data available

STOT - single exposure

No data available

STOT - repeated exposure

No data available

Aspiration hazard

No data available

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish (acute)

No data available

Toxicity to fish (chronic)

No data available

Trade name: KRONES celerol LU 7608 (Schmierstoffgeber)

Current version: 1.0.1, issued: 10.12.2019 Reglaced version: 1.0.0, issued: 20.11.2019 Region: GB

Toxicity to Daphnia (acute)

No data available

Toxicity to Daphnia (chronic)

No data available

Toxicity to algae (acute)

No data available

Toxicity to algae (chronic)

No data available

Bacteria toxicity

No data available

12.2 Persistence and degradability

No data available.

12.3 Bioaccumulative potential

No data available.

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB assessment

No data available.

12.6 Other adverse effects

No data available.

12.7 Other information

Other information

Do not discharge product unmonitored into the environment.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Dispose of according to all applicable regulations upon consultation of the local competent authorities and the disposer in a suitable and authorised disposal facility.

Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

Packaging

Residuals must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.

SECTION 14: Transport information

14.1 Transport ADR/RID/ADN

Class 9
Classification code M11
UN number UN3363

Proper shipping name DANGEROUS GOODS IN APPARATUS

Label

Comments SV 301, SV 672

14.2 Transport IMDG

Class 9

UN number UN3363

Proper shipping name DANGEROUS GOODS IN APPARATUS

EmS F-A, S-P Label 9 SV 301

Trade name: KRONES celerol LU 7608 (Schmierstoffgeber)

Current version: 1.0.1, issued: 10.12.2019 Reglaced version: 1.0.0, issued: 20.11.2019 Region: GB

14.3 Transport ICAO-TI / IATA

Class

UN number UN3363

Proper shipping name Dangerous goods in apparatus

Label

14.4 Other information

No data available.

14.5 Environmental hazards

Information on environmental hazards, if relevant, please see 14.1 - 14.3.

14.6 Special precautions for user

No data available.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not relevant

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulations

Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

REACH candidate list of substances of very high concern (SVHC) for authorisation

The article contains following substance/s that is/are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006

/\I V	(List of Substances Subject to Authorisation)	as laid down in Article of and article of o	1 NEACH (EC) 1301/2000.
No	Substance name	CAS no.	EC no.
1	1.2-dimethoxyethane	110-71-4	203-794-9

Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, PREPARATIONS AND ARTICLES

The product contains following substance(s) that are considered being subject to REACH regulation (EC) 1907/2006 annex XVII.

No	Substance name	CAS no.	EC no.	No
1	1,2-dimethoxyethane	110-71-4	203-794-9	30
2	Nickelsulfate hexahydrate	10101-97-0	232-104-9	27, 28, 30

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances This product is not subject to Part 1 or 2 of Annex I.

Other regulations

Adhere to the national sanitary and occupational safety regulations when using this product.

15.2 Chemical safety assessment

No data available.

SECTION 16: Other information

Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

EC Directives 2000/39/EC, 2006/15/EC, 2009/161/EU

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding chapter.

Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

EUH014 Reacts violently with water.

Trade name: KRONES celerol LU 7608 (Schmierstoffgeber)

Current version: 1.0.1, issued: 10.12.2019 Replaced version: 1.0.0, issued: 20.11.2019 Region: GB

EUH019	May form explosive peroxides.
EUH032	Contact with acids liberates very toxic gas.
H225	Highly flammable liquid and vapour.
H260	In contact with water releases flammable gases which may ignite spontaneously.
H272	May intensify fire; oxidiser.
H300	Fatal if swallowed.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335	May cause respiratory irritation.
H341	Suspected of causing genetic defects
H350i	May cause cancer by inhalation.
H360D	May damage the unborn child.
H360FD	May damage fertility. May damage the unborn child.
H372	Causes damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Department issuing safety data sheet

UMCO GmbH - D-21107 Hamburg, Georg-Wilhelm-Strasse 187, Tel.: +49(40)555 546 300, Fax: +49(40)555 546 357, e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Alterations/supplements:

Alterations to the previous edition are marked in the left-hand margin.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH. Prod-ID 761585