Current version : 1.0.2, issued: 08.06.2021

Replaced version: 1.0.0, issued: 20.11.2020

Region: GB

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

KRONES celerol DG 7800

1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses of the substance or mixture Lubricant

Uses advised against No data available.

1.3 Details of the supplier of the safety data sheet

Address

KIC KRONES Internationale Cooperationsgesellschaft mbHBöhmerwaldstraße 593073Neutraubling

 Telephone no.
 +49 9401 70-3020

 Fax no.
 +49 9401 70-3696

 e-mail
 kic@kic-krones.com

Advice on Safety Data Sheet sdb_info@umco.de

1.4 Emergency telephone number

For medical advice (in German and English): +49 (0)551 192 40 (Giftinformationszentrum Nord) In case of transport incidents and other emergencies: +44 (0) 1235 239 670 (NCEC, National Chemical Emergency Centre)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 (CLP) Aerosol 1; H222

Asp. Tox. 1; H304

Classification information

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)

Hazard pictograms



Signal word Danger Hazardous component(s) to be indicated on label:

Hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, <2% aromatics

Hazard statement(s) H222

Extremely flammable aerosol.

Current version : 1.0.2, issued: 08.0	6.2021 Replaced version: 1.0.0, issued: 20.11.2020 Region:
H229	Pressurised container: May burst if heated.
Hazard statements (El EUH066	U) Repeated exposure may cause skin dryness or cracking.
Precautionary stateme	ent(s)
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P211	Do not spray on an open flame or other ignition source.
P251	Do not pierce or burn, even after use.
P410+P412	Protect from sunlight. Do no expose to temperatures exceeding 50°C/122°F.

The labelling of an aspiration hazard (Asp. Tox. 1; H304) is not mandatory for aerosols and containers with a sealed spray attachment (Regulation (EC) 1272/2008, Annex 1, 1.3.3).

2.3 Other hazards

No data available.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable. The product is not a substance.

3.2 Mixtures

Hazardous ingredients

	Hazardous ingredients						
No			Additional information				
	CAS / EC / Index /	Classification (EC) 1272/2008 (CLP)	Conc	entration		%	
	REACH no						
1	ethanol						
	64-17-5	Flam. Liq. 2; H225	>=	25.00 - <	50.00	wt%	
	200-578-6	Eye Irrit. 2; H319					
	603-002-00-5						
	01-2119457610-43						
2	butane						
	106-97-8	Flam. Gas 1A; H220	>=	10.00 - <	25.00	wt%	
	203-448-7	Press. Gas liq.; H280					
	601-004-00-0						
	01-2119474691-32						
3	propane						
	74-98-6	Flam. Gas 1A; H220	>=	10.00 - <	25.00	wt%	
	200-827-9	Press. Gas compr.; H280					
	601-003-00-5						
	01-2119486944-21						
4	Hydrocarbons, C9-	C10, n-alkanes, isoalkanes, cyclics, <2%					
	aromatics						
	-	Aquatic Chronic 3; H412	>=	10.00 - <	25.00	wt%	
	927-241-2	Asp. Tox. 1; H304					
	-	Flam. Liq. 3; H226					
	01-2119471843-32	STOT SE 3; H336					
		EUH066					
5	isobutane						
	75-28-5	Flam. Gas 1A; H220	>=	10.00 - <	25.00	wt%	
	200-857-2	Press. Gas compr.; H280					
	601-004-00-0						
	01-2119485395-27						
3	propan-2-ol						
	67-63-0	Eye Irrit. 2; H319	<	5.00		wt%	
	200-661-7	Flam. Liq. 2; H225					
	603-117-00-0	STOT SE 3; H336					
	01-2119457558-25						
JII	Text for all H-phrases	and EUH-phrases: pls. see section 16					

Full Text for all H-phrases and EUH-phrases: pls. see section 16

No Note Specific concentration limits M-factor M	M-factor
--	----------

Current version : 1.0.2, issued: 08.06.2021

Replaced version: 1.0.0, issued: 20.11.2020

Region: GB

			(acute)	(chronic)
1	-	Eye Irrit. 2; H319: C >= 50%	-	-
2	C, U	-	-	-
5	U, C	-	-	-

Full text for the notes: pls. see section 16 "Notes relating to the identification, classification and labelling of substances ((EC) No 1272/2008, Annex VI)".

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Remove contaminated clothing and shoes immediately, and launder thoroughly before reusing. In case of persisting adverse effects, consult a physician.

After inhalation

Remove affected persons from dangerous area by observing suitable respiratory protection measures. Ensure supply of fresh air. In case of persisting adverse effects consult a physician.

After skin contact

In case of contact with skin wash off with water. Consult a doctor if skin irritation persists.

After eye contact

Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the unaffected eye (at least 10 to 15 minutes). Get medical attention if pain still persists.

After ingestion

Rinse the mouth thoroughly with water. Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms

Frostbite; Dizziness

Effects

In the case of swallowing with subsequent vomiting, aspiration of the lungs can occur which can lead to chemical pneumonia or asphyxiation.

4.3 Indication of any immediate medical attention and special treatment needed No data available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Carbon dioxide; Water spray jet; Extinguishing powder; Fight large fires with directed water spray or Alcohol-resistant foam

Unsuitable extinguishing media

High power water jet

5.2 Special hazards arising from the substance or mixture

In the event of fire, the following can be released: Carbon monoxide and carbon dioxide; Bursting aerosol cans can be launched out of a fire with great force.

5.3 Advice for firefighters

Do not inhale explosion and/or combustion byproducts. Cool closed containers exposed to fire with water. Use selfcontained breathing apparatus. Wear protective clothing. Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations. Closed containers may rupture when exposed to extreme heat.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Refer to protective measures listed in sections 7 and 8. Ensure adequate ventilation. Keep away from ignition sources.

Current version : 1.0.2, issued: 08.06.2021

Replaced version: 1.0.0, issued: 20.11.2020

Region: GB

For emergency responders

Personal protective equipment (PPE) - see section 8.

6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil.

6.3 Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regulations (see section 13). Collect mechanically.

6.4 Reference to other sections

Information regarding safe handling, see section 7. Information regarding personal protective measures, see section 8. Information regarding waste disposal, see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Risks inherent to handling the product must be minimised by applying the appropriate protective and preventive measures. Working processes should - so far as possible, according to the state of the art - be designed to rule out bodily contact or the release of hazardous substances. Do not pierce or burn, even after use.

General protective and hygiene measures

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Do not inhale vapours. Avoid contact with eyes and skin. Wash hands before breaks and after work. Remove contaminated clothing and shoes and launder thoroughly before reusing.

Advice on protection against fire and explosion

Keep away from sources of ignition - refrain from smoking. Isolate from sources of heat, sparks and open flame.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions

Keep container tightly closed and dry in a cool, well-ventilated place. Protect from heat and direct sunlight. Storage temperature may not exceed 50°C (=122°F).

Recommended storage temperature

Value max. 50 °C

Requirements for storage rooms and vessels

Containers which are opened must be carefully closed and kept upright to prevent leakage. Always keep in containers of same material as the original.

Incompatible products

Substances to be avoided, see section 10.

7.3 Specific end use(s)

No data available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values

No	Substance name	CAS no.		EC no.	
1	ethanol	64-17-5		200-578-6	
	List of approved workplace exposure limits (WELs) /	EH40			
	Ethanol				
	WEL long-term (8-hr TWA reference period)	1920	mg/m³	1000	ppm
2	butane	106-97-8		203-448-7	
	List of approved workplace exposure limits (WELs) /	EH40			
	Butane				
	WEL short-term (15 min reference period)	1810	mg/m³	750	ppm
	WEL long-term (8-hr TWA reference period)	1450	mg/m³	600	ppm
	Comments	Carc, (only a	applies if Butar	ne contains mo	ore than 0.1%

Current version : 1.0.2, issued: 08.06.2021

Replaced version: 1.0.0, issued: 20.11.2020

Region: GB

	of buta-1,3-diene)					
3	propan-2-ol	67-63-0		200-661-7		
	List of approved workplace exposure limits (WELs) /	EH40				
	Propan-2-ol					
	WEL short-term (15 min reference period)	1250	mg/m³	500	ppm	
	WEL long-term (8-hr TWA reference period)	999	mg/m³	400	ppm	

DNEL, DMEL and PNEC values

DNEL values (worker)

No	Substance name			CAS / EC	no
	Route of exposure	Exposure time	Effect	Value	
1	ethanol			64-17-5	
				200-578-6	6
	dermal	Long term (chronic)	systemic	343	mg/kg/day
	inhalative	Long term (chronic)	systemic	950	mg/m³
2	Hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, <2% aromatics			-	
				927-241-2	2
	dermal	Long term (chronic)	systemic	208	mg/kg/day
	inhalative	Long term (chronic)	systemic	871	mg/m³
3	propan-2-ol			67-63-0	
				200-661-7	7
	dermal	Long term (chronic)	systemic	888	mg/kg/day
	inhalative	Long term (chronic)	systemic	500	mg/m³

DNEL value (consumer)

No	Substance name			CAS / EC n	10
	Route of exposure	Exposure time	Effect	Value	
1	ethanol			64-17-5 200-578-6	
	oral	Long term (chronic)	systemic	87	mg/kg/day
	dermal	Long term (chronic)	systemic	206	mg/kg/day
	inhalative	Long term (chronic)	systemic	114	mg/m³
2	Hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, <2% aromatics			- 927-241-2	
	oral	Long term (chronic)	systemic	125	mg/kg/day
	dermal	Long term (chronic)	systemic	125	mg/kg/day
	inhalative	Long term (chronic)	systemic	185	mg/m³
3	propan-2-ol			67-63-0 200-661-7	
	oral	Long term (chronic)	systemic	26	mg/kg/day
	dermal	Long term (chronic)	systemic	319	mg/kg/day
	inhalative	Long term (chronic)	systemic	89	mg/m³

PNEC values

No	Substance name		CAS / EC n	10
	ecological compartment	Туре	Value	
1	ethanol	· ·	64-17-5	
			200-578-6	
	water	fresh water	0.96	mg/L
	water	Aqua intermittent	2.75	mg/L
	water	marine water	0.79	mg/L
	water	fresh water sediment	3.6	mg/kg dry weight
	water	marine water sediment	2.9	mg/L
	soil	-	0.63	mg/kg dry weight
	sewage treatment plant	-	580	mg/L
	secondary poisoning	-	0.38	mg/kg food
2	propan-2-ol		67-63-0 200-661-7	

Current version : 1.0.2, issued: 08.06.2021

Replaced version: 1.0.0, issued: 20.11.2020

Region: GB

water	fresh water	140.9	mg/L
water	Aqua intermittent	140.9	mg/L
water	marine water	140.9	mg/L
water	fresh water sediment	552	mg/L
water	marine water sediment	552	mg/L
soil	-	28	mg/kg
sewage treatment plant	-	2251	mg/L
secondary poisoning	-	160	mg/kg
with reference to: food			

8.2 Exposure controls

Appropriate engineering controls

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and solvent vapour below the OEL (=Occupational Exposure Limit), suitable respiratory protection must be worn.

Personal protective equipment

Respiratory protection

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of aerosol and mist formation, take appropriate measures for breathing protection in the event workplace threshold values are not specified.

Respirator AX/P2

Eye / face protection

Safety glasses with side protection shield (EN 166)

Hand protection

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific work-station suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

Appropriate Material	0	NBR		
Material thickness		>=	0.38	mm
Breakthrough time		>=	480	min

Other

F

Chemical-resistant work clothes.

Environmental exposure controls

No data available.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form/Colour gas type; Aerosol colourless Odour characteristic pH value No data available Boiling point / boiling range Value 78 °C Melting point/freezing point	State of aggregation		
gas type; Aerosol colourless Odour characteristic pH value No data available Boiling point / boiling range Value 78 °C Melting point/freezing point	liquid		
colourless Odour characteristic pH value No data available Boiling point / boiling range Value 78 °C Melting point/freezing point	Form/Colour		
colourless Odour characteristic pH value No data available Boiling point / boiling range Value 78 °C Melting point/freezing point	gas type; Aerosol		
characteristic pH value No data available Boiling point / boiling range Value 78 °C Melting point/freezing point	colourless		
pH value No data available Boiling point / boiling range Value 78 °C Melting point/freezing point	Odour		
No data available Boiling point / boiling range Value 78 °C Melting point/freezing point	characteristic		
Boiling point / boiling range Value 78 °C Melting point/freezing point	pH value		
Value 78 °C Melting point/freezing point	No data available		
Melting point/freezing point	Boiling point / boiling range		
	Value	78	°C
No data available	Melting point/freezing point		
	No data available		

Current version : 1.0.2, issued: 08.06.2021 Region: GB Replaced version: 1.0.0, issued: 20.11.2020 **Decomposition temperature** No data available Flash point Value -60 °C < DIN 51755 Method Ignition temperature Value min. 200 °C Method DIN 51794 Flammability No data available Lower explosion limit No data available Upper explosion limit No data available Vapour pressure No data available **Relative vapour density** No data available **Relative density** No data available Density g/cm³ Value 0.82 ²C Reference temperature 15 Method DIN 51757 Solubility in water Comments partly soluble Solubility No data available Partition coefficient n-octanol/water (log value) CAS no. EC no. No Substance name 64-17-5 200-578-6 1 ethanol -0.35 log Pow Reference temperature 24 °C with reference to pH 7,4 Method **OECD 107** Source **ECHA** 74-98-6 200-827-9 propane 2 log Pow appr. 1.8 Method QSAR Source **ECHA** isobutane 3 75-28-5 200-857-2 2.80 log Pow °C Reference temperature 20 with reference to pH 7 Source ECHA 4 propan-2-ol 67-63-0 200-661-7 log Pow 0.05 Reference temperature 25 °C **ECHA** Source Viscosity No data available **Particle characteristics** No data available

Current version : 1.0.2, issued: 08.06.2021

Replaced version: 1.0.0, issued: 20.11.2020

Region: GB

9.2 Other information

Other information

No data available.

SECTION 10: Stability and reactivity

10.1 Reactivity

Dangerous reactions are not expected if the product is handled according to its intended use.

10.2 Chemical stability

Stable under recommended storage and handling conditions (See section 7).

10.3 Possibility of hazardous reactions Dangerous reactions are not to be expected when handling product according to its intended use.

10.4 Conditions to avoid

Heat, naked flames and other ignition sources.

10.5 Incompatible materials

strong oxidizing agents; strong acids; strong bases

10.6 Hazardous decomposition products

None, if handled according to intended use.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acu	te oral toxicity			
No	Substance name	CAS	no.	EC no.
1	ethanol	64-17	/-5	200-578-6
LD5	0		10470	mg/kg bodyweigh
	cies	rat		
	reference to	95% ethanol in wat	er	
Met		OECD 401		
Sou		ECHA		
2	propan-2-ol	67-63		200-661-7
LD5			5840	mg/kg bodyweigh
	cies	rat		
Met		OECD 401		
Sou		ECHA		
Eva	luation/classification	Based on available	data, the classificat	ion criteria are not met.
Acu	te dermal toxicity			
No d	data available			
Acu	te inhalational toxicity			
No	Substance name	CAS	no.	EC no.
1	ethanol	64-17	7-5	200-578-6
LC5	0		124.7	mg/l
	ation of exposure		4	h
	e of aggregation	Vapour		
	cies	rat		
Met		OECD 403		
Sou		ECHA		
2	propane	74-98		200-827-9
LC5		>	800000	ppmV
	ation of exposure		0.25	h
	e of aggregation	Gas		
	cies	rat		
Sou		ECHA		
Eva	luation/classification	Based on available 75-28		ion criteria are not met. 200-857-2
3				

LC50		520400	ppmV
Duration of exposure		2	h
State of aggregation	Gas		
Species	mouse		
Source	ECHA		
Evaluation/classification			tion criteria are not met.
4 propan-2-ol	67-63		200-661-7
LC50	>	10000	ppmV
Duration of exposure		6	h
State of aggregation	Vapour		
Species	rat		
Method	OECD 403		
Source	ECHA		
Evaluation/classification	Based on available	data, the classifica	tion criteria are not met.
Skin corrosion/irritation			
No Substance name	CAS		EC no.
1 ethanol	64-17	-5	200-578-6
Species	rabbit		
Method	OECD 404		
Source	ECHA		
Evaluation	non-irritant		
2 propan-2-ol	67-63	-0	200-661-7
Species	rabbit		
Source	ECHA		
Evaluation	non-irritant		
Evaluation/classification	Based on available	data, the classifica	tion criteria are not met.
Serious eye damage/irritation No Substance name	CAS		EC no.
1 ethanol	64-17	-5	200-578-6
Species	rabbit		
Method	OECD 405		
Source	ECHA		
Evaluation	irritant	•	000 001 7
	67-63	-0	200-661-7
2 propan-2-ol	-		
Species	rabbit		
Species Method	rabbit OECD 405		
Species Method Source	rabbit OECD 405 ECHA		
Species Method Source Evaluation	rabbit OECD 405 ECHA irritant		
Species Method Source	rabbit OECD 405 ECHA irritant	data, the classifica	tion criteria are met.
Species Method Source Evaluation	rabbit OECD 405 ECHA irritant	data, the classifica	tion criteria are met.
Species Method Source Evaluation Evaluation/classification	rabbit OECD 405 ECHA irritant		tion criteria are met. EC no.
Species Method Source Evaluation Evaluation/classification Respiratory or skin sensitisation	rabbit OECD 405 ECHA irritant Based on available	no.	
Species Method Source Evaluation Evaluation/classification Respiratory or skin sensitisation No Substance name	rabbit OECD 405 ECHA irritant Based on available	no.	EC no.
Species Method Source Evaluation Evaluation/classification Respiratory or skin sensitisation No Substance name 1 ethanol Route of exposure	rabbit OECD 405 ECHA irritant Based on available CAS 64-17	no.	EC no.
Species Method Source Evaluation Evaluation/classification Respiratory or skin sensitisation No Substance name 1 ethanol	rabbit OECD 405 ECHA irritant Based on available CAS 64-17 Skin	no.	EC no.
Species Method Source Evaluation Evaluation/classification Respiratory or skin sensitisation No Substance name 1 ethanol Route of exposure Species	rabbit OECD 405 ECHA irritant Based on available CAS 64-17 Skin mouse ECHA	no.	EC no.
Species Method Source Evaluation Evaluation/classification Respiratory or skin sensitisation No Substance name 1 ethanol Route of exposure Species Source Evaluation	rabbit OECD 405 ECHA irritant Based on available CAS 64-17 Skin mouse ECHA non-sensitizing	no. -5	EC no. 200-578-6
Species Method Source Evaluation Evaluation/classification Respiratory or skin sensitisation No Substance name 1 ethanol Route of exposure Species Source Evaluation 2 propan-2-ol	rabbit OECD 405 ECHA irritant Based on available CAS 64-17 Skin mouse ECHA non-sensitizing 67-63	no. -5	EC no.
Species Method Source Evaluation Evaluation/classification Respiratory or skin sensitisation No Substance name 1 ethanol Route of exposure Species Source Evaluation 2 propan-2-ol Route of exposure	rabbit OECD 405 ECHA irritant Based on available CAS 64-17 Skin mouse ECHA non-sensitizing 67-63 Skin	no. -5	EC no. 200-578-6
Species Method Source Evaluation Evaluation/classification Respiratory or skin sensitisation No Substance name 1 ethanol Route of exposure Species Source Evaluation 2 propan-2-ol Route of exposure Species	rabbit OECD 405 ECHA irritant Based on available CAS 64-17 Skin mouse ECHA non-sensitizing 67-63 Skin guinea pig	no. -5	EC no. 200-578-6
Species Method Source Evaluation Evaluation/classification Respiratory or skin sensitisation No Substance name 1 ethanol Route of exposure Species Source Evaluation 2 propan-2-ol Route of exposure Species Moute of exposure Species Moute of exposure Species Method	rabbit OECD 405 ECHA irritant Based on available CAS 64-17 Skin mouse ECHA non-sensitizing 67-63 Skin guinea pig OECD 406	no. -5	EC no. 200-578-6
Species Method Source Evaluation Evaluation/classification Respiratory or skin sensitisation No Substance name 1 ethanol Route of exposure Species Source Evaluation 2 propan-2-ol Route of exposure Species Method Source	rabbit OECD 405 ECHA irritant Based on available CAS 64-17 Skin mouse ECHA non-sensitizing 67-63 Skin guinea pig OECD 406 ECHA	no. -5	EC no. 200-578-6
Species Method Source Evaluation Evaluation/classification Respiratory or skin sensitisation No Substance name 1 ethanol Route of exposure Species Source Evaluation 2 propan-2-ol Route of exposure Species Method Source Evaluation	rabbit OECD 405 ECHA irritant Based on available CAS 64-17 Skin mouse ECHA non-sensitizing 67-63 Skin guinea pig OECD 406 ECHA non-sensitizing	no. -5 -0	EC no. 200-578-6 200-661-7
Species Method Source Evaluation Evaluation/classification Respiratory or skin sensitisation No Substance name 1 ethanol Route of exposure Species Source Evaluation 2 propan-2-ol Route of exposure Species Method Source	rabbit OECD 405 ECHA irritant Based on available CAS 64-17 Skin mouse ECHA non-sensitizing 67-63 Skin guinea pig OECD 406 ECHA non-sensitizing	no. -5 -0	EC no. 200-578-6
Species Method Source Evaluation Evaluation/classification Respiratory or skin sensitisation No Substance name 1 ethanol Route of exposure Species Source Evaluation 2 propan-2-ol Route of exposure Species Method Source Evaluation	rabbit OECD 405 ECHA irritant Based on available CAS 64-17 Skin mouse ECHA non-sensitizing 67-63 Skin guinea pig OECD 406 ECHA non-sensitizing Based on available	no. -5 -0 data, the classifica	EC no. 200-578-6 200-661-7 tion criteria are not met.
Species Method Source Evaluation Evaluation/classification Respiratory or skin sensitisation No Substance name 1 ethanol Route of exposure Species Source Evaluation 2 propan-2-ol Route of exposure Species Method Source Evaluation Z propan-2-ol Route of exposure Species Method Source Evaluation Source Evaluation Source Evaluation Evaluation <td>rabbit OECD 405 ECHA irritant Based on available CAS 64-17 Skin mouse ECHA non-sensitizing 67-63 Skin guinea pig OECD 406 ECHA non-sensitizing Based on available</td> <td>no. -5 -0 data, the classifica</td> <td>EC no. 200-578-6 200-661-7 tion criteria are not met. EC no.</td>	rabbit OECD 405 ECHA irritant Based on available CAS 64-17 Skin mouse ECHA non-sensitizing 67-63 Skin guinea pig OECD 406 ECHA non-sensitizing Based on available	no. -5 -0 data, the classifica	EC no. 200-578-6 200-661-7 tion criteria are not met. EC no.
Species Method Source Evaluation Evaluation/classification Respiratory or skin sensitisation No Substance name 1 ethanol Route of exposure Species Source Evaluation 2 propan-2-ol Route of exposure Species Method Source Evaluation Evaluation Evaluation Evaluation Evaluation Evaluation	rabbit OECD 405 ECHA irritant Based on available CAS 64-17 Skin mouse ECHA non-sensitizing 67-63 Skin guinea pig OECD 406 ECHA non-sensitizing Based on available	no. -5 -0 data, the classifica	EC no. 200-578-6 200-661-7 tion criteria are not met.

Current version : 1.0.2, issued: 08.06.2021

Replaced version: 1.0.0, issued: 20.11.2020

Region: GB

2 butane	106-97-8 203	3-448-7
Type of examination	In vitro Mammalian Chromosomal Aberration	
Species	Human Lymphocyte	
Method	OECD 473	
Source	ECHA	
Evaluation/classification	Based on available data, the classification crit	eria are not met
Type of examination	in vitro gene mutation study in bacteria	iena are not met.
	Salmonella typhimurium	
Species Method	OECD 471	
Source	ECHA	
Evaluation/classification	Based on available data, the classification crit	
3 propane		0-827-9
Route of exposure	inhalational	
Species	Salmonella typhimurium	
Method	OECD 471	
Source	ECHA	
Evaluation/classification	Based on available data, the classification crit	teria are not met.
4 isobutane	75-28-5 200	0-857-2
Species	Salmonella typhimurium	
Method	Value taken from the literature	
Source	ECHA	
Evaluation/classification	Based on available data, the classification crit	teria are not met
5 propan-2-ol		D-661-7
Source	ECHA 200	J-001-7
Source Evaluation/classification	Based on available data, the classification crit	aria ara nat mat
Evaluation/classification	Based on available data, the classification chi	leria are not met.
Reproduction toxicity		
No Substance name	CAS no. EC	no.
1 ethanol		0-578-6
Route of exposure	oral	
NOAEL		
Type of examination	2 generation study	
Species	mouse	
Method	OECD 416	
Source	ECHA	
Evaluation/classification		ania ana matumat
	Based on available data, the classification crit	tena are not met.
Route of exposure	inhalational	
NOAEL		
Type of examination	Prenatal Developmental Toxicity Study	
Species	rat	
Method	OECD 414	
Source	ECHA	
Evaluation/classification	Based on available data, the classification crit	teria are not met.
2 butane	106-97-8 203	3-448-7
Route of exposure	inhalational	
Species	rat	
Method	OECD 422	
Source	ECHA	
Evaluation/classification	Based on available data, the classification crit	teria are not met
3 propane		D-827-9
Route of exposure	inhalational	
Species	rat	
Method	OECD 422	
	ECHA	
Source		
Source		oria ara not met
Evaluation/classification	Based on available data, the classification crit	
Evaluation/classification 4 isobutane	Based on available data, the classification crit75-28-5200	teria are not met.)-857-2
Evaluation/classification4isobutaneRoute of exposure	Based on available data, the classification crit 75-28-5 200 inhalational 100	
Evaluation/classification 4 isobutane Route of exposure Species	Based on available data, the classification crit 75-28-5 200 inhalational rat	
Evaluation/classification 4 isobutane Route of exposure Species Method	Based on available data, the classification crit 75-28-5 200 inhalational rat OECD 422	
Evaluation/classification 4 isobutane Route of exposure Species Method Source	Based on available data, the classification crit 75-28-5 200 inhalational rat OECD 422 ECHA	0-857-2
Evaluation/classification 4 isobutane Route of exposure Species Method	Based on available data, the classification crit 75-28-5 200 inhalational rat OECD 422)-857-2

Current version : 1.0.2, issued: 08.06.2021

Replaced version: 1.0.0, issued: 20.11.2020

Region: GB

No	Substance name	CAS	no.	EC no.
1	ethanol	64-1	7-5	200-578-6
Sou	rce	ECHA		
Eval	uation/classification	Based on available	data, the clas	sification criteria are not met
	T			
	T - single exposure lata available			
10 0	iala avaliable			
STC	T - repeated exposure			
-	Substance name	CAS		EC no.
1	ethanol	64-1	7-5	200-578-6
	e of exposure	oral		
	tion of exposure		14	week/s
Spe		rat		
	et organ	kidneys		
Metl		OECD 408		
Sou		ECHA		
	uation/classification		1	sification criteria are not met
_	butane	106-	97-8	203-448-7
	e of exposure	inhalational		
Spe		rat		
Metl		OECD 422		
Sou		ECHA		
	uation/classification			sification criteria are not met
	propane	74-9	3-6	200-827-9
	e of exposure	inhalational		
Spe		rat		
Metl		OECD 422		
Sou		ECHA		
	uation/classification			sification criteria are not met
4	isobutane	75-2	5-5	200-857-2
	te of exposure	inhalational		
Spe		rat		
Metl		OECD 422		
Sou		ECHA		···· ·· · · · ·
	uation/classification			sification criteria are not met
5 Davi	propan-2-ol	67-6	5-0	200-661-7
	e of exposure	inhalational		
Sou	ce uation/classification	ECHA		···· ·· · · · ·
		I Based on available	acin ant cren	sification criteria are not met

11.2 Information on other hazards

Endocrine disrupting properties No data available.

Other information No data available.

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish (acute)					
No	Substance name	CAS no.		EC no.	
1	ethanol	64-17-5		200-578-6	
LC5	0		14200	mg/l	
Dura	ation of exposure		96	h	
Spee	cies	Pimephales promelas			
Meth	hod	EPA			

					-
Sour	rce	ECHA			
	propan-2-ol	67	·63-0	200-661-7	
LC50			9640	mg/l	
	ation of exposure		96	h	
Spec		Pimephales prom	nelas		
Meth	nod	OECD 203			
Sour	се	ECHA			
Tovi	city to fish (chronic)				
No.d	lata available				
	city to Daphnia (acute) Substance name	CA	S no.	EC no.	
	ethanol		17-5	200-578-6	
EC5			5012	mg/l	
	ation of exposure		48	h	
Spec		Ceriodaphnia dul		11	
Meth		ASTM Standard			
Sour		ECHA	= 129-00		
Sour 2				007 044 0	
2	Hydrocarbons, C9-C10, n-alkane cyclics, <2% aromatics	s, isoaikanes, -		927-241-2	
EL50		> 22	- 46	mg/l	
	ation of exposure		48	h	
Spec		Daphnia magna			
Meth		OECD 202			
Sour		ECHA			
3	propan-2-ol	= • • • •	63-0	200-661-7	
EC5		>	10000	mg/l	
	ation of exposure		24	h	
Spec		Daphnia magna	<u> </u>		
Meth		OECD 202			
Sour		ECHA			
	city to Daphnia (chronic)	I			
	Substance name	CA	S no.	EC no.	
	ethanol		17-5	200-578-6	
NOE			9.6	mg/l	
	ation of exposure		9	day(s)	
Spec		Daphnia magna	2		
Sour		ECHA			
	city to algae (acute) Substance name	C.A	S no.	EC no.	
	ethanol		17-5	200-578-6	
EC5		04	275	mg/l	
	ation of exposure		72	h	
Spec		Chlorella vulgaris		11	
Meth		OECD 201			
Sour		ECHA			
	city to algae (chronic)				
No d	lata available				
	teria toxicity lata available				

 Biodegradability
 CAS no.
 EC no.

 1
 ethanol
 64-17-5
 200-578-6

 Type
 aerobic biodegradation

 Value
 appr.
 84
 %

 Duration
 20
 day(s)

ent version : 1.0.2, issued: 08.06.2021	Replaced version: 1.0.0,	issued: 20.11	.2020	Regior
Method	OECD			
Source	ECHA			
Evaluation	readily biodegradable			
Value			%	
2 butane	106-97-8		203-448-7	
Туре	aerobic biodegradation			
Value		50	%	
Duration		3.46	d	
Method	QSAR			
Source	ECHA			
3 propane	74-98-6		200-827-9	
Туре	aerobic biodegradation			
Value		50	%	
Duration		3	d	
Method	QSAR			
Source	ECHA			
Evaluation	readily biodegradable			
4 Hydrocarbons, C9-C10, n-alkanes cyclics, <2% aromatics	, isoalkanes, -		927-241-2	
Туре	aerobic biodegradation			
Value		89	%	
Duration		28	day(s)	
Method	OECD 301 F			
Source	ECHA			
Evaluation	readily biodegradable			
5 isobutane	75-28-5		200-857-2	
Туре	aerobic biodegradation			
Value		50	%	
Duration		3.1	d	
Method	QSAR			
Source	ECHA			
Evaluation	readily biodegradable			
6 propan-2-ol	67-63-0		200-661-7	
Туре	BOD/COD			
Value		53	%	
Duration		5	day(s)	
Source	ECHA			
Evaluation	readily biodegradable			

12.3 Bioaccumulative potential

Part	ition coefficient n-octanol/water (log val	lue)				
No	Substance name		CAS no.		EC no.	
1	ethanol		64-17-5		200-578-6	
log F	Pow			-0.35		
Refe	erence temperature			24	C°	
with	reference to	pH 7,4				
Met	nod	OECD 107				
Sou	rce	ECHA				
2	propane		74-98-6		200-827-9	
log I	Pow	appr.		1.8		
Met	nod	QSAR				
Sou	rce	ECHA				
3	isobutane		75-28-5		200-857-2	
log F	Pow			2.80		
Refe	erence temperature			20	C°	
with	reference to	pH 7				
Sou	rce	ECHA				
4	propan-2-ol		67-63-0		200-661-7	
log F	Pow			0.05		
Refe	erence temperature			25	°C	
Sou	rce	ECHA				

Current version : 1.0.2, issued: 08.06.2021

Replaced version: 1.0.0, issued: 20.11.2020

Region: GB

12.4 Mobility in soil

No data available.

- **12.5 Results of PBT and vPvB assessment** No data available.
- **12.6 Endocrine disrupting properties** No data available.
- 12.7 Other adverse effects No data available.

12.8 Other information

Other information Do not discharge product unmonitored into the environment.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Disposal of the product should be carried out in accordance with all applicable regulations following consultation with the responsible local authority and the disposal company in an authorised and suitable disposal facility. Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

Packaging

Residues must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.

SECTION 14: Transport information

14.1 Transport ADR/RID/ADN

	Class Classification code UN number Proper shipping name Tunnel restriction code Label	2 5F UN1950 AEROSOLS D 2.1
14.2	Transport IMDG Class UN number Proper shipping name EmS Label	2 UN1950 AEROSOLS F-D, S-U 2.1
14.3	Transport ICAO-TI / IATA Class UN number Proper shipping name Label	2.1 UN1950 Aerosols, flammable 2.1
14.4	Other information No data available.	
14.5	Environmental hazards Information on environmental haz	ards, if relevant, please see 14.1 - 14.3.
116	Special pressutions for user	

14.6 Special precautions for user No data available.

14.7 Maritime transport in bulk according to IMO instruments Not relevant

Current version : 1.0.2, issued: 08.06.2021

Replaced version: 1.0.0, issued: 20.11.2020

Region: GB

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulations

Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

REACH candidate list of substances of very high concern (SVHC) for authorisation

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUF	-
THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND A	ARTICLES
The product is considered being subject to REACH regulation (EC) 1907/2006 annex	No 3

XVII.

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances This product is subject to Part I of Annex I, risk category: P3a

Other regulations

Adhere to the national sanitary and occupational safety regulations when using this product.

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for this mixture.

SECTION 16: Other information

Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section.

Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

H220	Extremely flammable gas.
H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H280	Contains gas under pressure; may explode if heated.
H304	May be fatal if swallowed and enters airways.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
H412	Harmful to aquatic life with long lasting effects.

Notes relating to the identification, classification and labelling of substances and mixtures ((EC) No 1272/2008, Annex VI)

С	Some organic substances may be marketed either in a specific isomeric form or as a mixture of several isomers. In this case the supplier must state on the label whether the
	substance is a specific isomer or a mixture of isomers.
U	When put on the market gases have to be classified as 'Gases under pressure', in one of the groups compressed gas, liquefied gas, refrigerated liquefied gas or dissolved gas. The group depends on the physical state in which the gas is packaged and therefore has to be assigned case by case.

Creation of the safety data sheet

UMCO GmbH - D-21107 Hamburg, Georg-Wilhelm-Strasse 187, Tel.: +49(40)555 546 300, Fax: +49(40)555 546 357, e-mail: umco@umco.de

EU safety data sheet

Trade name: KRONES celerol DG 7800

Current version : 1.0.2, issued: 08.06.2021

Replaced version: 1.0.0, issued: 20.11.2020

Region: GB

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH.

Prod-ID 771566