Current version : 1.0.1, issued: 08.06.2021

Replaced version: 1.0.0, issued: 26.05.2021

Region: GB

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name

## **KRONES** celerol SP 7409

1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses of the substance or mixture Lubricant

**Uses advised against** No data available.

#### 1.3 Details of the supplier of the safety data sheet

#### Address

KIC KRONES Internationale Cooperationsgesellschaft mbHBöhmerwaldstraße 593073Neutraubling

 Telephone no.
 +49 9401 70-3020

 Fax no.
 +49 9401 70-3696

 e-mail
 kic@kic-krones.com

Advice on Safety Data Sheet sdb\_info@umco.de

#### 1.4 Emergency telephone number

For medical advice (in German and English): +49 (0)551 192 40 (Giftinformationszentrum Nord) In case of transport incidents and other emergencies: +44 (0) 1235 239 670 (NCEC, National Chemical Emergency Centre)

## **SECTION 2: Hazards identification**

## 2.1 Classification of the substance or mixture

#### Classification in accordance with Regulation (EC) No 1272/2008 (CLP)

Aerosol 1; H222 Aquatic Chronic 2; H411 Asp. Tox. 1; H304 Skin Irrit. 2; H315 STOT SE 3; H336

#### **Classification information**

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

## 2.2 Label elements

#### Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)

#### Hazard pictograms



Signal word Danger

Hazardous component(s) to be indicated on label:

Current version : 1.0.1, issued: 08.06.2021

Replaced version: 1.0.0, issued: 26.05.2021

Region: GB

Hydrocarbons, C7-C9, Isoalkanes

Hazard statement(	s)
H222	Extremely flammable aerosol.
H229	Pressurised container: May burst if heated.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H336	May cause drowsiness or dizziness.
H411	Toxic to aquatic life with long lasting effects.
Precautionary stat	ement(s)
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P211	Do not spray on an open flame or other ignition source.
P251	Do not pierce or burn, even after use.
P273	Avoid release to the environment.
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/doctor.
P331	Do NOT induce vomiting.
P391	Collect spillage.
P410+P412	Protect from sunlight. Do no expose to temperatures exceeding 50°C/122°F.

#### 2.3 Other hazards

PBT assessment

The product is not considered to be a PBT.

vPvB assessment

The product is not considered to be a vPvB.

## **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Not applicable. The product is not a substance.

## 3.2 Mixtures

#### Hazardous ingredients

No	Substance name		Addit	ional information	on	
	CAS / EC / Index /	Classification (EC) 1272/2008 (CLP)	Conc	entration		%
	REACH no					
1	isobutane					
	75-28-5	Flam. Gas 1A; H220	>=	25.00 - <	50.00	wt%
	200-857-2	Press. Gas compr.; H280				
	601-004-00-0					
	01-2119485395-27					
2	Hydrocarbons, C7-C9, Isoalkanes					
	-	Aquatic Chronic 2; H411	>=	25.00 - <	50.00	wt%
	921-728-3	Asp. Tox. 1; H304				
	-	Flam. Liq. 2; H225				
	01-2119471305-42	Skin Irrit. 2; H315				
		STOT SE 3; H336				
3	propane					
	74-98-6	Flam. Gas 1A; H220	>=	5.00 - <	10.00	wt%
	200-827-9	Press. Gas compr.; H280				
	601-003-00-5					
	01-2119486944-21					
4	butane					
	106-97-8	Flam. Gas 1A; H220	>=	5.00 - <	10.00	wt%
	203-448-7	Press. Gas liq.; H280				
	601-004-00-0					
	01-2119474691-32					

Full Text for all H-phrases and EUH-phrases: pls. see section 16

No	Note	Specific concentration limits	M-factor	M-factor
			(acute)	(chronic)

Current version : 1.0.1, issued: 08.06.2021

Replaced version: 1.0.0, issued: 26.05.2021

Region: GB

1	U, C	-	-	-
4	C,U	-	-	-
Full	text_for the notes: i	ols, see section 16 "Notes relating to the identification, class	ification and labelli	ng of substances

Full text for the notes: pls. see section 16 "Notes relating to the identification, classification and labelling of subs ((EC) No 1272/2008, Annex VI)".

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

#### **General information**

Remove contaminated clothing and shoes immediately, and launder thoroughly before reusing.

#### After inhalation

Remove affected persons from dangerous area by observing suitable respiratory protection measures. Ensure supply of fresh air. If breathing is irregular or stopped, administer artificial respiration. Take medical treatment.

#### After skin contact

When in contact with the skin, clean with soap and water. Consult a doctor if skin irritation persists.

#### After eye contact

Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the unaffected eye (at least 10 to 15 minutes). Get immediate ophthalmic treatment.

#### After ingestion

Rinse the mouth thoroughly with water. Do not induce vomiting. Never give anything by mouth to an unconscious person. Seek medical attention.

#### 4.2 Most important symptoms and effects, both acute and delayed

#### Symptoms

Dizziness; Unconsciousness; Light-headedness; headaches; Nausea; Tiredness; reddening of the skin

#### Effects

Aspiration of this product may lead to pneumonitis.

#### **4.3 Indication of any immediate medical attention and special treatment needed** Treat symptomatically.

#### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

Suitable extinguishing media ABC powder

Unsuitable extinguishing media High power water jet

#### 5.2 Special hazards arising from the substance or mixture

In the event of fire, the following can be released: Carbon monoxide and carbon dioxide; Metal oxides; Phosphorus oxides; Bursting aerosol cans can be launched out of a fire with great force.

#### 5.3 Advice for firefighters

Use self-contained breathing apparatus. Wear protective clothing. Run-off water from fire fighting must not be discharged into drains or enter surface water.

## SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

#### For non-emergency personnel

Refer to protective measures listed in sections 7 and 8. Remove persons to safety. Exclude sources of ignition and ventilate the area. Do not inhale vapours/aerosols.

#### For emergency responders

Personal protective equipment (PPE) - see section 8.

#### 6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil.

Current version : 1.0.1, issued: 08.06.2021

Replaced version: 1.0.0, issued: 26.05.2021

Region: GB

#### 6.3 Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regulations (see section 13).

#### 6.4 Reference to other sections

Information regarding safe handling, see section 7. Information regarding personal protective measures, see section 8. Information regarding waste disposal, see section 13.

## **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

#### Advice on safe handling

Risks inherent to handling the product must be minimised by applying the appropriate protective and preventive measures. Working processes should - so far as possible, according to the state of the art - be designed to rule out bodily contact or the release of hazardous substances. Provide good ventilation at the work area (local exhaust ventilation, if necessary). Do not pierce or burn, even after use.

#### General protective and hygiene measures

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Do not inhale vapours. Avoid contact with eyes and skin. Wash hands before breaks and after work. Remove contaminated clothing and shoes and launder thoroughly before reusing.

#### Advice on protection against fire and explosion

Isolate from sources of heat, sparks and open flame. No sparking tools should be used. Take precautionary measures against static charges.

#### 7.2 Conditions for safe storage, including any incompatibilities

#### Technical measures and storage conditions

Keep container tightly closed and dry in a cool, well-ventilated place. Protect from heat and direct sunlight.

## Recommended storage temperature Value <

°C

#### Requirements for storage rooms and vessels

Containers which are opened must be carefully closed and kept upright to prevent leakage. Always keep in containers of same material as the original.

50

## Incompatible products Substances to be avoided, see section 10.

#### 7.3 Specific end use(s)

No data available.

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### Occupational exposure limit values

No	Substance name	CAS no.		EC no.	
1	butane	106-97-8		203-448-7	
	List of approved workplace exposure limits (WELs) / EH40				
	Butane				
	WEL short-term (15 min reference period)	1810	mg/m³	750	ppm
	WEL long-term (8-hr TWA reference period)	1450	mg/m³	600	ppm
	Comments	Carc, (only	applies if But	ane contains m	ore than 0.1%
		of buta-1,3-	diene)		

#### 8.2 Exposure controls

#### Appropriate engineering controls

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and solvent vapour below the OEL (=Occupational Exposure Limit), suitable respiratory protection must be worn.

#### Personal protective equipment

Current version : 1.0.1, issued: 08.06.2021

Replaced version: 1.0.0, issued: 26.05.2021

Region: GB

#### **Respiratory protection**

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of aerosol and mist formation, take appropriate measures for breathing protection in the event workplace threshold values are not specified.

Respirator

A-P

#### Eye / face protection

Safety glasses with side protection shield (EN 166)

#### Hand protection

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific workstation suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

#### Other

Chemical-resistant work clothes.

#### **Environmental exposure controls**

No data available.

#### **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

State of aggregation			
· ·			
Form/Colour Aerosol			
grey			
Odour			
characteristic			
pH value No data available			
Boiling point / boiling range Value	<	-10	°C
		-10	5
Melting point/freezing point No data available			
Decomposition temperature No data available			
Flash point Value		-80	°C
Method	closed cup	-00	5
Ignition temperature			
No data available			
Auto-ignition temperature			
Value	>	350	٥°C
Explosive properties			
The product does not have explosive properties.			
Flammability			
The product is flammable.			
Lower explosion limit			
Value		1.5	% vol
Upper explosion limit			

rent version: 1.0.1, issued: 08.06.2021	Replac	ced version: 1.0.0	), issued: 26.05	5.2021	Region:
Value		11.2	% vol		
Vapour pressure					
Value		2700	hPa		
Reference temperature		20	°C		
Relative vapour density					
No data available					
Relative density					
No data available					
Density					
No data available					
Solubility in water					
Value	<	0.1	g/l		
Comments	insoluble	0.1	9,1		
Partition coefficient n-octanol/wate	er (log value)	CAS no.		EC no.	
1 isobutane		75-28-5		200-857-2	
log Pow			2.80		
Reference temperature			20	°C	
with reference to	pH 7				
Source	ECHA				
2 propane		74-98-6		200-827-9	
log Pow	appr.		1.8		
Method	QSAR				
Source	ECHA				
Viscosity					
No data available					
Particle characteristics					
No data available					

#### 9.2 Other information

Other information

No data available.

## **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No data available.

#### 10.2 Chemical stability

Stable under recommended storage and handling conditions (See section 7).

## **10.3** Possibility of hazardous reactions

Dangerous reactions are not to be expected when handling product according to its intended use.

#### 10.4 Conditions to avoid Heat, naked flames and other ignition sources.

## 10.5 Incompatible materials Oxidizing agents

10.6 Hazardous decomposition products None, if handled according to intended use.

## **SECTION 11: Toxicological information**

Current version : 1.0.1, issued: 08.06.2021

Replaced version: 1.0.0, issued: 26.05.2021

Region: GB

## 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity No Substance name		CAS no.		EC no.
1 Hydrocarbons, C7-C9, Isoalkanes		-		921-728-3
LD50	>		2000	mg/kg bodyweig
Species	rat			3. 3. 3. 3
Method	OECD 401			
Source	ECHA			
Aguta darmal taxiaity				
Acute dermal toxicity No Substance name		CAS no.		EC no.
1 Hydrocarbons, C7-C9, Isoalkanes		-		921-728-3
LD50	>		2000	mg/kg bodyweig
Species	rabbit			
Source	ECHA			
Acute inhalational toxicity				
No Substance name		CAS no.		EC no.
1 isobutane		75-28-5		200-857-2
LC50			520400	ppmV
Duration of exposure			2	h
State of aggregation	Gas			
Species	mouse			
Source	ECHA			
Evaluation/classification	Based on av	ailable data, th	e classificati	on criteria are not met.
2 propane		74-98-6		200-827-9
LC50	>		800000	ppmV
Duration of exposure			0.25	h
State of aggregation	Gas			
Species	rat			
Source	ECHA			
Evaluation/classification	Based on av	ailable data, th	e classificatio	on criteria are not met.
Skin corrosion/irritation				
No data available				
Serious eye damage/irritation				
No data available				
Descriptions on alder somelitiestics				
Respiratory or skin sensitisation				
No data available				
No data available Germ cell mutagenicity		CAS no.		EC no.
No data available Germ cell mutagenicity No Substance name 1 isobutane		75-28-5		EC no. 200-857-2
No data available Germ cell mutagenicity No Substance name 1 isobutane	Salmonella t	75-28-5 yphimurium		
No data available Germ cell mutagenicity No Substance name 1 isobutane Species Method	Value taken	75-28-5	ture	
No data available Germ cell mutagenicity No Substance name 1 isobutane Species Method Source	Value taken ECHA	<b>75-28-5</b> yphimurium from the litera		200-857-2
No data available Germ cell mutagenicity No Substance name 1 isobutane Species Method Source	Value taken ECHA	<b>75-28-5</b> yphimurium from the litera		200-857-2
No data available Germ cell mutagenicity No Substance name 1 isobutane Species Method Source Evaluation/classification 2 propane	Value taken ECHA Based on av	<b>75-28-5</b> yphimurium from the litera		200-857-2
No data available         Germ cell mutagenicity         No       Substance name         1       isobutane         Species       Method         Source       Evaluation/classification         2       propane         Route of exposure       Evaluation	Value taken ECHA Based on av	75-28-5 yphimurium from the litera railable data, th 74-98-6		200-857-2
No data available         Germ cell mutagenicity         No       Substance name         1       isobutane         Species         Method       Source         Evaluation/classification       2         propane       Route of exposure         Species       Species	Value taken ECHA Based on av inhalational Salmonella t	75-28-5 yphimurium from the litera railable data, th 74-98-6		200-857-2
Species Method Source Evaluation/classification	Value taken ECHA Based on av inhalational Salmonella t OECD 471	75-28-5 yphimurium from the litera railable data, th 74-98-6		200-857-2
No data available  Germ cell mutagenicity  No Substance name  isobutane  Species  Method Source Evaluation/classification  propane  Route of exposure  Species Method	Value taken ECHA Based on av inhalational Salmonella t	75-28-5 yphimurium from the litera railable data, th 74-98-6		200-857-2
No data available  Germ cell mutagenicity  No Substance name  isobutane  Species  Method Source Evaluation/classification  propane  Route of exposure  Species Method Source	Value taken ECHA Based on av inhalational Salmonella t OECD 471 ECHA	75-28-5 yphimurium from the litera vailable data, th 74-98-6 yphimurium	ne classificatio	200-857-2
No data available         Germ cell mutagenicity         No       Substance name         1       isobutane         Species         Method       Source         Evaluation/classification       Propane         Route of exposure       Species         Method       Source         Evaluation/classification       Evaluation         Species       Method         Source       Evaluation/classification	Value taken ECHA Based on av inhalational Salmonella t OECD 471 ECHA	75-28-5 yphimurium from the litera vailable data, th 74-98-6 yphimurium	ne classificatio	200-857-2 on criteria are not met. 200-827-9
No data available         Germ cell mutagenicity         No       Substance name         1       isobutane         Species         Method         Source         Evaluation/classification         2       propane         Route of exposure         Species	Value taken ECHA Based on av inhalational Salmonella t OECD 471 ECHA	75-28-5 yphimurium from the litera vailable data, th 74-98-6 yphimurium vailable data, th CAS no.	ne classificatio	200-857-2 on criteria are not met. 200-827-9 on criteria are not met. EC no.
No data available         Germ cell mutagenicity         No       Substance name         1       isobutane         Species         Method         Source         Evaluation/classification         2       propane         Route of exposure         Species         Method         Source         Evaluation/classification         Species         Method         Source         Evaluation/classification         Reproduction toxicity         No       Substance name         1       isobutane	Value taken ECHA Based on av inhalational Salmonella t OECD 471 ECHA Based on av	75-28-5 yphimurium from the litera railable data, th 74-98-6 yphimurium railable data, th	ne classificatio	200-857-2 on criteria are not met. 200-827-9 on criteria are not met.
No data available         Germ cell mutagenicity         No       Substance name         1       isobutane         Species       Method         Source       Evaluation/classification         2       propane         Route of exposure       Species         Method       Source         Evaluation/classification       Reproduction toxicity         No       Substance name	Value taken ECHA Based on av inhalational Salmonella t OECD 471 ECHA	75-28-5 yphimurium from the litera vailable data, th 74-98-6 yphimurium vailable data, th CAS no.	ne classificatio	200-857-2 on criteria are not met. 200-827-9 on criteria are not met. EC no.
No data available         Germ cell mutagenicity         No       Substance name         1       isobutane         Species         Method         Source         Evaluation/classification         2       propane         Route of exposure         Species         Method         Source         Evaluation/classification         Species         Method         Source         Evaluation/classification         Reproduction toxicity         No       Substance name         1       isobutane	Value taken ECHA Based on av inhalational Salmonella t OECD 471 ECHA Based on av	75-28-5 yphimurium from the litera vailable data, th 74-98-6 yphimurium vailable data, th CAS no.	ne classificatio	200-857-2 on criteria are not met. 200-827-9 on criteria are not met. EC no.

	version : 1.0.1, issued: 08.06.2021	Replaced version: 1.0.0, issued: 26.05.2021 Regio
Sou	Irce	ECHA
	luation/classification	Based on available data, the classification criteria are not met.
2	propane	74-98-6 200-827-9
Rou	ite of exposure	inhalational
Spe	ecies	rat
Met	thod	OECD 422
Sou	Irce	ECHA
Eva	luation/classification	Based on available data, the classification criteria are not met.
Car	cinogenicity	
	data available	
	<b>DT - single exposure</b> data available	
STO	DT - repeated exposure	
No	Substance name	CAS no. EC no.
	Casolanco namo	
1	isobutane	75-28-5 200-857-2
-		
Rou Spe	isobutane ite of exposure ecies	75-28-5         200-857-2           inhalational         rat
Rou Spe Met	isobutane ute of exposure ecies thod	75-28-5         200-857-2           inhalational         rat           OECD 422         0
Rou Spe Met Sou	isobutane ute of exposure ecies thod urce	75-28-5         200-857-2           inhalational         rat           OECD 422         ECHA
Rou Spe Met Sou	isobutane ute of exposure ecies thod	75-28-5         200-857-2           inhalational         rat           OECD 422         0
Rou Spe Met Sou	isobutane ute of exposure ecies thod urce	75-28-5         200-857-2           inhalational         rat           OECD 422         ECHA           Based on available data, the classification criteria are not met.           74-98-6         200-827-9
Rou Spe Met Sou Eva 2 Rou	isobutane ite of exposure ecies thod irce iluation/classification propane ite of exposure	75-28-5     200-857-2       inhalational     rat       OECD 422     ECHA       Based on available data, the classification criteria are not met.
Rou Spe Met Sou Eva <b>2</b> Rou Spe	isobutane ite of exposure ecies thod irce iluation/classification propane ite of exposure ecies	75-28-5     200-857-2       inhalational     rat       OECD 422     ECHA       Based on available data, the classification criteria are not met.       74-98-6       200-827-9       inhalational       rat
Rou Spe Met Sou Eva <b>2</b> Rou Spe	isobutane ite of exposure ecies thod irce iluation/classification propane ite of exposure	75-28-5     200-857-2       inhalational     rat       OECD 422     ECHA       Based on available data, the classification criteria are not met.       74-98-6     200-827-9       inhalational
Rou Spe Met Sou Eva <b>2</b> Rou Spe	isobutane ite of exposure ecies thod irce iluation/classification propane ite of exposure ecies thod	75-28-5     200-857-2       inhalational     rat       OECD 422     ECHA       Based on available data, the classification criteria are not met.       74-98-6     200-827-9       inhalational       rat       OECD 422       ECHA
Rou Spe Met Sou Eva <b>2</b> Rou Spe Met Sou	isobutane ite of exposure ecies thod irce iluation/classification propane ite of exposure ecies thod	75-28-5     200-857-2       inhalational     rat       OECD 422     ECHA       Based on available data, the classification criteria are not met.       74-98-6     200-827-9       inhalational       rat       OECD 422
Rou Spe Met Sou Eva Rou Spe Met Sou Eva	isobutane ite of exposure ecies thod irce iluation/classification propane ite of exposure ecies thod irce	75-28-5     200-857-2       inhalational     rat       OECD 422     ECHA       Based on available data, the classification criteria are not met.       74-98-6     200-827-9       inhalational       rat       OECD 422       ECHA

#### 11.2 Information on other hazards

Endocrine disrupting properties No data available.

Other information No data available.

## **SECTION 12: Ecological information**

## 12.1 Toxicity

Toxi	city to fish (acute)				
No	Substance name	CAS no.		EC no.	
1	Hydrocarbons, C7-C9, Isoalkanes	-		921-728-3	
LL50			18.4	mg/l	
Dura	ation of exposure		96	h	
Spec	cies	Oncorhynchus mykiss			
Meth	nod	OECD 203			
Sour	ce	ECHA			
Tavi	situte fich (chronic)				
	city to fish (chronic)	010			
No	Substance name	CAS no.		EC no.	
1	Hydrocarbons, C7-C9, Isoalkanes	-		921-728-3	
NOE	ELR		0.778	mg/l	
Dura	ation of exposure		28	day(s)	
Spec	cies	Oncorhynchus mykiss			
Meth	nod	(Q)SAR			
Sour	ce	ÈCHA			
Tavi	situ ta Danknia (asuta)				
-	city to Daphnia (acute)				
No	Substance name	CAS no.		EC no.	

Current version : 1.0.1, issued: 08.06.2021

## Trade name: KRONES celerol SP 7409

Replaced version: 1.0.0, issued: 26.05.2021

Region: GB

1 Hydrocarbons, C7-C9, Isoalkanes	-		921-728-3	
EL50	appr.	2.4	mg/l	
Duration of exposure		48	h	
Species	Daphnia magna			
Source	ECHA			
Toxicity to Daphnia (chronic)				
No data available				
Toxicity to algae (acute)				
No data available				
Toxicity to algae (chronic)				
No data available				
Bacteria toxicity				
No data available				

## 12.2 Persistence and degradability

Biod	legradability				
No	Substance name	CAS no.		EC no.	
1	isobutane	75-28-5		200-857-2	
Туре	•	aerobic biodegradation			
Valu	9		50	%	
Dura	tion		3.1	d	
Meth	nod	QSAR			
Sour	ce	ECHA			
Eval	uation	readily biodegradable			
2	propane	74-98-6		200-827-9	
Туре	•	aerobic biodegradation			
Valu	9		50	%	
Dura	tion		3	d	
Meth	nod	QSAR			
Sour	ce	ECHA			
Eval	uation	readily biodegradable			

#### 12.3 Bioaccumulative potential

Partition coefficient n-octanol/water (log value)					
No	Substance name		CAS no.		EC no.
1	isobutane		75-28-5		200-857-2
log Pow				2.80	
Reference temperature				20	°C
with reference to		pH 7			
Sou	ce	ECHA			
2	propane		74-98-6		200-827-9
log F	Pow	appr.		1.8	
Meth	nod	QSAR			
Sou	се	ECHA			

## 12.4 Mobility in soil

No data available.

## 12.5 Results of PBT and vPvB assessment

Results of PBT and vPvB assessment	sults of PBT and vPvB assessment		
PBT assessment	The product is not considered to be a PBT.		
vPvB assessment	The product is not considered to be a vPvB.		

## 12.6 Endocrine disrupting properties

No data available.

## **12.7** Other adverse effects

No data available.

#### 12.8 Other information

Current version : 1.0.1, issued: 08.06.2021

Replaced version: 1.0.0, issued: 26.05.2021

Region: GB

#### Other information

Do not discharge product unmonitored into the environment.

## **SECTION 13: Disposal considerations**

## 13.1 Waste treatment methods

#### Product

Disposal of the product should be carried out in accordance with all applicable regulations following consultation with the responsible local authority and the disposal company in an authorised and suitable disposal facility. Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

#### Packaging

Residues must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.

#### **SECTION 14: Transport information**

## 14.1 Transport ADR/RID/ADN

	Class Classification code UN number Proper shipping name Tunnel restriction code Label	2 5F UN1950 AEROSOLS D 2.1
14.2	<b>Transport IMDG</b> Class UN number Proper shipping name EmS Label	2 UN1950 AEROSOLS F-D, S-U 2.1
14.3	<b>Transport ICAO-TI / IATA</b> Class UN number Proper shipping name Label	2.1 UN1950 Aerosols, flammable 2.1

#### **14.4 Other information** No data available.

## 14.5 Environmental hazards

Information on environmental hazards, if relevant, please see 14.1 - 14.3.

#### **14.6 Special precautions for user** No data available.

14.7 Maritime transport in bulk according to IMO instruments Not relevant

## **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulations

#### Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

## REACH candidate list of substances of very high concern (SVHC) for authorisation

According to available data and the information provided by preliminary suppliers, the product does not contain

Irrent version : 1.0.1, issued: 08.06.2021	Replaced version: 1.0.0, issued: 26.05.2021	Region: Gl
	meeting the criteria for inclusion in annex XIV (List of S	ubstances Subject
to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006. Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURI THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLE		
The product is considered being subject to XVII.	REACH regulation (EC) 1907/2006 annex	No 3
Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances		ces
This product is subject to Part I of Annex I,	risk category: E2, P3a	

If the properties of the substance/product give rise to more than one classification, for the purposes of 2012/18/UE, the lowest qualifying quantities set out in Part 1 and Part 2 of Annex I shall apply.

#### Other regulations

Adhere to the national sanitary and occupational safety regulations when using this product.

#### 15.2 Chemical safety assessment

No data available.

## **SECTION 16: Other information**

#### Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section.

# Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

heated.

H220	Extremely flammable gas.
H225	Highly flammable liquid and vapour.
H280	Contains gas under pressure; may explode if

# Notes relating to the identification, classification and labelling of substances and mixtures ((EC) No 1272/2008, Annex VI)

12122000, Annex VI	
С	Some organic substances may be marketed either in a specific isomeric form or as a mixture of several isomers. In this case the supplier must state on the label whether the
	substance is a specific isomer or a mixture of isomers.
	substance is a specific isoffier of a mixture of isoffiers.
U	When put on the market gases have to be classified as 'Gases under pressure', in one of
	the groups compressed gas, liquefied gas, refrigerated liquefied gas or dissolved gas.
	The group depends on the physical state in which the gas is packaged and therefore has
	to be assigned case by case.

#### Creation of the safety data sheet

UMCO GmbH - D-21107 Hamburg, Georg-Wilhelm-Strasse 187, Tel.: +49(40)555 546 300, Fax: +49(40)555 546 357, e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH. Prod-ID 760820