# EU safety data sheet

# Trade name: KRONES colclean AD 2006

Current version : 1.0.2, issued: 04.01.2023

Replaced version: 1.0.1, issued: 09.03.2020

Region: GB

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name

# **KRONES** colclean AD 2006

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture Additive Uses advised against

No data available.

#### 1.3 Details of the supplier of the safety data sheet

#### Address

KIC KRONES Internationale Cooperationsgesellschaft mbH Böhmerwaldstraße 5 93073 Neutraubling

Telephone no.+49 9401 70-3020e-mailkic@kic-krones.com

Advice on Safety Data Sheet sdb\_info@umco.de

#### 1.4 Emergency telephone number

For medical advice (in German and English): +49 (0)551 192 40 (Giftinformationszentrum Nord) In case of transport incidents and other emergencies: +44 (0) 1235 239 670 (NCEC, National Chemical Emergency Centre)

# **SECTION 2: Hazards identification**

## 2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 (CLP) Eye Irrit. 2; H319

#### Classification information

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

## 2.2 Label elements

#### Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)

Hazard pictograms



 Signal word

 Warning

 Hazard statement(s)

 H319
 Causes serious eye irritation.

 Precautionary statement(s)

 P264
 Wash hands thoroughly after handling.

 P280
 Wear protective gloves/protective clothing/eye protection/face protection.

Current version : 1.0.2, issued: 04.01.2023

Replaced version: 1.0.1, issued: 09.03.2020

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

#### 2.3 Other hazards

No data available.

# SECTION 3: Composition/information on ingredients

#### 3.1 Substances

Not applicable. The product is not a substance.

#### 3.2 Mixtures

#### Hazardous ingredients

No	Substance name			Additional information		
	CAS / EC / Index / Classification (EC) 1272/2008 (CLP)		Concentration			%
	REACH no					
1	Poly (oxy-1,2-ethanediyl), .alpha (2-ethylhexyl) Omegahydroxy-					
	26468-86-0	Eye Irrit. 2; H319	>=	25.00 - <	50.00	wt%
	-					
	-					
	-					
2	(2-METHOXYMETH	YLETHOXY)PROPANOL				
	34590-94-8	-	<	2.50		wt%
	252-104-2					
	-					
	-					

Full Text for all H-phrases and EUH-phrases: pls. see section 16

# **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

#### General information

Remove contaminated clothing and shoes immediately, and launder thoroughly before reusing. In case of persisting adverse effects, consult a physician.

#### After inhalation

Remove affected persons from dangerous area by observing suitable respiratory protection measures. Ensure supply of fresh air. In case of persisting adverse effects consult a physician.

#### After skin contact

When in contact with the skin, clean with soap and water. Consult a doctor if skin irritation persists.

#### After eye contact

Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the unaffected eye (at least 10 to 15 minutes). Get medical attention if pain still persists.

#### After ingestion

Rinse the mouth thoroughly with water. Do not induce vomiting. Never give anything by mouth to an unconscious person. Seek medical attention.

#### **4.2 Most important symptoms and effects, both acute and delayed** No data available.

**4.3** Indication of any immediate medical attention and special treatment needed Treat symptomatically.

#### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

#### Suitable extinguishing media

Alcohol-resistant foam; Extinguishing powder; Carbon dioxide; Water spray jet

**Unsuitable extinguishing media** High power water jet

Current version : 1.0.2, issued: 04.01.2023

Replaced version: 1.0.1, issued: 09.03.2020

#### 5.2 Special hazards arising from the substance or mixture

In the event of fire, the following can be released: Toxic pyrolysis products; Carbon monoxide and carbon dioxide

#### 5.3 Advice for firefighters

Use self-contained breathing apparatus. Wear protective clothing. Do not inhale explosion and/or combustion byproducts. Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

#### For non-emergency personnel

Refer to protective measures listed in sections 7 and 8. Ensure adequate ventilation. High risk of slipping due to leakage/spillage of product.

#### For emergency responders

Personal protective equipment (PPE) - see section 8.

#### 6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil.

#### 6.3 Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regulations (see section 13).

#### 6.4 Reference to other sections

Information regarding safe handling, see section 7. Information regarding personal protective measures, see section 8. Information regarding waste disposal, see section 13.

# **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

#### Advice on safe handling

Risks inherent to handling the product must be minimised by applying the appropriate protective and preventive measures. Working processes should - so far as possible, according to the state of the art - be designed to rule out bodily contact or the release of hazardous substances. Provide good ventilation at the work area (local exhaust ventilation, if necessary).

#### General protective and hygiene measures

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Do not inhale vapours. Avoid contact with eyes and skin. Wash hands before breaks and after work. Remove contaminated clothing and shoes and launder thoroughly before reusing.

#### 7.2 Conditions for safe storage, including any incompatibilities

#### Technical measures and storage conditions

Keep container tightly closed and dry in a cool, well-ventilated place.

#### Requirements for storage rooms and vessels

Containers which are opened must be carefully closed and kept upright to prevent leakage. Always keep in containers of same material as the original.

#### Incompatible products

Substances to be avoided, see section 10.

#### 7.3 Specific end use(s)

No data available.

# **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### Occupational exposure limit values

No Substance name

CAS no.

EC no.

Current version : 1.0.2, issued: 04.01.2023

Replaced version: 1.0.1, issued: 09.03.2020

Region: GB

1	(2-METHOXYMETHYLETHOXY)PROPANOL	34590-94	4-8	252-104	-2
	2000/39/EC				
	(2-Methoxymethylethoxy)-propanol				
	WEL long-term (8-hr TWA reference period)	308	mg/m³	50	ppm
	Skin resorption / sensibilisation	Skin			
	List of approved workplace exposure limits (WELs) / EH40				
	(2-Methoxymethylethoxy) propanol				
	WEL long-term (8-hr TWA reference period)	308	mg/m³	50	ppm
	Comments	Sk			

#### 8.2 Exposure controls

#### Appropriate engineering controls

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and solvent vapour below the OEL (=Occupational Exposure Limit), suitable respiratory protection must be worn.

#### Personal protective equipment

#### **Respiratory protection**

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of aerosol and mist formation, take appropriate measures for breathing protection in the event workplace threshold values are not specified.

#### Eye / face protection

Safety glasses with side protection shield (EN 166)

#### Hand protection

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific work-station suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

Appropriate Material	nitrile rubber		
Material thickness	>=	0.4	mm
Breakthrough time	>=	480	min
Appropriate Material	chloroprene		
Material thickness	>=	0.7	mm
Breakthrough time	>=	480	min
Appropriate Material	PVC		
Material thickness	>=	0.7	mm
Appropriate Material	butyl rubber		
Material thickness	>=	0.7	mm
Breakthrough time	>=	480	min

#### Other

Chemical-resistant work clothes.

**Environmental exposure controls** 

No data available.

# **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

State of aggregation	
liquid	
Form	
liquid	
Colour	
colourless	
Odour	
characteristic	

falue       appr.       7         soling point / boiling range       income and the second s	rent version : 1.0.2, issued: 04.01.2023	Replace	a version: 1.0.1	l, issued: 09.03.2020	Region
Soliding point / boiling range       >       250       °C         failue        >       250       °C         folting point/freezing point                                 failue   failue	pH value				
falue     >     250     °C       Adeting point/freezing point     appr.     -25     °C       Paccomposition temperature     appr.     -25     °C       Idata available     appr.     190     °C       Stata available     appr.     190     °C       Idata available     Product is not selfigniting.     Idata available       Idata available     Product is not selfigniting.     Idata available       Idata available     Idata available     Idata available	Value	appr.	7		
Telefing point/freezing point   falue   appr25   *C    Procomposition temperature to data available  appr.   iable point   falue appr.   falue appr.   iable point   falue appr.   falue appr.   iable point   falue appr.   falue appr.   iable point   falue appr.   io data available   value appr.   value point   io data available   value point   io data available   value point   io data available	Boiling point / boiling range				
falue         appr.         -25         °C           becomposition temperature         isa point         isa point </td <td>Value</td> <td>&gt;</td> <td>250</td> <td>°C</td> <td></td>	Value	>	250	°C	
Decemposition temperature   do data available   data available   iash point   (alue   appr.   190   of data available   uto-ignition temperature   do data available   iding groperties   ot data available   ot data available   ot data available   ot data available   iding groperties   ot data available   iding groperties   ot data available   ot data available   ot data available   iding groperties   iding data available   iding groperties   iding data available   id	Melting point/freezing point	T			
lo data available liash point	Value	appr.	-25	°C	
iash point   falue appr. 190 "C   aprition temperature   ide at available   wito-ignition temperature   comments Product is not selfigniting.   Dxidising properties   ot oxidizing   ide at available   wito-ignition temperature   Dxidising properties   ot oxidizing   ide at available   ide at available <td< td=""><td>Decomposition temperature</td><td></td><td></td><td></td><td></td></td<>	Decomposition temperature				
falue         appr.         190         *C           gnition temperature					
Antion temperature   to data available   Auto-ignition temperature   Comments   Product is not selfigniting.   Dxidising properties   to oxidizing   Charmability   to oxidizing   Cata available   Comments   Product is not selfigniting.   Dxidising properties   to oxidizing   Cata available   Commer splosion limit   to data available   Paper explosion density   to data available   Pantitio density   to data available   Pantition cefficient n-octanol/water (log value)   to data available   Partition cefficient n-octanol/water (log value)   to data available   Partition cefficient n-octanol/water (log value)   to data available   Partition cefficient n-octanol/water (log value)   to data available   Partiti		appr	100	°C	
lo data available   Auto-ignition temperature   Comments   Product is not selfigniting.   Didising properties   ot oxidizing   Product is not selfigniting.   Product is not selfigniting.   Didising properties   ot oxidizing   Product is not selfigniting.   Product is not selfigniting.   Product is not selfigniting.   Imamability   Imamability <t< td=""><td></td><td>Ταρρι.</td><td>190</td><td>0</td><td></td></t<>		Ταρρι.	190	0	
Auto-ignition temperature         Comments       Product is not selfigniting.         Dxidising properties       Image: Select and	Ignition temperature				
Comments Product is not selfigniting.   Dxidising properties Over explositing   Interview of the selfignities Interview of the selfignities   Interview of the selfignities <td></td> <td></td> <td></td> <td></td> <td></td>					
Zvidising properties   tot oxidizing   Planmability   to data available   cover explosion limit   to data available   Jpper explosion limit   to data available   /apour pressure   falue   2.3   Alue   Reference temperature   20   °C   Relative density   to data available   Density   Alue   Alue   Reference temperature   20   °C      Density Alue   Alue   Alue   Alue   Alue   Alue   Alue   Alue   Completely miscible   Solubility in water   Completely miscible   Solubility   Alue   Alue   Completely miscible   Solubility   Adata available   Particic coefficient n-octanol/water (log value)   Alue available   Particic characteristics   A data available </td <td>Comments</td> <td>Product is r</td> <td>ot selfianitina.</td> <td></td> <td></td>	Comments	Product is r	ot selfianitina.		
lot oxidizing  Parmability lo data available cover explosion limit lo data available  per explosion limit lo data available  Partice characteristics lo data available  Partice characteristics lo data available  Cother information  bter informatich  bter information  bter information  bter informatic	Ovidising properties				
lo data available  ower explosion limit  lo data available  /pper explosion limit  lo data available  /apour pressure /alue  2.3 hPa /alue /available //alue //available //alue //available //alue //available //alue /	not oxidizing				
lo data available  ower explosion limit  lo data available  /pper explosion limit  lo data available  /apour pressure /alue  2.3 hPa /alue /available //alue //available //alue //available //alue //available //alue /	×				
lo data available	No data available				
lo data available	Lower explosion limit				
Ab data available   Apour pressure   /alue 2.3 hPa   Reference temperature 20 °C     Relative apour density   do data available     Relative density   do data available     Partition coefficient n-octanol/water (log value)   do data available     Relative viscosity   do data available     Particle characteristics   do data available              Particle characteristics   do data available <b>Completely miscible Solubility Completely miscible Completely miscible</b> <td>No data available</td> <td></td> <td></td> <td></td> <td></td>	No data available				
Ab data available   Apour pressure   /alue 2.3 hPa   Reference temperature 20 °C     Relative apour density   do data available     Relative density   do data available     Partition coefficient n-octanol/water (log value)   do data available     Relative viscosity   do data available     Particle characteristics   do data available              Particle characteristics   do data available <b>Completely miscible Solubility Completely miscible Completely miscible</b> <td>Upper explosion limit</td> <td></td> <td></td> <td></td> <td></td>	Upper explosion limit				
/alue       2.3       hPa         Reference temperature       20       °C         Relative vapour density       0       data available         Relative density       0       g/ml         Relative density       20       °C         Relative density       20       °C         Relative density       20       °C         Solubility in water       20       °C         Completely miscible       Solubility       Solubility         Relative data available       Completely miscible         Solubility       Completely miscible       Solubility         Relative data available       Completely miscible       Solubility         Relative data available       Solubility       Solubility       Solubility         Relative data available	No data available				
Reference temperature 20 °C     Relative vapour density   Io data available   Relative density   Io data available     Density   Io data available   Domments   Io data available     Completely miscible   Solubility   Io data available     Partition coefficient n-octanol/water (log value)   Io data available     Cinematic viscosity   Io data available      Particle characteristics Io data available    Other information	Vapour pressure				
Relative vapour density   do data available   Relative density   do data available   Pensity   /alue   /alue   Reference temperature   20   °C   Solubility in water   Comments   Completely miscible   Solubility   Adata available   Partition coefficient n-octanol/water (log value) do data available   Vinematic viscosity   do data available   Particle characteristics do data available Other information Other information					
No data available   Relative density   No data available   Density   Value   Alue   Alue <t< td=""><td></td><td></td><td>20</td><td>0</td><td></td></t<>			20	0	
Relative density   Jo data available     Density   Value 1   Value 20   Solubility in water   Completely miscible   Solubility No data available   Partition coefficient n-octanol/water (log value) No data available Particle characteristics No data available Particle characteristics No data available Other information Other information	Relative vapour density				
No data available   Density   /alue   /alue   Alue   Alue   20   *C					
Density       1       g/ml         Adue       20       °C         Solubility in water       20       °C         Comments       Completely miscible       20         Solubility       Completely miscible       20         Sol data					
//alue       1       g/ml         Reference temperature       20       °C         Solubility in water       Completely miscible         Solubility       Completely miscible					
Reference temperature 20 °C     Solubility in water   Comments   Completely miscible   Solubility Solubili	Value		1	g/ml	
Comments Completely miscible    Completely miscible  Co	Reference temperature		20	°C	
Solubility No data available Partition coefficient n-octanol/water (log value) No data available Cinematic viscosity No data available Particle characteristics No data available Other information Other information	Solubility in water				
Ao data available Partition coefficient n-octanol/water (log value) Ao data available Cinematic viscosity Ao data available Particle characteristics Ao data available Other information Other information	Comments	Completely	miscible		
Partition coefficient n-octanol/water (log value) lo data available Cinematic viscosity lo data available Particle characteristics lo data available Other information Other information	Solubility				
No data available     Cinematic viscosity   No data available   Particle characteristics   No data available   Other information   Other information	No data available				
Kinematic viscosity         No data available         Particle characteristics         No data available         Other information         Other information		og value)			
Vo data available Particle characteristics No data available Other information Other information					
Particle characteristics lo data available Other information Other information	Kinematic viscosity				
lo data available Other information Other information					
Other information Other information					
Other information					
lo data available	No data available.				

# SECTION 10: Stability and reactivity

Current version : 1.0.2, issued: 04.01.2023

Replaced version: 1.0.1, issued: 09.03.2020

#### 10.1 Reactivity

Stable at ambient temperature.

#### **10.2** Chemical stability Stable under recommended storage and handling conditions (See section 7).

#### **10.3 Possibility of hazardous reactions** Dangerous reactions are not to be expected when handling product according to its intended use.

#### **10.4 Conditions to avoid** None, if handled according to intended use.

#### **10.5** Incompatible materials Oxidizing agents

#### **10.6 Hazardous decomposition products** None, if handled according to intended use.

# **SECTION 11: Toxicological information**

# 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity
No data available
Acute dermal toxicity
No data available
Acute inhalational toxicity
No data available
Skin corrosion/irritation
No data available
Serious eye damage/irritation
No data available
Respiratory or skin sensitisation
No data available
Germ cell mutagenicity
No data available
Reproduction toxicity
No data available
Carcinogenicity
No data available
STOT - single exposure
No data available
STOT - repeated exposure
No data available
Aspiration hazard
No data available

# 11.2 Information on other hazards

Endocrine disrupting properties No data available.

Other information No data available.

## **SECTION 12: Ecological information**

Current version : 1.0.2, issued: 04.01.2023

Replaced version: 1.0.1, issued: 09.03.2020

Region: GB

#### 12.1 Toxicity

# 12.2 Persistence and degradability No data available.

- **12.3 Bioaccumulative potential** No data available.
- **12.4 Mobility in soil** No data available.
- **12.5 Results of PBT and vPvB assessment** No data available.
- **12.6 Endocrine disrupting properties** No data available.
- **12.7 Other adverse effects** No data available.

#### 12.8 Other information

#### Other information

Do not discharge product unmonitored into the environment.

# **SECTION 13: Disposal considerations**

# 13.1 Waste treatment methods

#### Product

Disposal of the product should be carried out in accordance with all applicable regulations following consultation with the responsible local authority and the disposal company in an authorised and suitable disposal facility. Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

#### Packaging

Residues must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.

# **SECTION 14: Transport information**

#### 14.1 Transport ADR/RID/ADN

The product is not subject to ADR/RID/ADN regulations.

#### 14.2 Transport IMDG

The product is not subject to IMDG regulations.

Current version : 1.0.2, issued: 04.01.2023

Replaced version: 1.0.1, issued: 09.03.2020

#### 14.3 Transport ICAO-TI / IATA

The product is not subject to ICAO-TI / IATA regulations.

- **14.4 Other information** No data available.
- **14.5** Environmental hazards Information on environmental hazards, if relevant, please see 14.1 - 14.3.
- 14.6 Special precautions for user No data available.
- 14.7 Maritime transport in bulk according to IMO instruments Not relevant

# **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulations

#### Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

#### REACH candidate list of substances of very high concern (SVHC) for authorisation

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

 Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES

 The product is considered being subject to REACH regulation (EC) 1907/2006 annex XVII.

 No 3

**Directive 2012/18/EU** on the control of major-accident hazards involving dangerous substances This product is not subject to Part 1 or 2 of Annex I.

#### Other regulations

Adhere to the national sanitary and occupational safety regulations when using this product.

#### 15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for this mixture.

#### **SECTION 16: Other information**

#### Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section.

#### Creation of the safety data sheet

UMCO GmbH - D-21107 Hamburg, Georg-Wilhelm-Strasse 187, Tel.: +49(40)555 546 300, Fax: +49(40)555 546 357, e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH. Prod-ID 760647

# EU safety data sheet

# Trade name: KRONES colclean AD 2006

Current version : 1.0.2, issued: 04.01.2023

Replaced version: 1.0.1, issued: 09.03.2020

Region: GB