

# EU safety data sheet

**Trade name:** KRONES colclean CG 4007

**Current version :** 3.0.3, issued: 10.05.2024

**Replaced version:** 3.0.2, issued: 08.04.2022

**Region:** GB

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

**Trade name**

**KRONES colclean CG 4007**

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Relevant identified uses of the substance or mixture**

Conveyor lubricant

**Uses advised against**

No data available.

### 1.3 Details of the supplier of the safety data sheet

**Address**

KIC KRONES Internationale Cooperationsgesellschaft mbH

Böhmerwaldstraße 5

93073 Neutraubling

Telephone no. +49 9401 70-3020

e-mail kic@kic-krones.com

**Advice on Safety Data Sheet**

sdb\_info@umco.de

### 1.4 Emergency telephone number

For medical advice (in German and English):

+49 (0)551 192 40 (Giftinformationszentrum Nord)

In case of transport incidents and other emergencies:

+44 (0) 1235 239 670 (NCEC, National Chemical Emergency Centre)

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

**Classification information**

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

This product does not meet the classification criteria given in the Regulation (EC) No 1272/2008 (CLP).

### 2.2 Label elements

**Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)**

**Hazard pictograms**

-

**Signal word**

-

**Hazard statement(s)**

-

**Hazard statements (EU)**

EUH208

Contains reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H - isothiazol-3-one (3:1). May produce an allergic reaction.

EUH210

Safety data sheet available on request.

**Precautionary statement(s)**

-

**Labelling information**

The labelling (EU hazard statements) meets the criteria of annex II of Directive (EC) Nr. 1272/2008 (CLP).

# EU safety data sheet

**Trade name:** KRONES colclean CG 4007

**Current version :** 3.0.3, issued: 10.05.2024

**Replaced version:** 3.0.2, issued: 08.04.2022

**Region:** GB

## 2.3 Other hazards

No data available.

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

Not applicable. The product is not a substance.

### 3.2 Mixtures

#### Hazardous ingredients

No	Substance name	Additional information	
	CAS / EC / Index / REACH no	Classification (EC) 1272/2008 (CLP)	Concentration
1	2-(2-butoxyethoxy)ethanol		%
	112-34-5 203-961-6 603-096-00-8 01-2119475104-44	Eye Irrit. 2; H319	>= 5.00 - < 10.00 wt%
2	Alkane C6-C8 (even numbered), 1-sulphonic acid, sodium salt		
	1474044-66-0 939-625-7 - 01-2119985168-23	Acute Tox. 4; H302 Eye Irrit. 2; H319 Skin Irrit. 2; H315	< 2.50 wt%
3	reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H -isothiazol-3-one (3:1)		
	55965-84-9 - 613-167-00-5 -	Acute Tox. 2; H310 Acute Tox. 2; H330 Acute Tox. 3; H301 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 EUH071 Eye Dam. 1; H318 Skin Corr. 1C; H314 Skin Sens. 1A; H317	< 0.0015 wt%
4	glycerol		
	56-81-5 200-289-5 - -	-	>= 10.00 - < 25.00 wt%

Full Text for all H-phrases and EUH-phrases: pls. see section 16

No	Note	Specific concentration limits	M-factor (acute)	M-factor (chronic)
3	B	Skin Sens. 1A; H317: C >= 0.0015% Eye Irrit. 2; H319: C >= 0.06% Skin Irrit. 2; H315: C >= 0.06% Skin Corr. 1C; H314: C >= 0.6% Eye Dam. 1; H318: C >= 0.6%	M = 100	M = 100

Full text for the notes: pls. see section 16 "Notes relating to the identification, classification and labelling of substances ((EC) No 1272/2008, Annex VI)".

#### Acute toxicity estimate (ATE) values

No	oral	dermal	inhalative
2	1999 mg/kg bodyweight		

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

#### General information

Remove contaminated clothing and shoes immediately, and launder thoroughly before reusing.

# EU safety data sheet

**Trade name:** KRONES colclean CG 4007

**Current version :** 3.0.3, issued: 10.05.2024

**Replaced version:** 3.0.2, issued: 08.04.2022

**Region:** GB

## **After inhalation**

Remove affected persons from dangerous area by observing suitable respiratory protection measures. Ensure supply of fresh air. In case of persisting adverse effects consult a physician.

## **After skin contact**

In case of contact with skin wash off with water. Consult a doctor if skin irritation persists.

## **After eye contact**

Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the unaffected eye (at least 10 to 15 minutes). Get immediate ophthalmic treatment.

## **After ingestion**

Rinse the mouth thoroughly with water. Do not induce vomiting. Never give anything by mouth to an unconscious person. Seek medical advice.

## **4.2 Most important symptoms and effects, both acute and delayed**

No data available.

## **4.3 Indication of any immediate medical attention and special treatment needed**

Treat symptomatically

## **SECTION 5: Firefighting measures**

### **5.1 Extinguishing media**

#### **Suitable extinguishing media**

Water spray jet; Dry chemical extinguisher; Foam; Carbon dioxide

#### **Unsuitable extinguishing media**

High power water jet

### **5.2 Special hazards arising from the substance or mixture**

In the event of fire, the following can be released: Carbon monoxide and carbon dioxide; Toxic gases/vapours

### **5.3 Advice for firefighters**

Use self-contained breathing apparatus. Wear protective clothing. Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

## **SECTION 6: Accidental release measures**

### **6.1 Personal precautions, protective equipment and emergency procedures**

#### **For non-emergency personnel**

Refer to protective measures listed in sections 7 and 8. Ensure adequate ventilation.

#### **For emergency responders**

Personal protective equipment (PPE) - see section 8.

### **6.2 Environmental precautions**

Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil.

### **6.3 Methods and material for containment and cleaning up**

Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regulations (see section 13).

### **6.4 Reference to other sections**

Information regarding safe handling, see section 7. Information regarding personal protective measures, see section 8. Information regarding waste disposal, see section 13.

## **SECTION 7: Handling and storage**

### **7.1 Precautions for safe handling**

#### **Advice on safe handling**

Risks inherent to handling the product must be minimised by applying the appropriate protective and preventive measures. Working processes should - so far as possible, according to the state of the art - be designed to rule out bodily contact or the release of hazardous substances. Provide good ventilation at the work area (local exhaust ventilation, if necessary).

# EU safety data sheet

**Trade name:** KRONES colclean CG 4007

**Current version :** 3.0.3, issued: 10.05.2024

**Replaced version:** 3.0.2, issued: 08.04.2022

**Region:** GB

## General protective and hygiene measures

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Do not inhale vapours. Avoid contact with eyes and skin. Wash hands before breaks and after work. Remove contaminated clothing and shoes and launder thoroughly before reusing.

## 7.2 Conditions for safe storage, including any incompatibilities

### Technical measures and storage conditions

Keep container tightly closed and dry in a cool, well-ventilated place.

### Requirements for storage rooms and vessels

Containers which are opened must be carefully closed and kept upright to prevent leakage. Always keep in containers of same material as the original.

### Incompatible products

Substances to be avoided, see section 10. Do not store together with foodstuffs.

## 7.3 Specific end use(s)

No data available.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational exposure limit values

No	Substance name	CAS no.	EC no.
1	glycerol	56-81-5	200-289-5
List of approved workplace exposure limits (WELs) / EH40			
	Glycerol mist		
	WEL long-term (8-hr TWA reference period)	10	mg/m <sup>3</sup>
2	2-(2-butoxyethoxy)ethanol	112-34-5	203-961-6
2006/15/EC			
	2-(2-Butoxyethoxy)ethanol		
	WEL short-term (15 min reference period)	101.2	mg/m <sup>3</sup> 15 ppm
	WEL long-term (8-hr TWA reference period)	67.5	mg/m <sup>3</sup> 10 ppm
List of approved workplace exposure limits (WELs) / EH40			
	2-(2-Butoxyethoxy)ethanol		
	WEL short-term (15 min reference period)	101.2	mg/m <sup>3</sup> 15 ppm
	WEL long-term (8-hr TWA reference period)	67.5	mg/m <sup>3</sup> 10 ppm

#### DNEL, DMEL and PNEC values

##### DNEL values (worker)

No	Substance name	CAS / EC no
	Route of exposure Exposure time Effect	Value
1	2-(2-butoxyethoxy)ethanol	112-34-5 203-961-6
	inhalative Long term (chronic) local	67.5 mg/m <sup>3</sup>
	inhalative Short term (acute) local	101.2 mg/m <sup>3</sup>
2	Alkane C6-C8 (even numbered), 1-sulphonic acid, sodium salt	1474044-66-0 939-625-7
	dermal Long term (chronic) systemic	430 mg/kg/day
	inhalative Long term (chronic) systemic	30.32 mg/m <sup>3</sup>

##### DNEL value (consumer)

No	Substance name	CAS / EC no
	Route of exposure Exposure time Effect	Value
1	2-(2-butoxyethoxy)ethanol	112-34-5 203-961-6
	oral Long term (chronic) systemic	6.25 mg/kg/day
2	Alkane C6-C8 (even numbered), 1-sulphonic acid, sodium salt	1474044-66-0 939-625-7
	oral Long term (chronic) systemic	2.15 mg/kg/day

# EU safety data sheet

**Trade name:** KRONES colclean CG 4007

**Current version :** 3.0.3, issued: 10.05.2024

**Replaced version:** 3.0.2, issued: 08.04.2022

**Region:** GB

	dermal	Long term (chronic)	systemic	215	mg/kg/day
	inhalative	Long term (chronic)	systemic	7.48	mg/m <sup>3</sup>

## PNEC values

No	Substance name		CAS / EC no	
	ecological compartment	Type	Value	
1	2-(2-butoxyethoxy)ethanol		112-34-5 203-961-6	
	water	fresh water	1.1	mg/L
	water	fresh water sediment	4.4	mg/kg
	with reference to: dry weight			
	water	marine water	0.11	mg/L
	water	marine water sediment	0.44	mg/kg
	with reference to: dry weight			
	soil	-	0.32	mg/kg
	sewage treatment plant	-	200	mg/L
	secondary poisoning	-	56	mg/kg food

## 8.2 Exposure controls

### Appropriate engineering controls

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and solvent vapour below the OEL (=Occupational Exposure Limit), suitable respiratory protection must be worn.

### Personal protective equipment

#### Respiratory protection

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of aerosol and mist formation, take appropriate measures for breathing protection in the event workplace threshold values are not specified.

#### Eye / face protection

Safety glasses with side protection shield (EN 166)

#### Hand protection

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific work-station suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

#### Other

Chemical-resistant work clothes.

#### Environmental exposure controls

No data available.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

<b>State of aggregation</b>	
liquid	
<b>Form</b>	
liquid	
<b>Colour</b>	
yellowish	
<b>Odour</b>	
characteristic	
<b>pH value</b>	
Value	appr. 8

# EU safety data sheet

Trade name: KRONES colclean CG 4007

Current version : 3.0.3, issued: 10.05.2024

Replaced version: 3.0.2, issued: 08.04.2022

Region: GB

<b>Boiling point / boiling range</b>			
Value	>	100	°C
<b>Melting point/freezing point</b>			
No data available			
<b>Decomposition temperature</b>			
No data available			
<b>Flash point</b>			
No data available			
<b>Ignition temperature</b>			
No data available			
<b>Flammability</b>			
No data available			
<b>Lower explosion limit</b>			
No data available			
<b>Upper explosion limit</b>			
No data available			
<b>Vapour pressure</b>			
No data available			
<b>Relative vapour density</b>			
No data available			
<b>Relative density</b>			
No data available			
<b>Density</b>			
Value		1.045	g/cm <sup>3</sup>
<b>Solubility</b>			
No data available			
<b>Partition coefficient n-octanol/water (log value)</b>			
No	Substance name	CAS no.	EC no.
1	Alkane C6-C8 (even numbered), 1-sulphonic acid, sodium salt	1474044-66-0	939-625-7
log Pow		-0.7	
Reference temperature		20	°C
Method		OECD 107	
Source		ECHA	
<b>Kinematic viscosity</b>			
No data available			
<b>Particle characteristics</b>			
No data available			

## 9.2 Other information

<b>Other information</b>
No data available.

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Stable at ambient temperature.

### 10.2 Chemical stability

Stable under recommended storage and handling conditions (See section 7).

### 10.3 Possibility of hazardous reactions

Dangerous reactions are not to be expected when handling product according to its intended use.

# EU safety data sheet

**Trade name:** KRONES colclean CG 4007

**Current version :** 3.0.3, issued: 10.05.2024

**Replaced version:** 3.0.2, issued: 08.04.2022

**Region:** GB

## 10.4 Conditions to avoid

None, if handled according to intended use.

## 10.5 Incompatible materials

Metals

## 10.6 Hazardous decomposition products

None, if handled according to intended use.

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity (result of the ATE calculation for the mixture)	
No	Product Name
1	KRONES colclean CG 4007
Comments	The result of the applied calculation method according to the European Regulation (EC) 1272/2008 (CLP), Paragraph 3.1.3.6, Part 3 of Annex I is outside the values that imply a classification / labelling of this mixture according to table 3.1.1 defining the respective categories (ATE oral > 2000 mg/kg).

Acute oral toxicity			
No	Substance name	CAS no.	EC no.
1	Alkane C6-C8 (even numbered), 1-sulphonic acid, sodium salt	1474044-66-0	939-625-7
LD50	>	1550	mg/kg bodyweight
Species	rat		
Source	ECHA		

Acute dermal toxicity			
No	Substance name	CAS no.	EC no.
1	Alkane C6-C8 (even numbered), 1-sulphonic acid, sodium salt	1474044-66-0	939-625-7
LD50	>	2001	mg/kg bodyweight
Species	rat		
Method	OECD 402		
Source	ECHA		

Acute inhalational toxicity	
No data available	

Skin corrosion/irritation			
No	Substance name	CAS no.	EC no.
1	Alkane C6-C8 (even numbered), 1-sulphonic acid, sodium salt	1474044-66-0	939-625-7
Species	rabbit		
Method	16 CFR 1500.41		
Source	ECHA		
Evaluation	irritant		

Serious eye damage/irritation			
No	Substance name	CAS no.	EC no.
1	Alkane C6-C8 (even numbered), 1-sulphonic acid, sodium salt	1474044-66-0	939-625-7
Species	rabbit		
Method	16 CFR 1500.42		
Source	ECHA		
Evaluation	irritant		

Respiratory or skin sensitisation			
No	Substance name	CAS no.	EC no.
1	Alkane C6-C8 (even numbered), 1-sulphonic acid, sodium salt	1474044-66-0	939-625-7

# EU safety data sheet

**Trade name:** KRONES colclean CG 4007

**Current version :** 3.0.3, issued: 10.05.2024

**Replaced version:** 3.0.2, issued: 08.04.2022

**Region:** GB

Route of exposure	Skin
Species	guinea pig
Method	OECD 406
Source	ECHA
Evaluation	non-sensitizing

Germ cell mutagenicity			
No	Substance name	CAS no.	EC no.
1	Alkane C6-C8 (even numbered), 1-sulphonic acid, sodium salt	1474044-66-0	939-625-7
Species	Salmonella typhimurium TA98, TA100, TA102, TA1535, TA1537		
Method	OECD 471		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		

Reproduction toxicity
No data available

Carcinogenicity
No data available

STOT - single exposure
No data available

STOT - repeated exposure
No data available

Aspiration hazard
No data available

## 11.2 Information on other hazards

### Endocrine disrupting properties

No data available.

### Other information

No data available.

## SECTION 12: Ecological information

### 12.1 Toxicity

Toxicity to fish (acute)			
No	Substance name	CAS no.	EC no.
1	Alkane C6-C8 (even numbered), 1-sulphonic acid, sodium salt	1474044-66-0	939-625-7
LC50	>	100	mg/l
Duration of exposure		96	h
Species	Danio rerio		
Method	OECD 203		
Source	ECHA		

Toxicity to fish (chronic)
No data available

Toxicity to Daphnia (acute)
No data available

Toxicity to Daphnia (chronic)
No data available

Toxicity to algae (acute)			
No	Substance name	CAS no.	EC no.
1	2-(2-butoxyethoxy)ethanol	112-34-5	203-961-6
EC50	>	100	mg/l
Duration of exposure		72	h
Species	Desmodesmus subspicatus		



# EU safety data sheet

**Trade name:** KRONES colclean CG 4007

**Current version :** 3.0.3, issued: 10.05.2024

**Replaced version:** 3.0.2, issued: 08.04.2022

**Region:** GB

Source	ECHA		
2	Alkane C6-C8 (even numbered), 1-sulphonic acid, sodium salt	1474044-66-0	939-625-7
EC50	>	100	mg/l
Duration of exposure		72	h
Species	Pseudokirchneriella subcapitata		
Method	OECD 201		
Source	ECHA		

## Toxicity to algae (chronic)

No data available

## Bacteria toxicity

No data available

## 12.2 Persistence and degradability

Biodegradability			
No	Substance name	CAS no.	EC no.
1	Alkane C6-C8 (even numbered), 1-sulphonic acid, sodium salt	1474044-66-0	939-625-7
Value		89.7	%
Duration		28	day(s)
Method	OECD 301 B		
Source	ECHA		
Evaluation	readily biodegradable		

## 12.3 Bioaccumulative potential

Partition coefficient n-octanol/water (log value)			
No	Substance name	CAS no.	EC no.
1	Alkane C6-C8 (even numbered), 1-sulphonic acid, sodium salt	1474044-66-0	939-625-7
log Pow		-0.7	
Reference temperature		20	°C
Method	OECD 107		
Source	ECHA		

## 12.4 Mobility in soil

No data available.

## 12.5 Results of PBT and vPvB assessment

No data available.

## 12.6 Endocrine disrupting properties

No data available.

## 12.7 Other adverse effects

No data available.

## 12.8 Other information

Other information
Do not discharge product unmonitored into the environment.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

#### Product

Disposal of the product should be carried out in accordance with all applicable regulations following consultation with the responsible local authority and the disposal company in an authorised and suitable disposal facility. Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

#### Packaging

# EU safety data sheet

**Trade name:** KRONES colclean CG 4007

**Current version :** 3.0.3, issued: 10.05.2024

**Replaced version:** 3.0.2, issued: 08.04.2022

**Region:** GB

Residues must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.

## SECTION 14: Transport information

### 14.1 UN number or ID number

Not classified as dangerous in the meaning of transport regulations.

### 14.2 UN proper shipping name

Not classified as dangerous in the meaning of transport regulations.

### 14.3 Transport hazard class(es)

Not classified as dangerous in the meaning of transport regulations.

### 14.4 Packing group

Not classified as dangerous in the meaning of transport regulations.

### 14.5 Environmental hazards

Not classified as dangerous in the meaning of transport regulations.

### 14.6 Special precautions for user

No data available.

### 14.7 Maritime transport in bulk according to IMO instruments

Not relevant

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU regulations

#### **Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)**

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

#### **REACH candidate list of substances of very high concern (SVHC) for authorisation**

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

#### **Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES**

The product contains following substance(s) that are considered being subject to REACH regulation (EC) 1907/2006 annex XVII.

No	Substance name	CAS no.	EC no.	No
1	2-(2-butoxyethoxy)ethanol	112-34-5	203-961-6	55, 75
2	propan-2-ol	67-63-0	200-661-7	75

#### **Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances**

This product is not subject to Part 1 or 2 of Annex I.

#### **Other regulations**

Adhere to the national sanitary and occupational safety regulations when using this product.

### 15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for this mixture.

## SECTION 16: Other information

#### **Sources of key data used to compile the data sheet:**

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

# EU safety data sheet

**Trade name:** KRONES colclean CG 4007

**Current version :** 3.0.3, issued: 10.05.2024

**Replaced version:** 3.0.2, issued: 08.04.2022

**Region:** GB

National Threshold Limit Values of the corresponding countries as amended in each case.  
Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.  
The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section.

**Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)**

EUH071	Corrosive to the respiratory tract.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

**Notes relating to the identification, classification and labelling of substances and mixtures ((EC) No 1272/2008, Annex VI)**

B	Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations. In Part 3 entries with Note B have a general designation of the following type: 'nitric acid ... %'. In this case the supplier must state the percentage concentration of the solution on the label. Unless otherwise stated, it is assumed that the percentage concentration is calculated on a weight/weight basis.
---	---

**Creation of the safety data sheet**

UMCO GmbH - D-21107 Hamburg, Georg-Wilhelm-Strasse 187, Tel.: +49(40)555 546 300, Fax: +49(40)555 546 357, e-mail: [umco@umco.de](mailto:umco@umco.de)

This information is based on our present knowledge and experience.  
The safety data sheet describes products with a view to safety requirements.  
It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

**Alterations/supplements:**

Alterations to the previous edition are marked in the left-hand margin.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH.  
Prod-ID 760602