Trade name: KRONES colclean DI 1011

Current version: 2.1.0, issued: 06.06.2023 Reglaced version: 2.0.5, issued: 20.04.2023 Region: GB

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

KRONES colclean DI 1011

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

Disinfectant

Uses advised against

No data available.

1.3 Details of the supplier of the safety data sheet

Address

KIC KRONES Internationale Cooperationsgesellschaft mbH

Böhmerwaldstraße 5 93073 Neutraubling

Telephone no. +49 9401 70-3020 e-mail kic@kic-krones.com

Advice on Safety Data Sheet

sdb info@umco.de

1.4 Emergency telephone number

For medical advice (in German and English):

+49 (0)551 192 40 (Giftinformationszentrum Nord)

In case of transport incidents and other emergencies:

+44 (0) 1235 239 670 (NCEC, National Chemical Emergency Centre)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 (CLP)

Acute Tox. 4; H302

Acute Tox. 4; H312

Acute Tox. 4; H332

Aquatic Chronic 1; H410

Eye Dam. 1; H318

Met. Corr. 1; H290

Org. Perox. F; H242

Skin Corr. 1A; H314

STOT SE 3; H335

Classification information

Classification and labelling with respect to acute dermal toxicity are based on toxicological studies performed on the product (mixture).

Classification and labelling with respect to acute inhalative toxicity are based on toxicological studies performed on the product (mixture).

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)

Hazard pictograms

Current version: 2.1.0, issued: 06.06.2023 Reglaced version: 2.0.5, issued: 20.04.2023 Region: GB









Signal word

Danger

Hazardous component(s) to be indicated on label:

Acetic acid

hydrogen peroxide solution peracetic acid . . . %

Hazard statement(s)

H242 Heating may cause a fire. H290 May be corrosive to metals.

H302+H312+H332 Harmful if swallowed, in contact with skin or if inhaled

H314 Causes severe skin burns and eye damage.

H335 May cause respiratory irritation.

H410 Very toxic to aquatic life with long lasting effects.

Hazard statements (EU)

EUH071 Corrosive to the respiratory tract.

Precautionary statement(s)

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P234 Keep only in original packaging.
P260 Do not breathe mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water

[or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P403 Store in a well-ventilated place.

P411 Store at temperatures not exceeding 30 °C.

P501 Dispose of contents/container to a facility in accordance with local and national

regulations.

2.3 Other hazards

No data available.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable. The product is not a substance.

3.2 Mixtures

Chemical characterization

Equilibrium peracetic acid (solution of peracetic acid, hydrogen peroxide, acetic acid and stabilizers in water), approx. 15% peracetic acid

Hazardous ingredients

No	o Substance name Additional information)			
	CAS / EC / Index /	Classification (EC) 1272/2008 (CLP)	Concentration		%	
	REACH no					
1	Acetic acid					
	64-19-7	Flam. Liq. 3; H226	>=	10.00 - <	25.00	wt%
	200-580-7	Skin Corr. 1A; H314				
	607-002-00-6	Eye Dam. 1; H318				
	01-2119475328-30					
2	hydrogen peroxide	solution				

Current version: 2.1.0, issued: 06.06.2023 Reglaced version: 2.0.5, issued: 20.04.2023 Region: GB

	7722-84-1 231-765-0 008-003-00-9 01-2119485845-22	Acute Tox. 4; H302 Acute Tox. 4; H332 Ox. Liq. 1; H271 Skin Corr. 1A; H314 Aquatic Chronic 3; H412 Eye Dam. 1; H318 STOT SE 3; H335	>=	10.00	- <	25.00	wt%
3	peracetic acid %		pls. refer to footnote (2)				
	79-21-0 201-186-8 607-094-00-8 01-2119531330-56	Flam. Liq. 3; H226 Org. Perox. D; H242 Acute Tox. 3; H301 Acute Tox. 4; H312 Acute Tox. 3; H331 Skin Corr. 1A; H314 Eye Dam. 1; H318 Aquatic Acute 1; H400 Aquatic Chronic 1; H410	>=	10.00	- <	25.00	wt%

Full Text for all H-phrases and EUH-phrases: pls. see section 16

⁽²⁾ According to the latest state of knowledge and applying the criteria set out in annex I to Regulation (EC) No 1272/2008, the aforementioned classification is required. This classification goes beyond the classification set out in table 3, Annex VI to Regulation (CE) No 1272/2008.

No	Note	Specific concentration limits	M-factor (acute)	M-factor (chronic)
1	В	Skin Irrit. 2; H315: C >= 10%	-	-
		Eye Irrit. 2; H319: C >= 10%		
		Skin Corr. 1B; H314: C >= 25%		
		Skin Corr. 1A; H314: C >= 90%		
2	В	Eye Irrit. 2; H319: C >= 5%	-	-
		Eye Dam. 1; H318: C >= 8%		
		Skin Irrit. 2; H315: C >= 35%		
		STOT SE 3; H335: C >= 35%		
		Skin Corr. 1B; H314: C >= 50%		
		Ox. Liq. 2; H272: C >= 50%		
		Aquatic Chronic 3; H412: C >= 63%		
		Ox. Liq. 1; H271: C >= 70%		
		Skin Corr. 1A; H314: C >= 70%		
3	-	STOT SE 3; H335: C >= 1%	-	M = 10
		Skin Corr. 1C; H314: C >= 3%		
		Skin Corr. 1B; H314: C >= 5%		
		Skin Corr. 1A; H314: C >= 10%		

Full text for the notes: pls. see section 16 "Notes relating to the identification, classification and labelling of substances ((EC) No 1272/2008, Annex VI)".

Acu	Acute toxicity estimate (ATE) values				
No	oral	dermal	inhalative		
2	693,7 mg/kg bodyweight				
3	63 mg/kg bodyweight				

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Remove contaminated clothing and shoes immediately, and launder thoroughly before reusing. In case of persisting adverse effects, consult a physician.

After inhalation

Remove affected persons from dangerous area by observing suitable respiratory protection measures. Ensure supply of fresh air. If breathing is irregular or stopped, administer artificial respiration. In case of persisting adverse effects consult a physician.

After skin contact

When in contact with the skin, clean with soap and water. Consult a doctor if skin irritation persists.

Current version: 2.1.0, issued: 06.06.2023 Reglaced version: 2.0.5, issued: 20.04.2023 Region: GB

After eye contact

Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the unaffected eye (at least 10 to 15 minutes). Call a doctor immediately.

After ingestion

Rinse the mouth thoroughly with water. Do not induce vomiting. Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed

No data available.

4.3 Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water; Water mist

Unsuitable extinguishing media

Dry powder; Foam

5.2 Special hazards arising from the substance or mixture

In the event of fire, the following can be released: Oxygen; In case of fire: danger of pressure build up, which could result in container rupture.

5.3 Advice for firefighters

Use self-contained breathing apparatus. Wear protective clothing. Cool endangered containers with water spray jet. Run-off water from fire fighting must not be discharged into drains or enter surface water. Do not inhale explosion and/or combustion byproducts.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Refer to protective measures listed in sections 7 and 8. Avoid contact with skin, eyes and clothing. Remove persons to safety. Ensure adequate ventilation. Keep away from ignition sources.

For emergency responders

Personal protective equipment (PPE) - see section 8.

6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil. In case of entry into waterways, soil or drains, inform the responsible authorities.

6.3 Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regulations (see section 13). Do not return leaked product to original canister or tank due to risk of decomposition.

6.4 Reference to other sections

Information regarding safe handling, see section 7. Information regarding personal protective measures, see section 8. Information regarding waste disposal, see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Risks inherent to handling the product must be minimised by applying the appropriate protective and preventive measures. Working processes should - so far as possible, according to the state of the art - be designed to rule out bodily contact or the release of hazardous substances. Provide good ventilation at the work area (local exhaust ventilation, if necessary).

General protective and hygiene measures

Trade name: KRONES colclean DI 1011

Current version: 2.1.0, issued: 06.06.2023 Reglaced version: 2.0.5, issued: 20.04.2023 Region: GB

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Do not inhale vapours. Avoid contact with eyes and skin. Wash hands before breaks and after work. Remove contaminated clothing and shoes and launder thoroughly before reusing.

Advice on protection against fire and explosion

Keep away from sources of ignition - refrain from smoking. Isolate from sources of heat, sparks and open flame.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions

Keep container tightly closed and dry in a cool, well-ventilated place. Protect from direct sunlight. Keep from freezing.

Recommended storage temperature

Value < 20 °C

Requirements for storage rooms and vessels

Containers which are opened must be carefully closed and kept upright to prevent leakage. Always keep in containers of same material as the original.

Inappropriate material iron; aluminium; zinc

Incompatible products

Substances to be avoided, see section 10.

7.3 Specific end use(s)

No data available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values

No	Substance name	CAS no.		EC no.	
1	Acetic acid	64-19-7		200-580-7	
	2017/164/EU				
	Acetic acid				
	WEL short-term (15 min reference period)	50	mg/m³	20	ppm
	WEL long-term (8-hr TWA reference period)	25	mg/m³	10	ppm
	List of approved workplace exposure limits (WELs) / E	EH40			
	Acetic acid				
	WEL short-term (15 min reference period)	50	mg/m³	20	ppm
	WEL long-term (8-hr TWA reference period)	25	mg/m³	10	ppm
2	hydrogen peroxide solution	7722-84-1		231-765-0	
	List of approved workplace exposure limits (WELs) / EH40				
	Hydrogen peroxide				
	WEL short-term (15 min reference period)	2.8	mg/m³	2	ppm
	WEL long-term (8-hr TWA reference period)	1.4	mg/m³	1	ppm

DNEL, DMEL and PNEC values

DNEL values (worker)

No	Substance name			CAS / EC no	
	Route of exposure	Exposure time	Effect	Value	
1	Acetic acid			64-19-7	
				200-580-7	
	inhalative	Long term (chronic)	local	25	mg/m³
	inhalative	Short term (acut)	local	25	mg/m³
2	2 hydrogen peroxide solution			7722-84-1	
				231-765-0	
	inhalative	Short term (acut)	local	3	mg/m³
	inhalative	Long term (chronic)	local	1.4	mg/m³
3	peracetic acid %			79-21-0	
				201-186-8	
	inhalative	Long term (chronic)	systemic	0.56	mg/m³
	inhalative	Short term (acut)	systemic	0.56	mg/m³
	inhalative	Long term (chronic)	local	0.56	mg/m³

Trade name: KRONES colclean DI 1011

Current version: 2.1.0, issued: 06.06.2023 Replaced version: 2.0.5, issued: 20.04.2023 Region: GB

inhalative	Short term (acut)	local	0.56	mg/m³
	, ,			

DNEL value (consumer)

No	Substance name			CAS / EC no	
	Route of exposure	Exposure time	Effect	Value	
1	Acetic acid			64-19-7	
				200-580-7	
	inhalative	Long term (chronic)	local	25	mg/m³
	inhalative	Short term (acut)	local	25	mg/m³
2	hydrogen peroxide soluti	on		7722-84-1	
				231-765-0	
	inhalative	Short term (acut)	local	1.93	mg/m³
	inhalative	Long term (chronic)	local	0.21	mg/m³
3	peracetic acid %			79-21-0	
				201-186-8	
	oral	Long term (chronic)	systemic	1.25	mg/kg/day
	oral	Short term (acut)	systemic	1.25	mg/kg/day
	inhalative	Long term (chronic)	systemic	0.28	mg/m³
	inhalative	Short term (acut)	systemic	0.28	mg/m³
	inhalative	Long term (chronic)	local	0.28	mg/m³
	inhalative	Short term (acut)	local	0.28	mg/m³

PNEC values

No	Substance name		CAS / EC no		
	ecological compartment	Туре	Value		
1	Acetic acid		64-19-7		
			200-580-7		
	water	fresh water	3.058	mg/L	
	water	marine water	0.3058	mg/L	
	water	fresh water sediment	11.36	mg/kg	
	water	marine water sediment	1.136	mg/kg	
	water	Aqua intermittent	30.58	mg/L	
	soil	-	0.47	mg/kg	
	sewage treatment plant	-	85	mg/L	
2	hydrogen peroxide solution		7722-84-1		
			231-765-0		
	water	fresh water	0.0126	mg/L	
	water	marine water	0.0126	mg/L	
	water	fresh water sediment	0.047	mg/kg dry	
				weight	
	water	Aqua intermittent	1.38	mg/L	
	soil	-	0.0019	mg/kg moist	
				mass	
	soil	-	0.0023	mg/kg dry	
				weight	
	sewage treatment plant	-	4.66	mg/L	
3	peracetic acid %		79-21-0		
			201-186-8		
	water	fresh water	0	mg/L	
	water	marine water	0	mg/L	
	water	Aqua intermittent	0.002	mg/L	
	water	fresh water sediment	0	mg/kg dry	
				weight	
	water	marine water sediment	0	mg/kg dry	
				weight	
	soil	-	0.32	mg/kg dry	
				weight	
	sewage treatment plant	-	0.051	mg/L	

8.2 Exposure controls

Appropriate engineering controls

Trade name: KRONES colclean DI 1011

Current version: 2.1.0, issued: 06.06.2023 Reglaced version: 2.0.5, issued: 20.04.2023 Region: GB

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and solvent vapour below the OEL (=Occupational Exposure Limit), suitable respiratory protection must be worn.

Personal protective equipment

Respiratory protection

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of aerosol and mist formation, take appropriate measures for breathing protection in the event workplace threshold values are not specified.

Respiratory filter (gas): B-NO-P2, B-P2

Eye / face protection

Safety glasses with side protection shield (EN 166)

Hand protection

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific workstation suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

Appropriate Material butyl rubber

Material thickness > 0.5 mm Breakthrough time > 480 min

Appropriate Material Fluorocarbon rubber (Viton)

Inappropriate material nitrile rubber rubber Inappropriate material rubber Leather Inappropriate material fabric

Other

Chemical-resistant work clothes.

Environmental exposure controls

No data available.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

- Information on basic phys	.oa. a.a oooa. p.opo		
State of aggregation			
liquid			
Form			
liquid			
Colour			
colourless			
Odour			
pungent			
pH value			
Value		2.9	
value		2.9	
Boiling point / boiling range			
Value		105	°C
	·		
Melting point/freezing point			
Value	<	-18	°C
Decomposition temperature			
Value	>	60	°C
Comments	SADT		
Comments	Value valid for	plastic drun	ns with 220 kg and smaller packages.
	•		
Flash point			
Value		71	°C

Trade name: KRONES colclean DI 1011

Current version: 2.1.0, issued: 06.06.2023 Reglaced version: 2.0.5, issued: 20.04.2023 Region: GB

Method DIN EN ISO 2719

Ignition temperature

No data available

Auto-ignition temperature

Comments Product is not selfigniting.

Oxidising properties

oxidizer

Explosive properties

The product is not explosive. Formation of explosive/highly flammable air-vapour mixtures is possible during/after use.

Flammability

No data available

Lower explosion limit

No data available

Upper explosion limit

No data available

Vapour pressure

No data available

Relative vapour density

No data available

Relative density

Value 1.149
Method REACH A.3

Density

Value 1.15 g/cm³
Reference temperature 20 °C

Solubility in water

Comments Completely miscible

Solubility

No data available

Part	Partition coefficient n-octanol/water (log value)					
No	Substance name	CAS no.		EC no.		
1	hydrogen peroxide solution	7722-84-1		231-765-0		
log I	Pow		-1.57			
Sou	rce	ECHA				
2	peracetic acid %	79-21-0		201-186-8		
log I	Pow	-0.66	0.46			
Refe	erence temperature		25	°C		
Metl	nod	EPA OPPTS 830.7550				
Sou	rce	ECHA				

Kinematic viscosity		
Value	1.618	mm²/s
Source	OFCD 114	

Particle characteristics

No data available

9.2 Other information

Other information
Surface tension: < 60 mN/m

SECTION 10: Stability and reactivity

Trade name: KRONES colclean DI 1011

Current version: 2.1.0, issued: 06.06.2023 Reglaced version: 2.0.5, issued: 20.04.2023 Region: GB

10.1 Reactivity

Stable at ambient temperature.

10.2 Chemical stability

Stable under recommended storage and handling conditions (See section 7).

10.3 Possibility of hazardous reactions

Dangerous reactions are not to be expected when handling product according to its intended use. Self-accelerating exothermic reaction under development of oxygen.

10.4 Conditions to avoid

High temperatures. Protect from heat and direct sunlight.

10.5 Incompatible materials

Metals; Alkalis; Reducing agents; combustible materials; solvents; Metal salts

10.6 Hazardous decomposition products

Oxygen

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acu	Acute oral toxicity (result of the ATE calculation for the mixture)			
No	Product Name			
1	KRONES colclean DI 1011			
ATE (Mixture) 389.38 mg/kg		389.38 mg/kg		
Meth	Method Calculation method according Regulation (EC) No 1272/2008,			
	(CLP), annex I, part 3, section 3.1.3.6.			

Acu	te oral toxicity				
No	Substance name		CAS no.		EC no.
1	hydrogen peroxide solution		7722-84-1		231-765-0
LD5	0			693.7	mg/kg bodyweight
Spe	cies	rat (female)			
with	reference to	70% Solution			
Meth	nod	OECD 401			
Soul	rce	ECHA			
2	peracetic acid %		79-21-0		201-186-8
LD5	0	63		- 86	mg/kg bodyweight
Spe	cies	rat			
Meth	nod	EPA OPP 81-	1		
Soul	rce	ECHA			

Acu	Acute dermal toxicity			
No	Product Name			
1	KRONES colclean DI 1011			
Comments		The acute toxicity data refer to the dossier submitted for the active substance CAS: 79-21-0.		

Acute inhalational toxicity			
No Product Name			
Comments	The acute toxicity data refer to the dossier submitted for the active		
	substance CAS: 79-21-0.		

Skir	Skin corrosion/irritation				
No	Substance name	CAS no	o. EC no.		
1	hydrogen peroxide solution	7722-84	4-1 231-765-0		
Spe	cies	rabbit			
with	reference to	70% solution			
Metl	nod	OECD 404			
Sou	rce	ECHA			
Evaluation		corrosive			
2	peracetic acid %	79-21-0	201-186-8		

Current version: 2.1.0, issued: 06.06.2023 Replaced version: 2.0.5, issued: 20.04.2023 Region: GB

Species	rabbit
Method	OECD 404
Source	ECHA
Evaluation	corrosive

Serious eye damage/irritation				
No	Substance name	CAS no.	EC no.	
1	hydrogen peroxide solution	7722-84-1	231-765-0	
Spe	cies	rabbit		
with	reference to	10% Solution		
Met	hod	OECD 405		
Sou	rce	ECHA		
Eva	luation	strongly irritant		
2	peracetic acid %	79-21-0	201-186-8	
Spe	cies	rabbit		
Sou	rce	ECHA		
Eva	luation	corrosive		

Res	Respiratory or skin sensitisation				
No	Substance name	CAS no.	EC no.		
1	hydrogen peroxide solution	7722-84-1	231-765-0		
Rou	te of exposure	Skin			
Sou	rce	ECHA			
Eval	luation	non-sensitizing			
2	peracetic acid %	79-21-0	201-186-8		
Rou	te of exposure	Skin			
Species		guinea pig			
Method		GPMT, EU B.6			
Source		ECHA			
Eval	luation	non-sensitizing			

Geri	Germ cell mutagenicity			
No	Substance name	CAS no.	EC no.	
1	hydrogen peroxide solution	7722-84-1	231-765-0	
		2000) mg/l	
Туре	e of examination	Micronucleus test		
Spe	cies	mouse		
Method		OECD 474		
Source		ECHA		
Eval	uation/classification	Based on available data, the classi	fication criteria are not met.	

Reproduction toxicity No data available

Carcinogenicity				
No	Substance name	CAS no.	EC no.	
1	hydrogen peroxide solution	7722-84-1	231-765-0	
Sou	rce	ECHA		
Evaluation/classification		Based on available data, the class	ification criteria are not met.	

STO	STOT - single exposure				
No	Substance name	CAS no.		EC no.	
1	hydrogen peroxide solution	7722-84-1		231-765-0	
			26	mg/kg bw/d	
Duration of exposure			90	day(s)	
Species		Mouse (male)			
with reference to		35% Solution			
Meth	nod	OECD 408			
Sou	rce	ECHA			

STO	STOT - repeated exposure					
No	Substance name	CAS no.	EC no.			
1	hydrogen peroxide solution	7722-84-1	231-765-0			
		2.9	mg/kg			

Trade name: KRONES colclean DI 1011

Current version: 2.1.0, issued: 06.06.2023 Replaced version: 2.0.5, issued: 20.04.2023 Region: GB

Duration of exposure		28	day(s)
Species	rat		
Method	OECD 412		
Source	ECHA		
•	•		

Aspiration hazard
No data available

11.2 Information on other hazards

Endocrine disrupting properties

No data available.

Other information

No data available.

SECTION 12: Ecological information

12.1 Toxicity

Tox	city to fish (acute)			
No	Substance name	CAS no.		EC no.
1	hydrogen peroxide solution	7722-84-1		231-765-0
LC5	0		16.4	mg/l
Dura	ation of exposure		96	h
Spe	cies	Pimephales promelas		
Metl	nod	EPA		
Sou	rce	ECHA		
2	peracetic acid %	79-21-0		201-186-8
LC5	0		0.53	mg/l
Dura	ation of exposure		96	h
Spe	cies	Oncorhynchus mykiss		
Metl	nod	OECD 203		
Sou	rce	ECHA		

Toxi	Toxicity to fish (chronic)						
No	Substance name		CAS no.		EC no.		
1	peracetic acid %		79-21-0		201-186-8		
NOE	EC			0.002	mg/l		
Dura	ation of exposure			33	day(s)		
Spe	Species				• ,		
Method		OECD 210					
Soul	rce	ECHA					

Tox	Toxicity to Daphnia (acute)					
No	Substance name	CAS no.		EC no.		
1	hydrogen peroxide solution	7722-84-1		231-765-0		
EC5	50		2.4	mg/l		
Dura	ation of exposure		48	h		
Spe	cies	Daphnia pulex				
Met	nod	EPA				
Sou	rce	ECHA				
2	peracetic acid %	79-21-0		201-186-8		
EC5	0		0.73	mg/l		
Duration of exposure			48	h		
Species		Daphnia magna				
Met	nod	OECD 202				
Sou	rce	ECHA				

Toxi	Toxicity to Daphnia (chronic)				
No	Substance name	CAS no.		EC no.	
1	peracetic acid %	79-21-0		201-186-8	
NOE	EC		0.012	mg/l	
Duration of exposure			21	day(s)	
Spec	cies	Daphnia magna			

Current version: 2.1.0, issued: 06.06.2023 Replaced version: 2.0.5, issued: 20.04.2023 Region: GB

Method	OECD 211
Source	ECHA

Toxi	city to algae (acute)			
No	Substance name	CAS no.		EC no.
1	hydrogen peroxide solution	7722-84-1		231-765-0
ErC:	50		2.62	mg/l
Dura	ation of exposure		72	h
Spe	cies	Skeletonema costatum		
Meth	nod	OECD 201		
Soul	rce	ECHA		
2	peracetic acid %	79-21-0		201-186-8
EC5	0		0.16	mg/l
Dura	ation of exposure		72	h
Species		Pseudokirchneriella subcap	itata	
Soul	rce rce	ECHA		

Toxi	Toxicity to algae (chronic)					
No	Substance name	CAS no.		EC no.		
1	hydrogen peroxide solution	7722-84-1		231-765-0		
NOE	EC .		0.63	mg/l		
Dura	ation of exposure		72	h		
Spe	cies	Skeletonema costatum				
Meth	nod	OECD 201				
Soul	rce	ECHA				

Bacteria toxicity	
No data available	

12.2 Persistence and degradability

<u>. </u>	z Fersistence and degradability					
Biod	degradability					
No	Substance name	CAS no.		EC no.		
1	hydrogen peroxide solution	7722-84-1		231-765-0		
Soul	rce	ECHA				
Eval	luation	readily biodegradable	readily biodegradable			
2	peracetic acid %	79-21-0		201-186-8		
Туре	e	aerobic biodegradation				
Valu	e		98	%		
Dura	ation		28	day(s)		
Meth	nod	OECD 301 E				
Soul	rce	ECHA				

12.3 Bioaccumulative potential

Part	ition coefficient n-octanol/water (log value	e)			
No	Substance name	CAS no.		EC no.	
1	hydrogen peroxide solution	7722-84-1		231-765-0	
log F	Pow		-1.57		
Sou	rce	ECHA			
2	peracetic acid %	79-21-0		201-186-8	
log F	Pow	-0.66	0.46		
Refe	erence temperature		25	°C	
Meth	nod	EPA OPPTS 830.7550			
Sou	rce	ECHA			

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB assessment

No data available.

12.6 Endocrine disrupting properties

No data available.

12.7 Other adverse effects

Trade name: KRONES colclean DI 1011

Current version: 2.1.0, issued: 06.06.2023 Reglaced version: 2.0.5, issued: 20.04.2023 Region: GB

No data available.

12.8 Other information

Other information

Do not discharge product unmonitored into the environment.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Disposal of the product should be carried out in accordance with all applicable regulations following consultation with the responsible local authority and the disposal company in an authorised and suitable disposal facility.

Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

Packaging

Residues must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.

SECTION 14: Transport information

14.1 Transport ADR/RID/ADN

Class 5.2
Classification code P1
Hazard identification no. 539
UN number UN3109

Proper shipping name ORGANIC PEROXIDE TYPE F, LIQUID Technical name PEROXYACETIC ACID, TYPE F, stabilized

Tunnel restriction code D
Label 5.2+8

Environmentally hazardous Symbol "fish and tree"

substance mark

14.2 Transport IMDG

Class 5.2 Subsidiary Risk 8 UN number UN3109

Proper shipping name ORGANIC PEROXIDE TYPE F, LIQUID Technical name PEROXYACETIC ACID, TYPE F, stabilized

EmS F-J, S-R Label 5.2+8

Marine pollutant mark Symbol "fish and tree"

14.3 Transport ICAO-TI / IATA

 Class
 5.2

 Subrisk
 8

 UN number
 UN3109

Proper shipping name Organic peroxide type F, liquid

Technical name PEROXYACETIC ACID, TYPE F, stabilized

Label 5.2+8

14.4 Other information

No data available.

14.5 Environmental hazards

Information on environmental hazards, if relevant, please see 14.1 - 14.3.

14.6 Special precautions for user

No data available.

14.7 Maritime transport in bulk according to IMO instruments

Not relevant

SECTION 15: Regulatory information

Current version: 2.1.0, issued: 06.06.2023 Region: 2.0.5, issued: 20.04.2023 Region: GB

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulations

Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

REACH candidate list of substances of very high concern (SVHC) for authorisation

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES

The product is considered being subject to REACH regulation (EC) 1907/2006 annex XVII. No 3

The product contains following substance(s) that are considered being subject to REACH regulation (EC) 1907/2006 annex XVII.

No	Substance name	CAS no.	EC no.	No
1	Acetic acid	64-19-7	200-580-7	75
2	hydrogen peroxide solution	7722-84-1	231-765-0	75
3	peracetic acid %	79-21-0	201-186-8	75

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances

This product is subject to Part I of Annex I, risk category: E1, P6b

If the properties of the substance/product give rise to more than one classification, for the purposes of 2012/18/UE, the lowest qualifying quantities set out in Part 1 and Part 2 of Annex I shall apply.

Other regulations

Adhere to the national sanitary and occupational safety regulations when using this product.

15.2 Chemical safety assessment

No data available.

SECTION 16: Other information

Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section.

Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

H226 Flammable liquid and vapour.

H271 May cause fire or explosion; strong oxidiser.

H301 Toxic if swallowed.
H302 Harmful if swallowed.
H312 Harmful in contact with skin.
H318 Causes serious eye damage.

H331 Toxic if inhaled.
H332 Harmful if inhaled.
H400 Very toxic to aquatic life.

H412 Harmful to aquatic life with long lasting effects.

Notes relating to the identification, classification and labelling of substances and mixtures ((EC) No 1272/2008, Annex VI)

Trade name: KRONES colclean DI 1011

Current version: 2.1.0, issued: 06.06.2023 Reglaced version: 2.0.5, issued: 20.04.2023 Region: GB

В

Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations. In Part 3 entries with Note B have a general designation of the following type: 'nitric acid ... %'. In this case the supplier must state the percentage concentration of the solution on the label. Unless otherwise stated, it is assumed that the percentage concentration is calculated on a weight/weight basis.

Creation of the safety data sheet

UMCO GmbH - D-21107 Hamburg, Georg-Wilhelm-Strasse 187, Tel.: +49(40)555 546 300, Fax: +49(40)555 546 357, e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Alterations/supplements:

Alterations to the previous edition are marked in the left-hand margin.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH. Prod-ID 760074