Trade name: KRONES colclean DI 8001

Current version: 1.0.0, issued: 29.09.2020 Replaced version: -, issued: - Region: GB

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Trade name

### **KRONES colclean DI 8001**

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

### Relevant identified uses of the substance or mixture

Disinfectant Precursor

### Uses advised against

No data available.

### 1.3 Details of the supplier of the safety data sheet

#### Address

KIC KRONES Internationale Cooperationsgesellschaft mbH

Böhmerwaldstraße 5 93073 Neutraubling

Telephone no. +49 9401 70-3020 Fax no. +49 9401 70-3696 e-mail kic@kic-krones.com

### **Advice on Safety Data Sheet**

sdb info@umco.de

### 1.4 Emergency telephone number

For medical advice (in German and English):

+49 (0)551 192 40 (Giftinformationszentrum Nord)

In case of transport incidents and other emergencies:

+44 (0) 1235 239 670 (NCEC, National Chemical Emergency Centre)

### **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

### Classification in accordance with Regulation (EC) No 1272/2008 (CLP)

Eye Dam. 1; H318 Met. Corr. 1; H290 Skin Irrit. 2; H315

### **Classification information**

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

### 2.2 Label elements

### Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)

### Hazard pictograms



### Signal word

Danger

### Hazardous component(s) to be indicated on label:

hydrochloric acid

Trade name: KRONES colclean DI 8001

Current version: 1.0.0, issued: 29.09.2020 Replaced version: -, issued: - Region: GB

Hazard statement(s)

H290 May be corrosive to metals. H315 Causes skin irritation. H318 Causes serious eye damage.

Precautionary statement(s)

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

#### 2.3 Other hazards

No data available.

### **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Not applicable. The product is not a substance.

#### 3.2 Mixtures

### **Hazardous ingredients**

No	Substance name		Additional information			
	CAS / EC / Index /	Classification (EC) 1272/2008 (CLP)	Conc	entration		%
	REACH no					
1	hydrochloric acid		pls. re	efer to footnote	(2)	
	7647-01-0	Met. Corr. 1; H290	>=	5.00 - <	10.00	%-b.w.
	231-595-7	Skin Corr. 1B; H314				
	017-002-01-X	Eye Dam. 1; H318				
	01-2119484862-27	STOT SE 3; H335				

Full Text for all H-phrases and EUH-phrases: pls. see section 16

<sup>(2)</sup> According to the latest state of knowledge and applying the criteria set out in annex I to Regulation (EC) No 1272/2008, the aforementioned classification is required. This classification goes beyond the classification set out in table 3, Annex VI to Regulation (CE) No 1272/2008.

No	Note	Specific concentration limits	M-factor (acute)	M-factor (chronic)
1	В	Met. Corr. 1; H290: C >= 0.1%	-	-
		Skin Irrit. 2; H315: C >= 1%		
		Eye Dam. 1; H318: C >= 1%		
		Skin Corr. 1B; H314: C >= 10%		
		STOT SE 3; H335: C >= 10%		
		Skin Corr. 1A; H314: C >= 25%		

Full text for the notes: pls. see section 16 "Notes relating to the identification, classification and labelling of substances ((EC) No 1272/2008, Annex VI)".

### **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

### **General information**

Remove contaminated clothing and shoes immediately, and launder thoroughly before reusing.

#### After inhalation

Remove affected persons from dangerous area by observing suitable respiratory protection measures. Ensure supply of fresh air. In case of persisting adverse effects consult a physician.

### After skin contact

Wash immediately with plenty of water for several minutes. Consult a doctor if skin irritation persists.

### After eye contact

Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the unaffected eye (at least 10 to 15 minutes). Get immediate ophthalmic treatment.

### After ingestion

Trade name: KRONES colclean DI 8001

Current version: 1.0.0, issued: 29.09.2020 Replaced version: -, issued: - Region: GB

Never give anything by mouth to an unconscious person. Rinse mouth thoroughly with water. Do not induce vomiting. Seek medical attention.

### 4.2 Most important symptoms and effects, both acute and delayed

No data available.

### 4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### **SECTION 5: Firefighting measures**

### 5.1 Extinguishing media

### Suitable extinguishing media

Foam; Extinguishing powder; Water spray jet; Carbon dioxide

#### Unsuitable extinguishing media

High power water jet

### 5.2 Special hazards arising from the substance or mixture

In the event of fire, the following can be released: Toxic pyrolysis products; Hydrogen chloride (HCI)

#### 5.3 Advice for firefighters

Use self-contained breathing apparatus. Wear protective clothing. Do not inhale explosion and/or combustion byproducts. Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

### **SECTION 6: Accidental release measures**

### 6.1 Personal precautions, protective equipment and emergency procedures

#### For non-emergency personnel

Refer to protective measures listed in sections 7 and 8. Use personal protective clothing. Ensure adequate ventilation.

### For emergency responders

Personal protective equipment (PPE) - see section 8.

### 6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil. Prevent spread over a wide area (e.g. by containment or oil barriers).

### 6.3 Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regulations (see section 13).

### 6.4 Reference to other sections

Information regarding safe handling, see section 7. Information regarding personal protective measures, see section 8. Information regarding waste disposal, see section 13.

### **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

### Advice on safe handling

Risks inherent to handling the product must be minimised by applying the appropriate protective and preventive measures. Working processes should - so far as possible, according to the state of the art - be designed to rule out bodily contact or the release of hazardous substances. Provide good ventilation at the work area (local exhaust ventilation, if necessary).

### General protective and hygiene measures

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Do not inhale vapours. Avoid contact with eyes and skin. Wash hands before breaks and after work. Remove contaminated clothing and shoes and launder thoroughly before reusing. Provide eye wash fountain in work area. Have emergency shower available. Use barrier skin cream.

### 7.2 Conditions for safe storage, including any incompatibilities

Trade name: KRONES colclean DI 8001

Current version: 1.0.0, issued: 29.09.2020 Replaced version: -, issued: - Region: GB

### Technical measures and storage conditions

Keep container tightly closed and dry in a cool, well-ventilated place. Keep from freezing.

### Requirements for storage rooms and vessels

Containers which are opened must be carefully closed and kept upright to prevent leakage. Always keep in containers of same material as the original. Provide acid-resistant floor.

#### Incompatible products

Substances to be avoided, see section 10.

### 7.3 Specific end use(s)

No data available.

### **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

### Occupational exposure limit values

No	Substance name	CAS no.		EC no.	
1	hydrochloric acid	7647-01-0		231-595-7	
	2000/39/EC				
	Hydrogen chloride				
	WEL short-term (15 min reference period)	15	mg/m³	10	ppm
	WEL long-term (8-hr TWA reference period)	8	mg/m³	5	ppm
	List of approved workplace exposure limits (WELs) /	EH40			
	Hydrogen Chloride gas and aerosol mists				
	WEL short-term (15 min reference period)	8	mg/m³	5	ppm
	WEL long-term (8-hr TWA reference period)	2	mg/m³	1	ppm

### **DNEL, DMEL and PNEC values**

### **DNEL** values (worker)

	DIVLE Values (WOIKEI)				
No	No Substance name		CAS / E	C no	
	Route of exposure			Value	
1	hydrochloric acid			7647-01	-0
			231-595	-7	
	inhalative	Short term (acut)	local	15	mg/m³
	inhalative	Long term (chronic)	local	8	ma/m³

#### **PNEC values**

No	Substance name		CAS / EC no	
	ecological compartment Type		Value	
1	hydrochloric acid		7647-01-0	
			231-595-7	
	water	fresh water	0.036	mg/L
	water	marine water	0.036	mg/L
	water	Aqua intermittent	0.045	mg/L
	sewage treatment plant	-	0.036	mg/L

### 8.2 Exposure controls

### Appropriate engineering controls

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and solvent vapour below the OEL (=Occupational Exposure Limit), suitable respiratory protection must be worn.

### Personal protective equipment

### Respiratory protection

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of aerosol and mist formation, take appropriate measures for breathing protection in the event workplace threshold values are not specified.

Respiratory filter (gas):

### Eye / face protection

Trade name: KRONES colclean DI 8001

Current version: 1.0.0, issued: 29.09.2020 Replaced version: -, issued: - Region: GB

Safety glasses with side protection shield (EN 166)

#### Hand protection

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific workstation suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

Appropriate Material nitrile rubber

Material thickness 0.4 mm
Breakthrough time > 480 min

Appropriate Material PVC

Material thickness 0.7 mm

#### Other

No data available

Vapour pressure

Chemical-resistant work clothes.

### **Environmental exposure controls**

No data available.

### **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

I Illionnation on basic physical and ci			
Form/Colour			
liquid colourless			
Colouriess			
Odour			
pungent			
Odour threshold			
No data available			
pH value			
Comments	acidic		
	Tacidic		
Boiling point / boiling range			
Value		100	°C
Melting point / melting range			
Value	<	0	°C
Decomposition point / decomposition range	3		
No data available	<i>;</i>		
Flash point No data available			
No data avaliable			
Auto-ignition temperature			
Comments	Product is no	t selfigniting.	
Oxidising properties			
not oxidizing			
Explosive properties			
No data available			
Flammability (solid, gas)			
No data available			
Lower flammability or explosive limits			
No data available			
Upper flammability or explosive limits			

Trade name: KRONES colclean DI 8001

Current version: 1.0.0, issued: 29.09.2020 Replaced version: -, issued: - Region: GB

No data available

Vapour density

No data available

**Evaporation rate** 

No data available

Relative density

Value 1.04

Density

No data available

Solubility in water

Comments Completely miscible

Solubility(ies)

No data available

Partition coefficient: n-octanol/water

No data available

**Viscosity** 

No data available

### 9.2 Other information

### Other information

No data available.

### **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

No data available.

### 10.2 Chemical stability

Stable under recommended storage and handling conditions (See section 7).

### 10.3 Possibility of hazardous reactions

Dangerous reactions are not to be expected when handling product according to its intended use.

#### 10.4 Conditions to avoid

Heat, naked flames and other ignition sources. Protect from sun. Keep from freezing.

### 10.5 Incompatible materials

oxidizing agents; Bases; Metals

### 10.6 Hazardous decomposition products

None, if handled according to intended use.

### **SECTION 11: Toxicological information**

### 11.1 Information on toxicological effects

Acute oral toxicity

No data available

**Acute dermal toxicity** 

No data available

### Acute inhalational toxicity

No data available

Skir	corrosion/irritation		
No	Substance name	CAS no.	EC no.
1	hydrochloric acid	7647-01-0	231-595-7
_		1.1.4	

Species rabbit

Trade name: KRONES colclean DI 8001

Current version: 1.0.0, issued: 29.09.2020 Replaced version: -, issued: - Region: GB

with reference to	37% HCI
Method	OECD 404
Source	ECHA
Evaluation	corrosive

Seri	ous eye damage/irritation		
No	Substance name	CAS no.	EC no.
1	hydrochloric acid	7647-01-0	231-595-7
Spe	cies	rabbit	
with	reference to	10% HCI	
Metl	nod	OECD 405	
Sou	rce	ECHA	
Eval	uation	Irreversible effects on the eye	

Res	piratory or skin sensitisation		
No	Substance name	CAS no.	EC no.
1	hydrochloric acid	7647-01-0	231-595-7
Rou	te of exposure	Skin	
Spe	cies	guinea pig	
with	reference to	98% HCI	
Method		OECD 406	
Source		ECHA	
Eval	uation	non-sensitizing	

Geri	Germ cell mutagenicity					
No	Substance name	CAS no.	EC no.			
1	hydrochloric acid	7647-01-0	231-595-7			
Soul	rce	ECHA				
Evaluation/classification		Based on available data, the classification	n criteria are not met.			

# Reproduction toxicity No data available

Card	Carcinogenicity					
No	Substance name	CAS no.	EC no.			
1	hydrochloric acid	7647-01-0	231-595-7			
Route of exposure		inhalational				
Spe	cies	rat				
Method		OECD 451				
Source		ECHA				
Evaluation/classification		Based on available data, the classificatio	n criteria are not met.			

STOT - single exposure	
No data available	

STOT - repeated exposure	
No data available	

Aspiration hazard	
No data available	

## SECTION 12: Ecological information

### 12.1 Toxicity

Toxicity to fish (acute)						
No	Substance name	CAS r	CAS no.			
1	hydrochloric acid	7647-	231-595-7			
LC5	0	3.25	- 3.5	mg/l		
Dura	ation of exposure		96	h		
Spe	cies	Lepomis macrochiru	IS			
with	reference to	100% HCI				
Soul	rce	ECHA				

Toxicity to fish (chronic)	

Trade name: KRONES colclean DI 8001

Current version: 1.0.0, issued: 29.09.2020 Replaced version: -, issued: - Region: GB

No data available

No	city to Daphnia (acute) Substance name	CAS no.		EC no.	
1	hydrochloric acid	7647-01-0		231-595-7	
EC5	0		4.92	mg/l	
Duration of exposure			48	h	
		Daphnia magna			
with reference to		36% HCI			
Method		OECD 202			
Source		ECHA			

### Toxicity to Daphnia (chronic)

No data available

Toxi	Toxicity to algae (acute)					
No	Substance name	CAS no.		EC no.		
1	hydrochloric acid	7647-01-0		231-595-7		
EC5	0		4.7	mg/l		
Dura	ation of exposure		72	h		
Species		Chlorella vulgaris				
with reference to		36% HCI				
Method		OECD 201				
Source		ECHA				

### Toxicity to algae (chronic)

No data available

Bacteria toxicity							
No Substa	nce name		CAS r		no. E0		
1 hydrochloric acid			7647-01-0		231-595	-7	
EC50			5	-	5.5	r	ng/l
Duration of exposure					3	ŀ	า
Species		activ	/ated sludge				
with reference to		36%	HCI				
Method		OEC	CD 209				
Source		ECH	łΑ				

### 12.2 Persistence and degradability

No data available.

### 12.3 Bioaccumulative potential

No data available.

### 12.4 Mobility in soil

No data available.

### 12.5 Results of PBT and vPvB assessment

No data available.

### 12.6 Other adverse effects

No data available.

### 12.7 Other information

Other information	
Do not discharge product unmonitored into the environment.	

### **SECTION 13: Disposal considerations**

### 13.1 Waste treatment methods

### **Product**

Disposal of the product should be carried out in accordance with all applicable regulations following consultation with the responsible local authority and the disposal company in an authorised and suitable disposal facility. Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

Trade name: KRONES colclean DI 8001

Current version: 1.0.0, issued: 29.09.2020 Replaced version: -, issued: - Region: GB

### **Packaging**

Residuals must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.

### **SECTION 14: Transport information**

### 14.1 Transport ADR/RID/ADN

Class 8
Classification code C1
Packing group III
Hazard identification no. 80
UN number UN1789

Proper shipping name HYDROCHLORIC ACID solution

Tunnel restriction code E Label 8

### 14.2 Transport IMDG

Class 8
Packing group III
UN number UN1789

Proper shipping name HYDROCHLORIC ACID Solution

EmS F-A, S-B Label 8

### 14.3 Transport ICAO-TI / IATA

Class 8
Packing group III
UN number UN1789

Proper shipping name Hydrochloric acid Solution

Label 8

### 14.4 Other information

No data available.

#### 14.5 Environmental hazards

Information on environmental hazards, if relevant, please see 14.1 - 14.3.

#### 14.6 Special precautions for user

No data available.

### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not relevant

### **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulations

### Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

### REACH candidate list of substances of very high concern (SVHC) for authorisation

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUF	ACTURE, PLACING ON
THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND A	ARTICLES
The product is considered being subject to DEACH regulation (EC) 1007/2006 appear	No. 2

The product is considered being subject to REACH regulation (EC) 1907/2006 annex

No 3

XVII.

Trade name: KRONES colclean DI 8001

Current version: 1.0.0, issued: 29.09.2020 Replaced version: -, issued: - Region: GB

### Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances

This product is not subject to Part 1 or 2 of Annex I.

#### Other regulations

Adhere to the national sanitary and occupational safety regulations when using this product.

### 15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for this mixture.

### **SECTION 16: Other information**

### Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section

# Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

H314 Causes severe skin burns and eye damage.

H335 May cause respiratory irritation.

# Notes relating to the identification, classification and labelling of substances and mixtures ((EC) No 1272/2008, Annex VI)

В

Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations. In Part 3 entries with Note B have a general designation of the following type: 'nitric acid ... %'. In this case the supplier must state the percentage concentration of the solution on the label. Unless otherwise stated, it is assumed that the percentage concentration is calculated on a weight/weight basis.

### Creation of the safety data sheet

UMCO GmbH - D-21107 Hamburg, Georg-Wilhelm-Strasse 187, Tel.: +49(40)555 546 300, Fax: +49(40)555 546 357, e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH.

Prod-ID 760613