

EU safety data sheet

Trade name: KRONES colclean DI 8002

Product no.: 043

Current version : 1.0.2, issued: 08.06.2021

Replaced version: 1.0.0, issued: 30.03.2020

Region: GB

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

KRONES colclean DI 8002

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

Disinfectant Precursor

Uses advised against

No data available.

1.3 Details of the supplier of the safety data sheet

Address

KIC KRONES Internationale Cooperationsgesellschaft mbH
Böhmerwaldstraße 5
93073 Neutraubling

Telephone no. +49 9401 70-3020

Fax no. +49 9401 70-3696

e-mail kic@kic-krones.com

Advice on Safety Data Sheet

sdb_info@umco.de

1.4 Emergency telephone number

For medical advice (in German and English):

+49 (0)551 192 40 (Giftinformationszentrum Nord)

In case of transport incidents and other emergencies:

+44 (0) 1235 239 670 (NCEC, National Chemical Emergency Centre)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 (CLP)

Acute Tox. 4; H302

Eye Dam. 1; H318

Skin Corr. 1; H314

Classification information

Classification and labelling with respect to acute dermal toxicity are based on toxicological studies performed on the product (mixture).

Product is classified as "Corrosive" based on the extreme pH-value, see:

- Regulation 1272/2008 (CLP), Annex. I, number 3.2.2.2 / 3.2.3.1.2

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)

Hazard pictograms



GHS05



GHS07

EU safety data sheet

Trade name: KRONES colclean DI 8002

Product no.: 043

Current version : 1.0.2, issued: 08.06.2021

Replaced version: 1.0.0, issued: 30.03.2020

Region: GB

Signal word

Danger

Hazardous component(s) to be indicated on label:

sodium-chlorite

Hazard statement(s)

H302 Harmful if swallowed.
H314 Causes severe skin burns and eye damage.

Precautionary statement(s)

P260 Do not breathe mist/vapours/spray.
P264 Wash thoroughly after handling.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTER/doctor.

2.3 Other hazards

No data available.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable. The product is not a substance.

3.2 Mixtures

Hazardous ingredients

No	Substance name	Additional information		
	CAS / EC / Index / REACH no	Classification (EC) 1272/2008 (CLP)	Concentration	%
1	sodium-chlorite			
	7758-19-2 231-836-6 - 01-2119529240-51	Ox. Sol. 1; H271 Acute Tox. 3; H301 Acute Tox. 2; H310 Skin Corr. 1B; H314 Eye Dam. 1; H318 STOT RE 2; H373 Aquatic Acute 1; H400 Aquatic Chronic 3; H412 EUH032 EUH071	>= 5.00 - < 10.00	wt%

Full Text for all H-phrases and EUH-phrases: pls. see section 16

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Remove contaminated clothing and shoes immediately, and launder thoroughly before reusing. In case of persisting adverse effects, consult a physician. Seek medical advice immediately.

After inhalation

Remove affected persons from dangerous area by observing suitable respiratory protection measures. Ensure supply of fresh air. Do not use mouth-to-mouth or mouth-to-nose resuscitation.

After skin contact

In case of contact with skin wash off with water. Wash immediately with plenty of water for several minutes. Seek medical attention.

After eye contact

Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the unaffected eye (at least 10 to 15 minutes). Get immediate ophthalmic treatment.

EU safety data sheet

Trade name: KRONES colclean DI 8002

Product no.: 043

Current version : 1.0.2, issued: 08.06.2021

Replaced version: 1.0.0, issued: 30.03.2020

Region: GB

After ingestion

Rinse the mouth thoroughly with water. Do not induce vomiting. Never give anything by mouth to an unconscious person. Rinse out mouth and give plenty of water to drink.

4.2 Most important symptoms and effects, both acute and delayed

No data available.

4.3 Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water mist; Foam; Extinguishing powder; Sand

Unsuitable extinguishing media

High power water jet; Carbon dioxide

5.2 Special hazards arising from the substance or mixture

In the event of fire, the following can be released: chlorine compounds; Toxic pyrolysis products

5.3 Advice for firefighters

Use self-contained breathing apparatus. Wear protective clothing. Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Refer to protective measures listed in sections 7 and 8. Use personal protective clothing.

For emergency responders

Personal protective equipment (PPE) - see section 8.

6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil.

6.3 Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regulations (see section 13).

6.4 Reference to other sections

Information regarding safe handling, see section 7. Information regarding personal protective measures, see section 8. Information regarding waste disposal, see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Risks inherent to handling the product must be minimised by applying the appropriate protective and preventive measures. Working processes should - so far as possible, according to the state of the art - be designed to rule out bodily contact or the release of hazardous substances.

General protective and hygiene measures

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Do not inhale vapours. Avoid contact with eyes and skin. Wash hands before breaks and after work. Remove contaminated clothing and shoes and launder thoroughly before reusing. Have emergency shower available. Provide eye wash fountain in work area.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions

Keep container tightly closed and dry in a cool, well-ventilated place.

Requirements for storage rooms and vessels

EU safety data sheet

Trade name: KRONES colclean DI 8002

Product no.: 043

Current version : 1.0.2, issued: 08.06.2021

Replaced version: 1.0.0, issued: 30.03.2020

Region: GB

Containers which are opened must be carefully closed and kept upright to prevent leakage. Always keep in containers of same material as the original.

Incompatible products

Substances to be avoided, see section 10.

7.3 Specific end use(s)

No data available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

DNEL, DMEL and PNEC values

DNEL values (worker)

No	Substance name	CAS / EC no		
	Route of exposure	Exposure time	Effect	Value
1	sodium-chlorite			7758-19-2 231-836-6
	dermal	Long term (chronic)	systemic	0.58 mg/kg/day
	dermal	Short term (acute)	systemic	0.58
	inhalative	Long term (chronic)	systemic	0.41 mg/m ³
	inhalative	Short term (acute)	systemic	0.41

DNEL value (consumer)

No	Substance name	CAS / EC no		
	Route of exposure	Exposure time	Effect	Value
1	sodium-chlorite			7758-19-2 231-836-6
	oral	Long term (chronic)	systemic	0.029 µg/kg bw/day
	oral	Short term (acute)	systemic	0.029 µg/kg bw/day
	dermal	Long term (chronic)	systemic	0.29 mg/kg/day
	dermal	Short term (acute)	systemic	0.29 mg/kg/day
	inhalative	Long term (chronic)	systemic	0.1 mg/m ³
	inhalative	Short term (acute)	systemic	0.1 mg/m ³

PNEC values

No	Substance name	CAS / EC no		
	ecological compartment	Type	Value	
1	sodium-chlorite			7758-19-2 231-836-6
	water	fresh water	0.65 µg/L	
	water	marine water	0.065 µg/L	
	sewage treatment plant	-	1 mg/L	

8.2 Exposure controls

Appropriate engineering controls

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and solvent vapour below the OEL (=Occupational Exposure Limit), suitable respiratory protection must be worn.

Personal protective equipment

Respiratory protection

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of aerosol and mist formation, take appropriate measures for breathing protection in the event workplace threshold values are not specified.

Eye / face protection

Tightly fitting safety glasses (EN 166).

Hand protection

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific work-

EU safety data sheet

Trade name: KRONES colclean DI 8002

Product no.: 043

Current version : 1.0.2, issued: 08.06.2021

Replaced version: 1.0.0, issued: 30.03.2020

Region: GB

station suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

Other

Chemical-resistant work clothes.

Environmental exposure controls

No data available.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

State of aggregation			
liquid			
Form/Colour			
liquid			
colourless; clear			
Odour			
odourless			
pH value			
Value		12.2	
Boiling point / boiling range			
Value	appr.	100	°C
Melting point/freezing point			
No data available			
Decomposition temperature			
No data available			
Flash point			
No data available			
Ignition temperature			
No data available			
Flammability			
No data available			
Lower explosion limit			
No data available			
Upper explosion limit			
No data available			
Vapour pressure			
Value	appr.	25	hPa
Relative vapour density			
No data available			
Relative density			
No data available			
Density			
Value		1.05	g/cm ³
Solubility			
No data available			
Partition coefficient n-octanol/water (log value)			
No	Substance name	CAS no.	EC no.

EU safety data sheet

Trade name: KRONES colclean DI 8002

Product no.: 043

Current version : 1.0.2, issued: 08.06.2021

Replaced version: 1.0.0, issued: 30.03.2020

Region: GB

1	sodium-chlorite	7758-19-2	231-836-6
log Pow	<		-2.7
Method	OECD 107		

Viscosity

No data available

Particle characteristics

No data available

9.2 Other information

Other information

No data available.

SECTION 10: Stability and reactivity

10.1 Reactivity

Stable at ambient temperature.

10.2 Chemical stability

Stable under recommended storage and handling conditions (See section 7).

10.3 Possibility of hazardous reactions

Dangerous reactions are not to be expected when handling product according to its intended use.

10.4 Conditions to avoid

The product promotes oxidation when dried.

10.5 Incompatible materials

Acids; Alkalies; Oxidizing agents; Reducing agents

10.6 Hazardous decomposition products

None, if handled according to intended use.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity (result of the ATE calculation for the mixture)

No	Product Name
1	KRONES colclean DI 8002
ATE (Mixture)	1333.33
Method	Calculation method according Regulation (EC) No 1272/2008, (CLP), annex I, part 3, section 3.1.3.6.

Acute oral toxicity

No data available

Acute dermal toxicity

No	Product Name
1	KRONES colclean DI 8002
Method	EPA guidelines 8/22/78 (40 CFR Part 163)
Source	ECHA
Comments	According to the registration dossier for CAS: 7758-19-2, a 31 % aqueous solution is not to be classified in the category for dermal acute toxicity.

Acute inhalational toxicity

No data available

Skin corrosion/irritation

No data available

Serious eye damage/irritation

No data available

EU safety data sheet

Trade name: KRONES colclean DI 8002

Product no.: 043

Current version : 1.0.2, issued: 08.06.2021

Replaced version: 1.0.0, issued: 30.03.2020

Region: GB

Respiratory or skin sensitisation
No data available
Germ cell mutagenicity
No data available
Reproduction toxicity
No data available
Carcinogenicity
No data available
STOT - single exposure
No data available
STOT - repeated exposure
No data available
Aspiration hazard
No data available

11.2 Information on other hazards

Endocrine disrupting properties

No data available.

Other information

No data available.

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish (acute)			
No	Substance name	CAS no.	EC no.
1	sodium-chlorite	7758-19-2	231-836-6
LC50		105	mg/l
Duration of exposure		96	h
Species	Cyprinodon variegatus		
Method	EPA OPP 72-1		
Source	ECHA		

Toxicity to fish (chronic)			
No data available			

Toxicity to Daphnia (acute)			
No	Substance name	CAS no.	EC no.
1	sodium-chlorite	7758-19-2	231-836-6
EC50		<	1 mg/l
Duration of exposure			48 h
Species	Daphnia magna		
Method	OECD 202		
Source	ECHA		

Toxicity to Daphnia (chronic)			
No data available			

Toxicity to algae (acute)			
No	Substance name	CAS no.	EC no.
1	sodium-chlorite	7758-19-2	231-836-6
EC50		1	mg/l
Duration of exposure		96	h
Species	Pseudokirchneriella subcapitata		
Method	EPA OPP 122-2		
Source	ECHA		

Toxicity to algae (chronic)			
No data available			

EU safety data sheet

Trade name: KRONES colclean DI 8002

Product no.: 043

Current version : 1.0.2, issued: 08.06.2021

Replaced version: 1.0.0, issued: 30.03.2020

Region: GB

No data available

Bacteria toxicity

No data available

12.2 Persistence and degradability

Biodegradability

No	Substance name	CAS no.	EC no.
1	sodium-chlorite	7758-19-2	231-836-6
Evaluation		Not applicable for inorganic substances.	

12.3 Bioaccumulative potential

Partition coefficient n-octanol/water (log value)

No	Substance name	CAS no.	EC no.
1	sodium-chlorite	7758-19-2	231-836-6
log Pow		<	-2.7
Method		OECD 107	

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB assessment

No data available.

12.6 Endocrine disrupting properties

No data available.

12.7 Other adverse effects

No data available.

12.8 Other information

Other information

Do not discharge product unmonitored into the environment.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Disposal of the product should be carried out in accordance with all applicable regulations following consultation with the responsible local authority and the disposal company in an authorised and suitable disposal facility.

Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

Packaging

Residues must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.

SECTION 14: Transport information

14.1 Transport ADR/RID/ADN

Class	8
Classification code	C9
Packing group	III
Hazard identification no.	80
UN number	UN1908
Proper shipping name	CHLORITE SOLUTION
Tunnel restriction code	E
Label	8

14.2 Transport IMDG

Class	8
Packing group	III

EU safety data sheet

Trade name: KRONES colclean DI 8002

Product no.: 043

Current version : 1.0.2, issued: 08.06.2021

Replaced version: 1.0.0, issued: 30.03.2020

Region: GB

UN number	UN1908
Proper shipping name	CHLORITE SOLUTION
EmS	F-A, S-B
Label	8

14.3 Transport ICAO-TI / IATA

Class	8
Packing group	III
UN number	UN1908
Proper shipping name	Chlorite solution
Label	8

14.4 Other information

No data available.

14.5 Environmental hazards

Information on environmental hazards, if relevant, please see 14.1 - 14.3.

14.6 Special precautions for user

No data available.

14.7 Maritime transport in bulk according to IMO instruments

Not relevant

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

REACH candidate list of substances of very high concern (SVHC) for authorisation

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES

The product is considered being subject to REACH regulation (EC) 1907/2006 annex XVII.	No 3
--	------

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances

This product is not subject to Part 1 or 2 of Annex I.

Other regulations

Adhere to the national sanitary and occupational safety regulations when using this product.

15.2 Chemical safety assessment

No data available.

SECTION 16: Other information

Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section.

Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these

EU safety data sheet

Trade name: KRONES colclean DI 8002

Product no.: 043

Current version : 1.0.2, issued: 08.06.2021

Replaced version: 1.0.0, issued: 30.03.2020

Region: GB

sections)

EUH032

Contact with acids liberates very toxic gas.

EUH071

Corrosive to the respiratory tract.

H271

May cause fire or explosion; strong oxidiser.

H301

Toxic if swallowed.

H310

Fatal in contact with skin.

H318

Causes serious eye damage.

H373

May cause damage to organs through prolonged or repeated exposure

H400

Very toxic to aquatic life.

H412

Harmful to aquatic life with long lasting effects.

Creation of the safety data sheet

UMCO GmbH - D-21107 Hamburg, Georg-Wilhelm-Strasse 187, Tel.: +49(40)555 546 300, Fax: +49(40)555 546 357, e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH.

Prod-ID 760614