Trade name: KRONES colclean DI 8004

Current version: 1.0.1, issued: 08.06.2021 Reglaced version: 1.0.0, issued: 30.03.2020 Region: GB

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name

#### **KRONES** colclean DI 8004

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

#### Relevant identified uses of the substance or mixture

Disinfectant Precursor

#### Uses advised against

No data available.

#### 1.3 Details of the supplier of the safety data sheet

#### Address

KIC KRONES Internationale Cooperationsgesellschaft mbH

Böhmerwaldstraße 5 93073 Neutraubling

Telephone no. +49 9401 70-3020 Fax no. +49 9401 70-3696 e-mail kic@kic-krones.com

#### **Advice on Safety Data Sheet**

sdb info@umco.de

#### 1.4 Emergency telephone number

For medical advice (in German and English):

+49 (0)551 192 40 (Giftinformationszentrum Nord)

In case of transport incidents and other emergencies:

+44 (0) 1235 239 670 (NCEC, National Chemical Emergency Centre)

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

#### Classification in accordance with Regulation (EC) No 1272/2008 (CLP)

Eye Dam. 1; H318 Met. Corr. 1; H290 Skin Corr. 1; H314

#### **Classification information**

Product is classified as "Corrosive" based on the extreme pH-value, see:

- Regulation 1272/2008 (CLP), Annex. I, number 3.2.2.2 / 3.2.3.1.2

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

#### 2.2 Label elements

#### Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)

#### Hazard pictograms



#### Signal word

Danger

Trade name: KRONES colclean DI 8004

Current version: 1.0.1, issued: 08.06.2021 Reglaced version: 1.0.0, issued: 30.03.2020 Region: GB

#### Hazardous component(s) to be indicated on label:

sulphuric acid

Hazard statement(s)

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

Precautionary statement(s)

P260 Do not breathe mist/vapours/spray. P264 Wash thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

#### 2.3 Other hazards

PBT assessment

The components of this product are not considered to be a PBT.

vPvB assessment

The components of this product are not considered to be a vPvB.

## **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Not applicable. The product is not a substance.

#### 3.2 Mixtures

#### **Hazardous ingredients**

No	Substance name		Addit	ional information	
	CAS / EC / Index /	Classification (EC) 1272/2008 (CLP)	Conc	Concentration	
	REACH no				
1	sulphuric acid				
	7664-93-9	Skin Corr. 1A; H314	>=	25.00 - < 50.00	wt%
	231-639-5	Eye Dam. 1; H318			
	016-020-00-8				
	01-2119458838-20				
2	glycolic-acid				
	79-14-1	Acute Tox. 4; H332	<	5.00	wt%
	201-180-5	Skin Corr. 1B; H314			
	-				
	01-2119485579-17				
3	2-phosphonobutan	e-1,2,4-tricarboxylic acid			
	37971-36-1	Met. Corr. 1; H290	<	2.50	wt%
	253-733-5	Eye Irrit. 2; H319			
	-				
	01-2119436643-39				

Full Text for all H-phrases and EUH-phrases: pls. see section 16

No	Note	Specific concentration limits	M-factor	M-factor
			(acute)	(chronic)
1	В	Eye Irrit. 2; H319: C >= 5%	-	-
		Skin Irrit. 2; H315: C >= 5%		
		Eye Dam. 1; H318: C >= 15%		
		Skin Corr. 1A; H314: C >= 15%		

Full text for the notes: pls. see section 16 "Notes relating to the identification, classification and labelling of substances ((EC) No 1272/2008, Annex VI)".

#### **SECTION 4: First aid measures**

Trade name: KRONES colclean DI 8004

Current version: 1.0.1, issued: 08.06.2021 Reglaced version: 1.0.0, issued: 30.03.2020 Region: GB

#### 4.1 Description of first aid measures

#### **General information**

Remove contaminated clothing and shoes immediately, and launder thoroughly before reusing.

#### After inhalation

Remove affected persons from dangerous area by observing suitable respiratory protection measures. Ensure supply of fresh air. Do not use mouth-to-mouth or mouth-to-nose resuscitation. In case of persisting adverse effects consult a physician.

#### After skin contact

Wash immediately with plenty of water for several minutes. Seek medical attention.

#### After eve contact

Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the unaffected eye (at least 10 to 15 minutes). Get immediate ophthalmic treatment.

#### After ingestion

Rinse the mouth thoroughly with water. Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a doctor immediately.

#### 4.2 Most important symptoms and effects, both acute and delayed

#### **Symptoms**

burns

#### 4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

#### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

#### Suitable extinguishing media

No data available.

#### Unsuitable extinguishing media

High power water jet

#### 5.2 Special hazards arising from the substance or mixture

In the event of fire, the following can be released: Sulphur oxides (SxOy); Phosphorus oxides; Carbon dioxide (CO2); Carbon monoxide (CO)

#### 5.3 Advice for firefighters

Use self-contained breathing apparatus. Wear protective clothing. Cool endangered containers with water spray jet. Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

#### For non-emergency personnel

Refer to protective measures listed in sections 7 and 8. Use personal protective clothing.

#### For emergency responders

Personal protective equipment (PPE) - see section 8.

#### 6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil.

#### 6.3 Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regulations (see section 13).

#### 6.4 Reference to other sections

Information regarding safe handling, see section 7. Information regarding personal protective measures, see section 8. Information regarding waste disposal, see section 13.

Trade name: KRONES colclean DI 8004

Current version: 1.0.1, issued: 08.06.2021 Reglaced version: 1.0.0, issued: 30.03.2020 Region: GB

#### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

#### Advice on safe handling

Risks inherent to handling the product must be minimised by applying the appropriate protective and preventive measures. Working processes should - so far as possible, according to the state of the art - be designed to rule out bodily contact or the release of hazardous substances. Provide good ventilation at the work area (local exhaust ventilation, if necessary).

#### General protective and hygiene measures

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Do not inhale vapours. Avoid contact with eyes and skin. Wash hands before breaks and after work. Remove contaminated clothing and shoes and launder thoroughly before reusing. Have emergency shower available. Provide eye wash fountain in work area.

#### 7.2 Conditions for safe storage, including any incompatibilities

#### Technical measures and storage conditions

Keep container tightly closed and dry in a cool, well-ventilated place.

#### Requirements for storage rooms and vessels

Containers which are opened must be carefully closed and kept upright to prevent leakage. Always keep in containers of same material as the original.

#### Incompatible products

Substances to be avoided, see section 10.

#### 7.3 Specific end use(s)

No data available.

### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### Occupational exposure limit values

No	Substance name	CAS no.	EC no.
1	sulphuric acid	7664-93-9	231-639-5
	2009/161/EU		
	sulphuric acid (mist)		
	Mist		
	WEL long-term (8-hr TWA reference period)	0.05 mg/m³	
	List of approved workplace exposure limits (WELs) /	EH40	
	Sulphuric acid mist		
	WEL long-term (8-hr TWA reference period)	0.05 mg/m³	
	Comments	The mist is defined as the	thoracic fraction

#### **DNEL, DMEL and PNEC values**

#### **DNEL values (worker)**

No	Substance name			CAS / EC no	
	Route of exposure	Exposure time	Effect	Value	
1	sulphuric acid			7664-93-9	
				231-639-5	
	inhalative	Long term (chronic)	local	0.05	mg/m³
	inhalative	Short term (acut)	local	0.1	mg/m³
2	glycolic-acid			79-14-1	
				201-180-5	
	dermal	Long term (chronic)	systemic	57.69	mg/kg/day
	inhalative	Short term (acut)	systemic	9.2	mg/m³
	inhalative	Short term (acut)	local	9.2	mg/m³
	inhalative	Long term (chronic)	systemic	10.56	mg/m³
	inhalative	Long term (chronic)	local	1.53	mg/m³

#### **DNEL value (consumer)**

Current version: 1.0.1, issued: 08.06.2021 Reglaced version: 1.0.0, issued: 30.03.2020 Region: GB

No	Substance name				
	Route of exposure			Value	
1	glycolic-acid			79-14-1	
				201-180-5	
	oral	Long term (chronic)	systemic	0.75	mg/kg/day
	dermal	Short term (acut)	local	28.85	mg/kg/day
	inhalative	Short term (acut)	systemic	2.3	mg/m³
	inhalative	Short term (acut)	local	2.3	mg/m³
	inhalative	Long term (chronic)	systemic	2.6	mg/m³

#### **PNEC** values

No	Substance name		CAS / EC no	
	ecological compartment	Туре	Value	
1	sulphuric acid		7664-93-9	
			231-639-5	
	water	fresh water	0.0025	mg/L
	water	marine water	0.00025	mg/L
	water	fresh water sediment	0.002	mg/kg
	water	marine water sediment	0.002	mg/kg
	sewage treatment plant	-	8.8	mg/L
2	glycolic-acid		79-14-1	
			201-180-5	
	water	fresh water	0.031	mg/L
	water	marine water	0.0031	mg/L
	water	Aqua intermittent	0.312	mg/L
	water	fresh water sediment	0.115	mg/kg
	with reference to: dry weight			
	water	marine water sediment	0.011	mg/kg
	with reference to: dry weight			
	soil	-	0.007	mg/kg
	with reference to: dry weight			
	sewage treatment plant	-	7	mg/L
	secondary poisoning	-	16.66	mg/kg
	with reference to: food			

#### 8.2 Exposure controls

#### Appropriate engineering controls

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and solvent vapour below the OEL (=Occupational Exposure Limit), suitable respiratory protection must be worn.

#### Personal protective equipment

#### Respiratory protection

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of aerosol and mist formation, take appropriate measures for breathing protection in the event workplace threshold values are not specified.

#### Eye / face protection

Tightly fitting safety glasses (EN 166).

#### **Hand protection**

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific workstation suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

#### Other

Chemical-resistant work clothes. Acid-resistant protective clothing

#### **Environmental exposure controls**

No data available.

Trade name: KRONES colclean DI 8004

Current version: 1.0.1, issued: 08.06.2021 Replaced version: 1.0.0, issued: 30.03.2020 Region: GB

## **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

1 Information on basic physical and c	chemical pr	roperties		
State of aggregation				
liquid				
Form/Colour				
liquid				
colourless; clear				
Odour				
slightly pungent				
pH value				
Value		1		
		•		
Boiling point / boiling range		10		°C
Value	>	10	U	°C
Melting point/freezing point				
Value	<	0		°C
Decomposition temperature				
No data available				
Flash point				
No data available				
Ignition temperature				
No data available				
Flammability No data available				
No data available				
Upper explosion limit				
No data available				
Vapour pressure				
No data available				
Relative vapour density				
No data available				
Relative density				
No data available				
Density				

## Solubility

Value

No data available

Part	Partition coefficient n-octanol/water (log value)							
No	Substance name		CAS no.		EC no.			
1	glycolic-acid		79-14-1		201-180-5			
log I	Pow	<		0.3				
Refe	erence temperature			25	°C			
Method		OECD 117						
Sou	rce	ECHA						

1.25

g/cm³

Viscosity	
No data available	

Trade name: KRONES colclean DI 8004

Current version: 1.0.1, issued: 08.06.2021 Replaced version: 1.0.0, issued: 30.03.2020 Region: GB

Particle characteristics	
No data available	

#### 9.2 Other information

Other information	
No data available.	

## **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

Stable at ambient temperature.

#### 10.2 Chemical stability

Stable under recommended storage and handling conditions (See section 7). The product is Hygroscopic.

#### 10.3 Possibility of hazardous reactions

Reactions with metals, with evolution of hydrogen.

#### 10.4 Conditions to avoid

strong heat

#### 10.5 Incompatible materials

Alkalies; Acids; Metals; Amines; Water; organic materials; Oxidizing agents; Reducing agents

#### 10.6 Hazardous decomposition products

None, if handled according to intended use.

## **SECTION 11: Toxicological information**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acu	Acute oral toxicity						
No	Substance name		CAS no.		EC no.		
1	sulphuric acid		7664-93-9		231-639-5		
LD5	0			2140	mg/kg bodyweight		
Spe	cies	rat					
Meth	nod	OECD 401					
Soul	rce	ECHA					
2	glycolic-acid		79-14-1		201-180-5		
LD5	0			2040	mg/kg bodyweight		
Spe	cies	rat					
Meth	nod	EPA OPP 81	-1				
Soul	rce	ECHA					

# Acute dermal toxicity No data available

Acu	Acute inhalational toxicity (result of the ATE calculation for the mixture)				
No	Product Name				
1	KRONES colclean DI 8004				
Comments		The result of the applied calculation method according to the			
		European Regulation (EC) 1272/2008 (CLP), Paragraph 3.1.3.6,			
		Part 3 of Annex I is outside the values that imply a classification /			
		labelling of this mixture according to table 3.1.1 defining the			
		respective categories (ATE for inhalation: > 20.000 ppmV (gases), >			
		20 mg/l (vapours), > 5 mg/l (dusts/mists).			

Acu	Acute inhalational toxicity					
No	Substance name		CAS no.		EC no.	
1	glycolic-acid		79-14-1		201-180-5	
LC5	0			3.6	mg/l	
Duration of exposure				4	h	
State of aggregation		mist				
Spe	cies	rat				

Current version: 1.0.1, issued: 08.06.2021 Replaced version: 1.0.0, issued: 30.03.2020 Region: GB

Method	OECD 403
Source	ECHA

# Skin corrosion/irritation No data available

Seri	Serious eye damage/irritation					
No	Substance name	CAS no.	EC no.			
1	glycolic-acid	79-14-1	201-180-5			
Spec	cies	rabbit				
Meth	nod	OECD 405				
Source		ECHA				
Eval	uation	irritant				

Res	Respiratory or skin sensitisation					
No	Substance name	CAS no.	EC no.			
1	glycolic-acid	79-14-1	201-180-5			
Route of exposure		Skin				
Species		guinea pig				
Meth	nod	OECD 406				
Source		ECHA				
Eval	uation	non-sensitizing				

Ger	Germ cell mutagenicity					
No	Substance name	CAS no.	EC no.			
1	glycolic-acid	79-14-1	201-180-5			
Source		ECHA				
Evaluation/classification		Based on available data, the classification	n criteria are not met.			

Rep	Reproduction toxicity				
No	Substance name		CAS no.		EC no.
1	sulphuric acid		7664-93-9		231-639-5
Rou	te of exposure	inhalational			
NOA	AEC		1	9.3	mg/m³
Dura	Duration of exposure		1	8	day(s)
Spe	cies	rabbit			
Metl	nod	OECD 414			
Sou	rce	ECHA			
Eval	uation/classification	Based on ava	ilable data, the cla	assification	n criteria are not met.
2	glycolic-acid		79-14-1		201-180-5
Source		ECHA			
Evaluation/classification		Based on ava	ilable data, the cla	assification	n criteria are not met.

Carcinogenicity					
No	Substance name	CAS no.	EC no.		
1	glycolic-acid	79-14-1	201-180-5		
Source		ECHA			
Evaluation/classification		Based on available data, the classification	n criteria are not met.		

# STOT - single exposure No data available

STO	STOT - repeated exposure				
No	Substance name	CAS n	0.	EC no.	
1	sulphuric acid	7664-9	3-9	231-639-5	
Rou	te of exposure	inhalational			
LOA	EC		0.3	mg/m³	
Duration of exposure			28	day(s)	
Spec	cies	rat			
Meth	nod	OECD 412			
Source		ECHA			
Evaluation/classification		Based on available d	lata, the classification	on criteria are not met.	
2	glycolic-acid	79-14-	1	201-180-5	

Current version: 1.0.1, issued: 08.06.2021 Replaced version: 1.0.0, issued: 30.03.2020 Region: GB

Route of exposure	oral
Species	rat
Method	OECD 408
Source	ECHA
Evaluation/classification	Based on available data, the classification criteria are not met.

Aspiration hazard	
No data available	

#### 11.2 Information on other hazards

**Endocrine disrupting properties** 

No data available.

Other information

No data available.

## SECTION 12: Ecological information

## 12.1 Toxicity

Toxi	Toxicity to fish (acute)				
No	Substance name	CAS no.		EC no.	
1	sulphuric acid	7664-93-9		231-639-5	
LC5	0	16	- 28	mg/l	
Dura	ation of exposure		96	h	
Spe	cies	Lepomis macrochirus			
Soul	rce	ECHA			
2	glycolic-acid	79-14-1		201-180-5	
LC5	0		164	mg/l	
Dura	ation of exposure		96	h	
Species		Pimephales promelas			
		EPA OPP 72-2			
Soul	rce	ECHA			

Toxi	Toxicity to fish (chronic)					
No	Substance name	CAS no.		EC no.		
1	sulphuric acid	7664-93-9		231-639-5		
NOE	EC		0.025	mg/l		
Dura	ation of exposure		65	day(s)		
Species		Jordanella floridae				
Sou	rce	ECHA				

Tox	icity to Daphnia (acute)				
No	Substance name	CAS no.		EC no.	
1	sulphuric acid	7664-93-	9	231-639-5	
EC5	0	>	100	mg/l	
Dura	ation of exposure		48	h	
Spe	cies	Daphnia magna			
Met	hod	OECD 202			
Sou	rce	ECHA			
2	glycolic-acid	79-14-1		201-180-5	
EC5	50		141	mg/l	
Dura	ation of exposure		48	h	
Spe	cies	Daphnia magna			
Met	hod	OECD 202			
Sou	rce	ECHA			

Tox	Toxicity to Daphnia (chronic)					
No	Substance name		CAS no.		EC no.	
1	sulphuric acid		7664-93-9		231-639-5	
NOE	EC			0.15	mg/l	
Dura	ation of exposure			35	day(s)	
Species		T. dissimilis				

Current version: 1.0.1, issued: 08.06.2021 Replaced version: 1.0.0, issued: 30.03.2020 Region: GB

Source	ECHA
--------	------

Toxi	Toxicity to algae (acute)					
No	Substance name	CAS no. EC no.				
1	sulphuric acid	7664-93-9		231-639-5		
EC5	0	>	100	mg/l		
Dura	tion of exposure		72	h		
Species		Desmodesmus subspicatu	Desmodesmus subspicatus			
Meth	nod	OECD 201				
Sour	ce	ECHA				
2	glycolic-acid	79-14-1		201-180-5		
ErC5	50		44	mg/l		
Dura	tion of exposure		72	h		
Species		Pseudokirchneriella subca	oitata			
Meth	nod	OECD 201				
Sour	ce	ECHA				

# Toxicity to algae (chronic) No data available

Bac	Bacteria toxicity						
No	Substance name	CAS	S no.	EC no.			
1	glycolic-acid	79-1	14-1	201-180-5			
EC5	50	>	100	mg/l			
Dura	ation of exposure		3	h			
Spe	cies	activated sludge					
Method		OECD 209					
Sou	rce	ECHA					

12.2 Persistence and degradability

Bio	Biodegradability					
No	Substance name	CAS no.		EC no.		
1	glycolic-acid	79-14-1		201-180-5		
Туре	e	aerobic biodegradation				
Valu	e		78	%		
Dura	ation		28	day(s)		
Met	hod	OECD 301 B				
Sou	rce	ECHA				
Eva	luation	readily biodegradable				

12.3 Bioaccumulative potential

Part	Partition coefficient n-octanol/water (log value)					
No	Substance name	CAS r	10.	EC no.		
1	glycolic-acid	79-14-	-1	201-180-5		
log F	Pow	<	0.3			
Refe	erence temperature		25	°C		
Metl	nod	OECD 117				
Sou	rce	ECHA				

#### 12.4 Mobility in soil

Mob	Mobility in soil					
No	Substance name		CAS no.		EC no.	
1	glycolic-acid		79-14-1		201-180-5	
log k	Koc	<		1.4		
Refe	erence temperature			25	°C	
Meth	nod	OECD 121				
Soul	rce	ECHA				

### 12.5 Results of PBT and vPvB assessment

Results of PBT and vPvB assessment					
PBT assessment	The components of this product are not considered to be a PBT.				
vPvB assessment	The components of this product are not considered to be a vPvB.				

Trade name: KRONES colclean DI 8004

Current version: 1.0.1, issued: 08.06.2021 Reglaced version: 1.0.0, issued: 30.03.2020 Region: GB

#### 12.6 Endocrine disrupting properties

No data available.

#### 12.7 Other adverse effects

No data available.

#### 12.8 Other information

#### Other information

Do not discharge product unmonitored into the environment.

#### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

#### **Product**

Disposal of the product should be carried out in accordance with all applicable regulations following consultation with the responsible local authority and the disposal company in an authorised and suitable disposal facility. Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

#### **Packaging**

Residues must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.

## **SECTION 14: Transport information**

#### 14.1 Transport ADR/RID/ADN

Class 8
Classification code C1
Packing group II
Hazard identification no. 80
UN number UN3264

Proper shipping name CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.

Technical name sulphuric acid glycolic-acid

Tunnel restriction code E Label 8

#### 14.2 Transport IMDG

Class 8
Packing group II
UN number UN3264

Proper shipping name CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.

Technical name sulphuric acid glycolic-acid EmS F-A, S-B

Label 8

#### 14.3 Transport ICAO-TI / IATA

Class 8
Packing group II
UN number UN3264

Proper shipping name Corrosive liquid, acidic, inorganic, n.o.s.

Technical name sulphuric acid glycolic-acid

Label 8

#### 14.4 Other information

No data available.

#### 14.5 Environmental hazards

Information on environmental hazards, if relevant, please see 14.1 - 14.3.

Trade name: KRONES colclean DI 8004

Current version: 1.0.1, issued: 08.06.2021 Replaced version: 1.0.0, issued: 30.03.2020 Region: GB

#### 14.6 Special precautions for user

No data available.

#### 14.7 Maritime transport in bulk according to IMO instruments

Not relevant

#### **SECTION 15: Regulatory information**

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulations

#### Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

#### REACH candidate list of substances of very high concern (SVHC) for authorisation

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

# Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES

The product is considered being subject to REACH regulation (EC) 1907/2006 annex XVII.

#### Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances

This product is not subject to Part 1 or 2 of Annex I.

#### Other regulations

В

Adhere to the national sanitary and occupational safety regulations when using this product.

#### 15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for this mixture.

#### **SECTION 16: Other information**

#### Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section.

# Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

H318 Causes serious eye damage. H319 Causes serious eye irritation.

H332 Harmful if inhaled.

## Notes relating to the identification, classification and labelling of substances and mixtures ((EC) No 1272/2008, Annex VI)

Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at

various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations. In Part 3 entries with Note B have a general designation of the following type: 'nitric acid ... %'. In this case the supplier must state the percentage concentration of the solution on the label. Unless otherwise stated, it is assumed that the percentage concentration is calculated on a

No 3

weight/weight basis.

#### Creation of the safety data sheet

UMCO GmbH - D-21107 Hamburg, Georg-Wilhelm-Strasse 187, Tel.: +49(40)555 546 300, Fax: +49(40)555 546 357,

Trade name: KRONES colclean DI 8004

Current version: 1.0.1, issued: 08.06.2021 Replaced version: 1.0.0, issued: 30.03.2020 Region: GB

e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Alterations/supplements:

Alterations to the previous edition are marked in the left-hand margin.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH.

Prod-ID 760616