EU safety data sheet

Trade name: KRONES colclean DI 8004

Current version : 1.0.3, issued: 03.01.2023

Replaced version: 1.0.2, issued: 08.04.2022

Region: GB

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 **Product identifier**

Trade name

KRONES colclean DI 8004

1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses of the substance or mixture Disinfectant Precursor

Uses advised against No data available.

1.3 Details of the supplier of the safety data sheet

Address

 KIC KRONES Internationale Cooperationsgesellschaft mbH

 Böhmerwaldstraße 5

 93073
 Neutraubling

 Telephone no.
 +49 9401 70-3020

 e-mail
 kic@kic-krones.com

Advice on Safety Data Sheet sdb_info@umco.de

1.4 Emergency telephone number

For medical advice (in German and English): +49 (0)551 192 40 (Giftinformationszentrum Nord) In case of transport incidents and other emergencies: +44 (0) 1235 239 670 (NCEC, National Chemical Emergency Centre)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 (CLP)

Eye Dam. 1; H318 Met. Corr. 1; H290 Skin Corr. 1; H314

Classification information

Product is classified as "Corrosive" based on the extreme pH-value, see:

- Regulation 1272/2008 (CLP), Annex. I, number 3.2.2.2 / 3.2.3.1.2

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)

Hazard pictograms



Signal word Danger Hazardous component(s) to be indicated on label:

Current version : 1.0.3, issued: 03.01.2023

Replaced version: 1.0.2, issued: 08.04.2022	
---	--

sulphuric acid	
Hazard statement(s) H290 H314	May be corrosive to metals. Causes severe skin burns and eye damage.
Precautionary statement	(s)
P260	Do not breathe mist/vapours/spray.
P264	Wash thoroughly after handling.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.

2.3 Other hazards

PBT assessment

The components of this product are not considered to be a PBT.

vPvB assessment

The components of this product are not considered to be a vPvB.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable. The product is not a substance.

3.2 Mixtures

Hazardous ingredients

	nazaruous nigreulei	10			
No	Substance name		Addit	tional information	
	CAS / EC / Index /	Classification (EC) 1272/2008 (CLP)	Conc	entration	%
	REACH no				
1	sulphuric acid				
	7664-93-9	Skin Corr. 1A; H314	>=	25.00 - < 50.00	wt%
	231-639-5	Eye Dam. 1; H318			
	016-020-00-8				
	01-2119458838-20				
2	glycolic-acid				
	79-14-1	Acute Tox. 4; H332	<	5.00	wt%
	201-180-5	Skin Corr. 1B; H314			
	-				
	01-2119485579-17				
3	2-phosphonobutan	e-1,2,4-tricarboxylic acid			
	37971-36-1	Met. Corr. 1; H290	<	2.50	wt%
	253-733-5	Eye Irrit. 2; H319			
	-				
	01-2119436643-39				

Full Text for all H-phrases and EUH-phrases: pls. see section 16

No	Note	Specific concentration limits	M-factor (acute)	M-factor (chronic)
1	В	Eye Irrit. 2; H319: C >= 5% Skin Irrit. 2; H315: C >= 5% Eye Dam. 1; H318: C >= 15% Skin Corr. 1A; H314: C >= 15%	-	-

Full text for the notes: pls. see section 16 "Notes relating to the identification, classification and labelling of substances ((EC) No 1272/2008, Annex VI)".

SECTION 4: First aid measures

4.1 Description of first aid measures General information

Current version : 1.0.3, issued: 03.01.2023

Replaced version: 1.0.2, issued: 08.04.2022

Remove contaminated clothing and shoes immediately, and launder thoroughly before reusing.

After inhalation

Remove affected persons from dangerous area by observing suitable respiratory protection measures. Ensure supply of fresh air. Do not use mouth-to-mouth or mouth-to-nose resuscitation. In case of persisting adverse effects consult a physician.

After skin contact

Wash immediately with plenty of water for several minutes. Seek medical attention.

After eye contact

Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the unaffected eye (at least 10 to 15 minutes). Get immediate ophthalmic treatment.

After ingestion

Rinse the mouth thoroughly with water. Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms

burns

4.3 Indication of any immediate medical attention and special treatment needed Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media No data available.

Unsuitable extinguishing media High power water jet

5.2 Special hazards arising from the substance or mixture

In the event of fire, the following can be released: Sulphur oxides (SxOy); Phosphorus oxides; Carbon dioxide (CO2); Carbon monoxide (CO)

5.3 Advice for firefighters

Use self-contained breathing apparatus. Wear protective clothing. Cool endangered containers with water spray jet. Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Refer to protective measures listed in sections 7 and 8. Use personal protective clothing.

For emergency responders

Personal protective equipment (PPE) - see section 8.

6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil.

6.3 Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regulations (see section 13).

6.4 Reference to other sections

Information regarding safe handling, see section 7. Information regarding personal protective measures, see section 8. Information regarding waste disposal, see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Current version : 1.0.3, issued: 03.01.2023

Replaced version: 1.0.2, issued: 08.04.2022

Region: GB

Risks inherent to handling the product must be minimised by applying the appropriate protective and preventive measures. Working processes should - so far as possible, according to the state of the art - be designed to rule out bodily contact or the release of hazardous substances. Provide good ventilation at the work area (local exhaust ventilation, if necessary).

General protective and hygiene measures

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Do not inhale vapours. Avoid contact with eyes and skin. Wash hands before breaks and after work. Remove contaminated clothing and shoes and launder thoroughly before reusing. Have emergency shower available. Provide eye wash fountain in work area.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions

Keep container tightly closed and dry in a cool, well-ventilated place.

Requirements for storage rooms and vessels

Containers which are opened must be carefully closed and kept upright to prevent leakage. Always keep in containers of same material as the original.

Incompatible products

Substances to be avoided, see section 10.

7.3 Specific end use(s)

No data available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values

No	Substance name	CAS no.	EC no.
1	sulphuric acid	7664-93-9	231-639-5
	2009/161/EU		
	sulphuric acid (mist)		
	Mist		
	WEL long-term (8-hr TWA reference period)	0.05 mg/m ³	
	List of approved workplace exposure limits (WELs) / I	EH40	
	Sulphuric acid mist		
	WEL long-term (8-hr TWA reference period)	0.05 mg/m ³	
	Comments	The mist is defined as the t	horacic fraction

DNEL, DMEL and PNEC values

DNEL values (worker)

No	Substance name			CAS / EC	no
	Route of exposure	Exposure time	Effect	Value	
1	sulphuric acid			7664-93-9	1
				231-639-5	
	inhalative	Long term (chronic)	local	0.05	mg/m³
	inhalative	Short term (acut)	local	0.1	mg/m³
2	glycolic-acid			79-14-1	
				201-180-5	
	dermal	Long term (chronic)	systemic	57.69	mg/kg/day
	inhalative	Short term (acut)	systemic	9.2	mg/m³
	inhalative	Short term (acut)	local	9.2	mg/m³
	inhalative	Long term (chronic)	systemic	10.56	mg/m³
	inhalative	Long term (chronic)	local	1.53	mg/m³

DNEL value (consumer)

No	Substance name			CAS / EC no	1
	Route of exposure	Exposure time	Effect	Value	
1	glycolic-acid			79-14-1	
				201-180-5	
	oral	Long term (chronic)	systemic	0.75	mg/kg/day

Current version : 1.0.3, issued: 03.01.2023

Replaced version: 1.0.2, issued: 08.04.2022

Region: GB

dermal	Short term (acut)	local	28.85	mg/kg/day
inhalative	Short term (acut)	systemic	2.3	mg/m³
inhalative	Short term (acut)	local	2.3	mg/m³
inhalative	Long term (chronic)	systemic	2.6	mg/m³

PNEC	values
------	--------

No	Substance name		CAS / EC n	0
	ecological compartment	Туре	Value	
l	glycolic-acid		79-14-1 201-180-5	
	water	fresh water	0.031	mg/L
	water	marine water	0.0031	mg/L
	water	Aqua intermittent	0.312	mg/L
	water	fresh water sediment	0.115	mg/kg
Γ	with reference to: dry weight			
	water	marine water sediment	0.011	mg/kg
Γ	with reference to: dry weight			
	soil	-	0.007	mg/kg
Γ	with reference to: dry weight			
	sewage treatment plant	-	7	mg/L
	secondary poisoning	-	16.66	mg/kg
	with reference to: food			

8.2 Exposure controls

Appropriate engineering controls

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and solvent vapour below the OEL (=Occupational Exposure Limit), suitable respiratory protection must be worn.

Personal protective equipment

Respiratory protection

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of aerosol and mist formation, take appropriate measures for breathing protection in the event workplace threshold values are not specified.

Eye / face protection

Tightly fitting safety glasses (EN 166).

Hand protection

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific work-station suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

Other

Chemical-resistant work clothes. Acid-resistant protective clothing

Environmental exposure controls

No data available.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

State of aggregation		
liquid		
Form liquid		
liquid		
Colour		
colourless; clear		
Odour		

rent version : 1.0.3, issued: 03.01.2023	•	ed version: 1.0.2			Region:
slightly pungent					
pH value					
Value		1			
Boiling point / boiling range					
Value	>	100	°C		
Melting point/freezing point					
Value	<	0	°C		
Decomposition temperature					
No data available					
Flash point					
No data available					
Ignition temperature No data available					
Flammability					
No data available					
Lower explosion limit					
No data available					
Upper explosion limit					
No data available					
Vapour pressure					
No data available					
Relative vapour density					
No data available					
Relative density					
No data available					
Density					
Value		1.25	g/cm³		
Solubility					
No data available					
Partition coefficient n-octanol/wate	er (log value)				
No Substance name		CAS no.		EC no.	
1 glycolic-acid log Pow	<	79-14-1	0.3	201-180-5	
Reference temperature			25	°C	
Method	OECD 117	7			
Source	ECHA				
Kinematic viscosity					
No data available					
Particle characteristics					
No data available					
Other information					
Other information No data available.					
no uala avaliable.					

SECTION 10: Stability and reactivity

10.1 Reactivity Stable at ambient temperature.

10.2 Chemical stability

EU safety data sheet

Trade name: KRONES colclean DI 8004

Current version : 1.0.3, issued: 03.01.2023

Stable under recommended storage and handling conditions (See section 7). The product is Hygroscopic.

- **10.3 Possibility of hazardous reactions** Reactions with metals, with evolution of hydrogen.
- **10.4 Conditions to avoid** strong heat
- **10.5** Incompatible materials Alkalies; Acids; Metals; Amines; Water; organic materials; Oxidizing agents; Reducing agents
- **10.6 Hazardous decomposition products**

None, if handled according to intended use.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity		
No Substance name	CAS no.	EC no.
1 sulphuric acid	7664-93-9	231-639-5
LD50		2140 mg/kg bodyweigh
Species	rat	
Method	OECD 401	
Source	ECHA	
2 glycolic-acid	79-14-1	201-180-5
LD50		2040 mg/kg bodyweigh
Species	rat	
Method	EPA OPP 81-1	
Source	ECHA	
Acute dermal toxicity		
No data available		
Acute inhalational toxicity (result of the ATE	calculation for the mixture)	
No Product Name		
1 KRONES colclean DI 8004		
Comments		culation method according to the
		1272/2008 (CLP), Paragraph 3.1.3.6, Pa
		values that imply a classification / labellin
		table 3.1.1 defining the respective on: > 20.000 ppmV (gases), > 20 mg/l
	(vapours), > 5 mg/l (dusts/m	
	(vapours), > 5 mg/i (dusts/m	13(3).
Acute inhalational toxicity		
No Substance name	CAS no.	EC no.
1 glycolic-acid	79-14-1	201-180-5
LC50		3.6 mg/l
Duration of exposure		4 h
State of aggregation	mist	
Species	rat	
Method	OECD 403	
Source	ECHA	
Skin corrosion/irritation		
No data available		
Serious eye damage/irritation		
No Substance name	CAS no.	EC no.
1 glycolic-acid	79-14-1	201-180-5
Species	rabbit	
Method	OECD 405	
Source	ECHA	
Evaluation	irritant	

Current version : 1.0.3, issued: 03.01.2023

Replaced version: 1.0.2, issued: 08.04.2022

Region: GB

No Substance name	CAS no.	EC no.
1 glycolic-acid	79-14-1	201-180-5
Route of exposure	Skin	
Species	guinea pig	
Method	OECD 406	
Source	ECHA	
Evaluation	non-sensitizing	
Germ cell mutagenicity No Substance name	CAS no.	EC no.
1 glycolic-acid	79-14-1	201-180-5
Source	ECHA	201-180-5
Evaluation/classification	Based on available data, the cla	ssification criteria are not met
		ssilication chiena are not met.
Reproduction toxicity		
No Substance name	CAS no.	EC no.
1 sulphuric acid	7664-93-9	231-639-5
Route of exposure	inhalational	
NOAEC		9.3 mg/m ³
Duration of exposure	18	8 day(s)
Species	rabbit	
Method	OECD 414	
Source	ECHA	
Evaluation/classification	Based on available data, the cla	
2 glycolic-acid	79-14-1	201-180-5
Source	ECHA	
Evaluation/classification	Based on available data, the cla	ssification criteria are not met.
Carcinogenicity		
No Substance name	CAS no.	EC no.
1 glycolic-acid	79-14-1	201-180-5
Source	ECHA	
Evaluation/classification	Based on available data, the cla	ssification criteria are not met.
No data available STOT - repeated exposure		
No data available STOT - repeated exposure No Substance name	CAS no.	EC no.
No data available STOT - repeated exposure No Substance name 1 sulphuric acid	7664-93-9	EC no. 231-639-5
No data available STOT - repeated exposure No Substance name 1 sulphuric acid Route of exposure	7664-93-9 inhalational	231-639-5
No data available STOT - repeated exposure No Substance name 1 sulphuric acid Route of exposure LOAEC	7664-93-9 inhalational 0.	231-639-5 3 mg/m ³
No data available STOT - repeated exposure No Substance name 1 sulphuric acid Route of exposure LOAEC Duration of exposure	7664-93-9 inhalational 0. 28	231-639-5 3 mg/m ³
No data available STOT - repeated exposure No Substance name 1 sulphuric acid Route of exposure LOAEC Duration of exposure Species	7664-93-9 inhalational 0. 24 rat	231-639-5 3 mg/m ³
No data available STOT - repeated exposure No Substance name 1 sulphuric acid Route of exposure LOAEC Duration of exposure Species Method	7664-93-9 inhalational 0. 28 rat OECD 412	231-639-5 3 mg/m ³
No data available STOT - repeated exposure No Substance name 1 sulphuric acid Route of exposure LOAEC Duration of exposure Species Method Source	7664-93-9 inhalational 0. 28 rat OECD 412 ECHA	231-639-5 3 mg/m ³ 3 day(s)
No data available STOT - repeated exposure No Substance name 1 sulphuric acid Route of exposure LOAEC Duration of exposure Species Method Source Evaluation/classification	7664-93-9 inhalational 0. 24 rat OECD 412 ECHA Based on available data, the cla	231-639-5 3 mg/m ³ 3 day(s) ssification criteria are not met.
No data available STOT - repeated exposure No Substance name 1 sulphuric acid Route of exposure COAEC Duration of exposure Species Method Source Evaluation/classification glycolic-acid	7664-93-9 inhalational 0. 28 rat OECD 412 ECHA Based on available data, the cla 79-14-1	231-639-5 3 mg/m ³ 3 day(s)
No data available STOT - repeated exposure No Substance name 1 sulphuric acid Route of exposure LOAEC Duration of exposure Species Method Source Evaluation/classification 2 glycolic-acid Route of exposure	7664-93-9 inhalational 0. 24 rat OECD 412 ECHA Based on available data, the cla	231-639-5 3 mg/m ³ 3 day(s) ssification criteria are not met.
No data available STOT - repeated exposure No Substance name 1 substance name 1 subphuric acid Route of exposure LOAEC Duration of exposure Species Method Source Evaluation/classification 2 glycolic-acid Route of exposure Species Species	7664-93-9 inhalational 0. 28 28 rat 0ECD 412 ECHA Based on available data, the cla 79-14-1 oral rat	231-639-5 3 mg/m ³ 3 day(s) ssification criteria are not met.
Route of exposure LOAEC Duration of exposure Species Method Source Evaluation/classification	7664-93-9 inhalational 0. 28 rat OECD 412 ECHA Based on available data, the cla 79-14-1 oral	231-639-5 3 mg/m ³ 3 day(s) ssification criteria are not met.
No data available STOT - repeated exposure No Substance name 1 substance name 1 subphuric acid Route of exposure LOAEC Duration of exposure Species Method Source Evaluation/classification 2 glycolic-acid Route of exposure Species Species	7664-93-9 inhalational 0. 28 28 rat 0ECD 412 ECHA Based on available data, the cla 79-14-1 oral rat	231-639-5 3 mg/m ³ 3 day(s) ssification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties No data available.

Other information No data available.

EU safety data sheet

Trade name: KRONES colclean DI 8004

Current version : 1.0.3, issued: 03.01.2023

Replaced version: 1.0.2, issued: 08.04.2022

Region: GB

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish (acute)			
No Substance name	CAS no.		EC no.
1 sulphuric acid	7664-93-9		231-639-5
LC50	16	- 28	mg/l
Duration of exposure		96	h
Species	Lepomis macrochirus		
Source glycolic-acid	ECHA 79-14-1		201-180-5
LC50	/9-14-1	164	201-160-5 mg/l
Duration of exposure		96	h
Species	Pimephales promelas	50	
Method	EPA OPP 72-2		
Source	ECHA		
Toxicity to fish (chronic)			
No Substance name	CAS no.		EC no.
1 sulphuric acid	7664-93-9		231-639-5
NOEC	1004 00 0	0.025	mg/l
Duration of exposure		65	day(s)
Species	Jordanella floridae		
Source	ECHA		
Toxicity to Daphnia (acute)			
No Substance name	CAS no.		EC no.
1 sulphuric acid	7664-93-9		231-639-5
EC50	>	100	mg/l
Duration of exposure		48	h
Species	Daphnia magna		
Method	OECD 202		
Source	ECHA 70.44.4		204 400 E
2 glycolic-acid EC50	79-14-1	141	201-180-5
Duration of exposure		48	mg/l h
Species	Daphnia magna	-10	
Method	OECD 202		
Source	ECHA		
Toxicity to Daphnia (chronic)			
No Substance name	CAS no.		EC no.
1 sulphuric acid	7664-93-9		231-639-5
NOEC		0.15	mg/l
Duration of exposure		35	day(s)
Species	T. dissimilis		
Source	ECHA		
Toxicity to algae (acute)			
No Substance name	CAS no.		EC no.
1 sulphuric acid	7664-93-9		231-639-5
EC50	>	100	mg/l
Duration of exposure		72	h
Species	Desmodesmus subspicatus	S	
Method	OECD 201		
Source	ECHA 79.14.1		201 100 5
2 glycolic-acid ErC50	79-14-1	44	201-180-5
Duration of exposure		44 72	mg/l h
Species	Pseudokirchneriella subca		
Method	OECD 201		
WGUIUU			

Current version : 1.0.3, issued: 03.01.2023

Replaced version: 1.0.2, issued: 08.04.2022

Region: GB

Sou	rce	ECHA			
Tox	icity to algae (chronic)				
No c	lata available				
Bac	teria toxicity				
No	Substance name	CA	S no.	EC no.	
1	glycolic-acid	79-	·14-1	201-180-5	
EC5	0	>	100	mg/l	
Dura	ation of exposure		3	h	
Spe	cies	activated sludge			
Meth	nod	OECD 209			
Sou	rce	ECHA			

12.2 Persistence and degradability

Biodegradability			
No	Substance name	CAS no.	EC no.
1	glycolic-acid	79-14-1	201-180-5
Туре)	aerobic biodegradation	
Valu	e	78	%
Dura	ation	28	day(s)
Meth	nod	OECD 301 B	
Sou	rce	ECHA	
Eval	uation	readily biodegradable	

12.3 Bioaccumulative potential

Part	Partition coefficient n-octanol/water (log value)					
No	Substance name		CAS no.		EC no.	
1	glycolic-acid		79-14-1		201-180-5	
log F	Pow	<		0.3		
Refe	erence temperature			25	°C	
Meth	nod	OECD 117				
Sou	rce	ECHA				

12.4 Mobility in soil

Mob	Mobility in soil				
No	Substance name	CAS no.		EC no.	
1	glycolic-acid	79-14-1		201-180-5	
log k	Кос	<	1.4		
Refe	erence temperature		25	°C	
Meth	nod	OECD 121			
Sou	rce	ECHA			

12.5 Results of PBT and vPvB assessment

Results of PBT and vPvB assessment	
PBT assessment	The components of this product are not considered to be a PBT.
vPvB assessment	The components of this product are not considered to be a vPvB.

12.6 Endocrine disrupting properties No data available.

12.7 Other adverse effects

No data available.

12.8 Other information

Other information

Do not discharge product unmonitored into the environment.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Current version : 1.0.3, issued: 03.01.2023

Replaced version: 1.0.2, issued: 08.04.2022

Region: GB

Disposal of the product should be carried out in accordance with all applicable regulations following consultation with the responsible local authority and the disposal company in an authorised and suitable disposal facility. Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

Packaging

Residues must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.

SECTION	14. Trans	sport information
	IT. Halls	

14.1 Transport ADR/RID/ADN

	Class Classification code Packing group Hazard identification no. UN number Proper shipping name Technical name Tunnel restriction code	8 C1 II 80 UN3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. sulphuric acid glycolic-acid E	
	Label	8	
14.2	Transport IMDG Class Packing group UN number Proper shipping name Technical name	8 II UN3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. sulphuric acid glycolic-acid	
	EmS Label	F-A, S-B 8	
14.3	Transport ICAO-TI / IATA Class Packing group UN number Proper shipping name Technical name	8 II UN3264 Corrosive liquid, acidic, inorganic, n.o.s. sulphuric acid glycolic-acid	
	Label	8	
14.4	Other information No data available.		
14.5	Environmental hazards Information on environmental hazards, if relevant, please see 14.1 - 14.3.		
14.6	Special precautions for user No data available.		
14.7	Maritime transport in bulk according to IMO instruments		

Not relevant

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture <u>EU regulations</u>

Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

Current version : 1.0.3, issued: 03.01.2023

Replaced version: 1.0.2, issued: 08.04.2022

REACH candidate list of substances of very high concern (SVHC) for authorisation

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

 Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES

 The product is considered being subject to REACH regulation (EC) 1907/2006 annex XVII.

 No 3

 The product contains following substance(s) that are considered being subject to REACH regulation (EC) 1907/2006 annex XVII.

 No 3

 The product contains following substance(s) that are considered being subject to REACH regulation (EC) 1907/2006 annex XVII.

No	Substance name	CAS no.	EC no.	No
1	sulphuric acid	7664-93-9	231-639-5	75

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances This product is not subject to Part 1 or 2 of Annex I.

Other regulations

Adhere to the national sanitary and occupational safety regulations when using this product.

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for this mixture.

SECTION 16: Other information

Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section.

Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.

Notes relating to the identification, classification and labelling of substances and mixtures ((EC) No 1272/2008, Annex VI) B Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at

Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations. In Part 3 entries with Note B have a general designation of the following type: 'nitric acid ... %'. In this case the supplier must state the percentage concentration of the solution on the label. Unless otherwise stated, it is assumed that the percentage concentration is calculated on a weight/weight basis.

Creation of the safety data sheet

UMCO GmbH - D-21107 Hamburg, Georg-Wilhelm-Strasse 187, Tel.: +49(40)555 546 300, Fax: +49(40)555 546 357, e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH. Prod-ID 760616