Trade name: KRONES colclean FC 2001

Current version: 1.0.3, issued: 08.06.2021 Reglaced version: 1.0.2, issued: 04.02.2021 Region: GB

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

KRONES colclean FC 2001

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

Cleaning agent

Uses advised against

No data available.

1.3 Details of the supplier of the safety data sheet

Address

KIC KRONES Internationale Cooperationsgesellschaft mbH

Böhmerwaldstraße 5 93073 Neutraubling

Telephone no. +49 9401 70-3020 Fax no. +49 9401 70-3696 e-mail kic@kic-krones.com

Advice on Safety Data Sheet

sdb info@umco.de

1.4 Emergency telephone number

For medical advice (in German and English):

+49 (0)551 192 40 (Giftinformationszentrum Nord)

In case of transport incidents and other emergencies:

+44 (0) 1235 239 670 (NCEC, National Chemical Emergency Centre)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 (CLP)

Aquatic Acute 1; H400 Aquatic Chronic 2; H411 Eye Dam. 1; H318 Met. Corr. 1; H290 Skin Corr. 1A: H314

Classification information

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)

Hazard pictograms





Signal word

Danger

Trade name: KRONES colclean FC 2001

Current version: 1.0.3, issued: 08.06.2021 Reglaced version: 1.0.2, issued: 04.02.2021 Region: GB

Hazardous component(s) to be indicated on label:

sodium hydroxide

Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides

sodium hypochlorite, solution

Hazard statement(s)

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statement(s)

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P264 Wash thoroughly after handling. P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

2.3 Other hazards

PBT assessment

The product is not considered to be a PBT.

vPvB assessment

The product is not considered to be a vPvB.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable. The product is not a substance.

3.2 Mixtures

Hazardous ingredients

No	Substance name		Additio	nal information	
	CAS / EC / Index /	Classification (EC) 1272/2008 (CLP)	Concer	ntration	%
	REACH no				
1	sodium hydroxide				
	1310-73-2	Skin Corr. 1A; H314	>=	5.00 - < 10.00	wt%
	215-185-5	Met. Corr. 1; H290			
	011-002-00-6	Eye Dam. 1; H318			
	01-2119457892-27				
2	Amines, C12-14 (ev	ven numbered)-alkyldimethyl, N-oxides			
	-	Acute Tox. 4; H302	<	5.00	wt%
	931-292-6	Aquatic Acute 1; H400			
	-	Aquatic Chronic 2; H411			
	01-2119490061-47	Eye Dam. 1; H318			
		Skin Irrit. 2; H315			
3	sodium hypochlori	te, solution			
	7681-52-9	Met. Corr. 1; H290	<	5.00	wt%
	231-668-3	Skin Corr. 1B; H314			
	017-011-00-1	Eye Dam. 1; H318			
	01-2119488154-34	STOT SE 3; H335			
		Aquatic Acute 1; H400			
		Aquatic Chronic 1; H410			
		EUH031			

Full Text for all H-phrases and EUH-phrases: pls. see section 16

No	Note	Specific concentration limits	M-factor (acute)	M-factor (chronic)
1	-	Skin Irrit. 2; H315: C >= 0.5%	-	-
		Eye Irrit. 2; H319: C >= 0.5%		

Trade name: KRONES colclean FC 2001

Current version: 1.0.3, issued: 08.06.2021 Replaced version: 1.0.2, issued: 04.02.2021 Region: GB

Ī			Skin Corr. 1B; H314: C >= 2% Skin Corr. 1A; H314: C >= 5%		
	З	-	-	M = 10	M = 1

Acu	Acute toxicity estimate (ATE) values					
No	oral	dermal	inhalative			
2	1064 mg/kg bodyweight					

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Remove contaminated clothing and shoes immediately, and launder thoroughly before reusing.

After inhalation

Remove affected persons from dangerous area by observing suitable respiratory protection measures. Ensure supply of fresh air. Do not use mouth-to-mouth or mouth-to-nose resuscitation. In case of persisting adverse effects consult a physician.

After skin contact

Wash immediately with plenty of water for several minutes. Seek medical attention.

After eye contact

Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the unaffected eye (at least 10 to 15 minutes). Get immediate ophthalmic treatment.

After ingestion

Rinse out mouth and give plenty of water to drink. Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms

burns

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Foam; Extinguishing powder; Water spray jet; Carbon dioxide

Unsuitable extinguishing media

High power water jet

5.2 Special hazards arising from the substance or mixture

In the event of fire, the following can be released: Carbon monoxide and carbon dioxide; chlorine compounds; Pyrolysis products

5.3 Advice for firefighters

Use self-contained breathing apparatus. Wear protective clothing. Do not inhale explosion and/or combustion byproducts. Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Refer to protective measures listed in sections 7 and 8. Use personal protective clothing. Ensure adequate ventilation. Remove persons to safety.

For emergency responders

Personal protective equipment (PPE) - see section 8.

Trade name: KRONES colclean FC 2001

Current version: 1.0.3, issued: 08.06.2021 Reglaced version: 1.0.2, issued: 04.02.2021 Region: GB

6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil. Prevent spread over a wide area (e.g. by containment or oil barriers).

6.3 Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regulations (see section 13).

6.4 Reference to other sections

Information regarding safe handling, see section 7. Information regarding personal protective measures, see section 8. Information regarding waste disposal, see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Risks inherent to handling the product must be minimised by applying the appropriate protective and preventive measures. Working processes should - so far as possible, according to the state of the art - be designed to rule out bodily contact or the release of hazardous substances. Provide good ventilation at the work area (local exhaust ventilation, if necessary).

General protective and hygiene measures

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Do not inhale vapours. Avoid contact with eyes and skin. Wash hands before breaks and after work. Remove contaminated clothing and shoes and launder thoroughly before reusing. Have emergency shower available. Provide eye wash fountain in work area.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions

Keep container tightly closed and dry in a cool, well-ventilated place. Keep from freezing. Protect from sun.

Requirements for storage rooms and vessels

Containers which are opened must be carefully closed and kept upright to prevent leakage. Always keep in containers of same material as the original. Provide alkali-resistant floor.

Incompatible products

Substances to be avoided, see section 10. Do not store together with: Acids; Metals; oxidizing agents

7.3 Specific end use(s)

No data available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values

No	Substance name	CAS no.		EC no.		
1	sodium hydroxide	1310-73-2		215-185-5		
	List of approved workplace exposure limits (WELs) / EH40					
	Sodium hydroxide					
	WEL short-term (15 min reference period)	2	mg/m³			

DNEL, DMEL and PNEC values

DNEL values (worker)

No	Substance name			CAS / EC no	
	Route of exposure	Exposure time	Effect	Value	
1	sodium hydroxide			1310-73-2	
				215-185-5	
	inhalative	Long term (chronic)	local	1	mg/m³
2	Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides			-	
				931-292-6	
	dermal	Long term (chronic)	systemic	11	mg/kg/day

Current version: 1.0.3, issued: 08.06.2021 Replaced version: 1.0.2, issued: 04.02.2021 Region: GB

	inhalative	Long term (chronic)	systemic	6.2	mg/m³
3	3 sodium hypochlorite, solution			7681-52-9	
				231-668-3	
	inhalative	Long term (chronic)	systemic	1.55	mg/m³
	inhalative	Short term (acut)	systemic	3.1	mg/m³
	inhalative	Long term (chronic)	local	1.55	mg/m³
	inhalative	Short term (acut)	local	3.1	mg/m³

DNEL value (consumer)

	DIVLE Value (Collouinel)				
No	Substance name			CAS / EC	no
	Route of exposure	Exposure time	Effect	Value	
1	sodium hydroxide			1310-73-	2
	-			215-185-	5
	inhalative	Long term (chronic)	local	1	mg/m³
2	Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides		N-oxides	-	
				931-292-	6
	oral	Long term (chronic)	systemic	0.44	mg/kg/day
	dermal	Long term (chronic)	systemic	5.5	mg/kg/day
	inhalative	Long term (chronic)	systemic	1.53	mg/m³
3	sodium hypochlorite, s	olution		7681-52-	9
	-			231-668-	3
	oral	Long term (chronic)	systemic	0.26	mg/kg/day
	inhalative	Long term (chronic)	systemic	1.55	mg/m³
	inhalative	Short term (acut)	systemic	3.1	mg/m³
	inhalative	Long term (chronic)	local	1.55	mg/m³
	inhalative	Short term (acut)	local	3.1	mg/m³

PNEC values

No	Substance name		CAS / EC no	
	ecological compartment	Туре	Value	
1	Amines, C12-14 (even numbered)-alky	Idimethyl, N-oxides	-	
			931-292-6	
	water	fresh water	0.034	mg/L
	water	marine water	0.003	mg/L
	water	Aqua intermittent	0.034	mg/L
	water	fresh water sediment	5.24	mg/kg dry weight
	water	marine water sediment	0.524	mg/kg dry weight
	soil	-	1.02	mg/kg dry weight
	sewage treatment plant	-	24	mg/L
	secondary poisoning	-	11.1	mg/kg food
2	sodium hypochlorite, solution		7681-52-9	
			231-668-3	
	water	fresh water	0.21	μg/L
	water	marine water	0.042	μg/L
	sewage treatment plant	-	4.69	mg/L
	secondary poisoning	-	11.1	mg/kg food

8.2 Exposure controls

Appropriate engineering controls

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and solvent vapour below the OEL (=Occupational Exposure Limit), suitable respiratory protection must be worn.

Personal protective equipment

Respiratory protection

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of aerosol and mist formation, take appropriate measures for breathing protection in the event workplace threshold values are not specified.

Trade name: KRONES colclean FC 2001

Current version: 1.0.3, issued: 08.06.2021 Reglaced version: 1.0.2, issued: 04.02.2021 Region: GB

Respirator B-P2

Eye / face protection

Safety glasses with side protection shield (EN 166); Tightly fitting safety glasses (EN 166).

Hand protection

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific workstation suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

Appropriate Material	butyl rubber		
Material thickness	>=	0.5	mm
Breakthrough time	>	480	min
Appropriate Material	nitrile rubber		
Material thickness	>=	0.35	mm
Breakthrough time	>	480	min
Appropriate Material	viton		
Material thickness	>=	0.4	mm
Breakthrough time	>	480	min
Appropriate Material	chloroprene		
Material thickness	>=	0.5	mm
Breakthrough time	>	480	min

Other

not oxidizing

Chemical-resistant work clothes.

Environmental exposure controls

No data available.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

1 Information on basic physical and o	chemical prope	rties		
State of aggregation				
liquid				
Form/Colour				
liquid				
yellowish				
Odour				
characteristic				
pH value				
Value		12		
Boiling point / boiling range				
Value	>	100	°C	
Melting point/freezing point				
Value	<	0	°C	
Decomposition temperature				
No data available				
Flash point				
No data available				
Ignition temperature				
No data available				
Auto-ignition temperature				
Comments	Product is not	selfigniting.		
Oxidising properties				

Current version: 1.0.3, issued: 08.06.2021 Reglaced version: 1.0.2, issued: 04.02.2021 Region: GB

Flammability

No data available

Lower explosion limit

No data available

Upper explosion limit

No data available

Vapour pressure

No data available

Relative vapour density

No data available

Relative density

Value 1.19

Density

No data available

Solubility

No data available

Part	Partition coefficient n-octanol/water (log value)							
No	Substance name		CAS no.		EC no.			
1	1 Amines, C12-14 (even numbered)-alkyldimethyl, N- oxides		•		931-292-6			
log F	Pow	<		2.7				
Meth	nod	calculated						
Source		ECHA						

Viscosity

No data available

Particle characteristics

No data available

9.2 Other information

Other information

No data available.

SECTION 10: Stability and reactivity

10.1 Reactivity

Stable at ambient temperature.

10.2 Chemical stability

Stable under recommended storage and handling conditions (See section 7).

10.3 Possibility of hazardous reactions

Reactions with metals, with evolution of hydrogen.

10.4 Conditions to avoid

Heat, naked flames and other ignition sources.

10.5 Incompatible materials

Oxidizing agents; Reducing agents; Acids; Metals

10.6 Hazardous decomposition products

None, if handled according to intended use.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Current version: 1.0.3, issued: 08.06.2021 Replaced version: 1.0.2, issued: 04.02.2021 Region: GB

Acu	Acute oral toxicity (result of the ATE calculation for the mixture)				
No	Product Name	Product Name			
1	KRONES colclean FC 2001				
Com	nments	The result of the applied calculation method according to the European Regulation (EC) 1272/2008 (CLP), Paragraph 3.1.3.6, Part 3 of Annex I is outside the values that imply a classification / labelling of this mixture according to table 3.1.1 defining the respective categories (ATE oral > 2000 mg/kg).			

Acu	Acute oral toxicity					
No	Substance name		CAS no.		EC no.	
1	Amines, C12-14 (even numbered)-alkylo	limethyl, N-	-		931-292-6	
	oxides					
LD5	0			1064	mg/kg bodyweight	
Spe	cies	rat				
Meth	nod	OECD 401				
Soul	rce	ECHA				

Acute dermal toxicity	
No data available	

Acute inhalational toxicity No data available

Skir	Skin corrosion/irritation					
No	Substance name		CAS no.	EC no.		
1	Amines, C12-14 (even numbered)-alkyld	imethyl, N-	-	931-292-6		
	oxides					
Spe	cies	rabbit				
Meth	nod	OECD 404				
Soul	Source					
Eval	uation	irritant				

Seri	Serious eye damage/irritation				
No	Substance name		CAS no.	EC no.	
1	Amines, C12-14 (even numbered)-alkyld	imethyl, N-	-	931-292-6	
	oxides				
Spe	cies	rabbit			
Meth	hod	OECD 405			
Soul	rce	ECHA			
Eval	Evaluation				

Res	piratory or skin sensitisation			
No	Substance name	CAS no.	EC no.	
1	sodium hydroxide	1310-73-2	215-185-5	
Rou	te of exposure	Skin		
Spe	cies	Human		
Sou	rce	ECHA		
Eval	uation	non-sensitizing		
Eval	uation/classification	Based on available data, the classification criteria are not met.		
2	Amines, C12-14 (even numbered)-alkyld	imethyl, N	931-292-6	
	oxides			
Rou	te of exposure	Skin		
Spe	cies	guinea pig		
Metl	nod	OECD 406		
Sou	rce	ECHA		
Eval	uation	non-sensitizing		

Ger	Germ cell mutagenicity					
No	No Substance name CAS no. EC no.					
1	Amines, C12-14 (even numbered)-alkyldimethyl, N-		-	931-292-6		
	oxides					
Metl	Method OECD 471					

Trade name: KRONES colclean FC 2001

Current version: 1.0.3, issued: 08.06.2021 Replaced version: 1.0.2, issued: 04.02.2021 Region: GB

Source	ECHA
Evaluation/classification	Based on available data, the classification criteria are not met.

Rep	Reproduction toxicity					
No	Substance name	CAS no.	EC no.			
1	Amines, C12-14 (even numbered)-alkyld	imethyl, N	931-292-6			
	oxides					
Spe	cies	rat				
Meth	nod	OECD 422				
Soul	rce	ECHA				
Eval	uation/classification	Based on available data, the class	ssification criteria are not met.			

Card	Carcinogenicity					
No	Substance name	CAS no.	EC no.			
1	Amines, C12-14 (even numbered)-alkyld	imethyl, N	931-292-6			
	oxides					
Spe	cies	rat				
Meth	nod	OECD 451				
Soul	rce	ECHA				
Eval	uation/classification	Based on available data, the	classification criteria are not met.			

STOT - single exposure No data available

STO	STOT - repeated exposure				
No	Substance name		CAS no.	EC no.	
1	Amines, C12-14 (even numbered)-alkyld	imethyl, N-	-	931-292-6	
	oxides				
Rout	Route of exposure or				
Spec	cies	rat			
Meth	Method				
Soul	rce	ECHA			
Eval	uation/classification	Based on ava	ilable data, the classification	n criteria are not met.	

Aspiration hazard	
No data available	

11.2 Information on other hazards

Endocrine disrupting properties

No data available.

Other information

No data available.

SECTION 12: Ecological information

12.1 Toxicity

Toxi	Toxicity to fish (acute)					
No	Substance name	CAS	no.		EC no.	
1	Amines, C12-14 (even numbered)-alkyld	limethyl, N		931-292-6		
	oxides					
LC50		2.67	-	3.46	mg/l	
Duration of exposure				96	h	
Species		Pimephales prome	las			
Method		APHA Standard Me	ethod (197	71)		
Soul	rce	ECHA				

Toxicity to fish (chronic)	
No data available	

Tox	Toxicity to Daphnia (acute)				
No	Substance name	CAS no.	EC no.		
1	sodium hydroxide	1310-73-2	215-185-5		

 Current version : 1.0.3, issued: 08.06.2021
 Replaced version: 1.0.2, issued: 04.02.2021
 Region: GB

EC5	0		40.4	mg/l	
Dura	ation of exposure		48	h	
Spec	cies	Ceriodaphnia spec			
Sour	rce	ECHA			
2	Amines, C12-14 (even numbered)-alkyld	limethyl, N		931-292-6	
	oxides				
EC5	0		10.5	mg/l	
Duration of exposure			48	h	
Species		Daphnia magna			
Method		OECD 202			
Source		ECHA			

Toxicity to Daphnia (chronic) No data available

Toxi	Toxicity to algae (acute)					
No	Substance name	CAS no.	EC no.			
1	Amines, C12-14 (even numbered)-alkyldimethyl, N		931-292-6			
	oxides					
ErC50		0.86	mg/l			
Duration of exposure		72	h			
Species		Pseudokirchneriella subcapitata				
Method		OECD 201				
Soul	rce	ECHA				

Toxicity to algae (chronic) No data available

Bacteria toxicity	
No data available	

12.2 Persistence and degradability

Biod	Biodegradability					
No	Substance name	CAS no.		EC no.		
1	Amines, C12-14 (even numbered)-alkyld	limethyl, N	nethyl, N		931-292-6	
	oxides					
Valu	е		90	%		
Duration			28	day(s)		
Method		OECD 301 B				
Source		ECHA				
Evaluation		readily biodegradable				

Abid	Abiotic Degration					
No	No Substance name		CAS no.	EC no.		
1	1 Amines, C12-14 (even numbered)-alkyldimethyl, N-		-	931-292-6		
	oxides					
Туре	Туре					
Meth	Method					
Source		ECHA				
Eval	Evaluation/classification					

12.3 Bioaccumulative potential

Part	Partition coefficient n-octanol/water (log value)					
No	Substance name		CAS no.		EC no.	
1	Amines, C12-14 (even numbered)-alkyld	imethyl, N-			931-292-6	
	oxides					
log Pow		<		2.7		
Method		calculated				
Source		ECHA				

12.4 Mobility in soil

No data available.

Trade name: KRONES colclean FC 2001

Current version: 1.0.3, issued: 08.06.2021 Reglaced version: 1.0.2, issued: 04.02.2021 Region: GB

12.5 Results of PBT and vPvB assessment

Results of PBT and vPvB assessment			
PBT assessment	The product is not considered to be a PBT.		
vPvB assessment	The product is not considered to be a vPvB.		

12.6 Endocrine disrupting properties

No data available.

12.7 Other adverse effects

No data available.

12.8 Other information

Other information

Do not discharge product unmonitored into the environment.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Disposal of the product should be carried out in accordance with all applicable regulations following consultation with the responsible local authority and the disposal company in an authorised and suitable disposal facility.

Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement

with the regional waste disposal company.

Packaging

Residues must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.

SECTION 14: Transport information

14.1 Transport ADR/RID/ADN

Class 8
Classification code C5
Packing group II
Hazard identification no. 80
UN number UN3266

Proper shipping name CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S.

Technical name sodium hydroxide

sodium hypochlorite, solution

Tunnel restriction code E Label 8

Environmentally hazardous Symbol "fish and tree"

substance mark

14.2 Transport IMDG

Class 8
Packing group II
UN number UN3266

Proper shipping name CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S.

Technical name sodium hydroxide

sodium hypochlorite, solution

EmS F-A, S-B Label 8

Marine pollutant mark Symbol "fish and tree"

14.3 Transport ICAO-TI / IATA

Class 8
Packing group II
UN number UN3266

Proper shipping name Corrosive liquid, basic, inorganic, n.o.s.

Technical name sodium hydroxide

Trade name: KRONES colclean FC 2001

Current version: 1.0.3, issued: 08.06.2021 Reglaced version: 1.0.2, issued: 04.02.2021 Region: GB

sodium hypochlorite, solution

Label

14.4 Other information

No data available.

14.5 Environmental hazards

Information on environmental hazards, if relevant, please see 14.1 - 14.3.

14.6 Special precautions for user

No data available.

14.7 Maritime transport in bulk according to IMO instruments

Not relevant

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulations

Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

REACH candidate list of substances of very high concern (SVHC) for authorisation

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES

The product is considered being subject to REACH regulation (EC) 1907/2006 annex No 3 XVII.

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances

This product is subject to Part I of Annex I, risk category:

Other regulations

Adhere to the national sanitary and occupational safety regulations when using this product.

15.2 Chemical safety assessment

No data available.

SECTION 16: Other information

Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section.

Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

EUH031 Contact with acids liberates toxic gas.

H302 Harmful if swallowed.
H315 Causes skin irritation.
H318 Causes serious eye damage.
H335 May cause respiratory irritation.
H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

Trade name: KRONES colclean FC 2001

Current version: 1.0.3, issued: 08.06.2021 Reglaced version: 1.0.2, issued: 04.02.2021 Region: GB

Creation of the safety data sheet

UMCO GmbH - D-21107 Hamburg, Georg-Wilhelm-Strasse 187, Tel.: +49(40)555 546 300, Fax: +49(40)555 546 357, e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Alterations/supplements:

Alterations to the previous edition are marked in the left-hand margin.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH.

Prod-ID 760622