Trade name: KRONES colclean IC 2002

Current version: 1.0.2, issued: 08.04.2022 Replaced version: 1.0.1, issued: 08.06.2021 Region: GB

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name

#### **KRONES** colclean IC 2002

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

## Relevant identified uses of the substance or mixture

cleaning compound

#### Uses advised against

No data available.

## 1.3 Details of the supplier of the safety data sheet

#### Address

KIC KRONES Internationale Cooperationsgesellschaft mbH

Böhmerwaldstraße 5 93073 Neutraubling

Telephone no. +49 9401 70-3020 e-mail kic@kic-krones.com

### **Advice on Safety Data Sheet**

sdb\_info@umco.de

#### 1.4 Emergency telephone number

For medical advice (in German and English):

+49 (0)551 192 40 (Giftinformationszentrum Nord)

In case of transport incidents and other emergencies:

+44 (0) 1235 239 670 (NCEC, National Chemical Emergency Centre)

## **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

### Classification in accordance with Regulation (EC) No 1272/2008 (CLP)

Aquatic Acute 1; H400 Aquatic Chronic 2; H411 Eye Dam. 1; H318 Met. Corr. 1; H290 Skin Corr. 1A; H314

#### **Classification information**

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

### 2.2 Label elements

## Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)

#### **Hazard pictograms**





GHS05

.

Signal word Danger

## Hazardous component(s) to be indicated on label:

sodium hydroxide

Trade name: KRONES colclean IC 2002

Current version: 1.0.2, issued: 08.04.2022 Replaced version: 1.0.1, issued: 08.06.2021 Region: GB

## sodium hypochlorite, solution

Hazard statement(s)

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.
H410 Very toxic to aquatic life with long lasting effects.

Hazard statements (EU)

EUH031 Contact with acids liberates toxic gas.

Precautionary statement(s)

P260 Do not breathe mist/vapours/spray.
P264 Wash thoroughly after handling.
P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water

[or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

## 2.3 Other hazards

No data available.

## **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Not applicable. The product is not a substance.

#### 3.2 Mixtures

## **Hazardous ingredients**

No	Substance name		Additi	onal information		
	CAS / EC / Index /	Classification (EC) 1272/2008 (CLP)	Conce	entration		%
	REACH no					
1	sodium hydroxide					
	1310-73-2	Skin Corr. 1A; H314	>=	10.00 - <	25.00	wt%
	215-185-5	Met. Corr. 1; H290				
	011-002-00-6	Eye Dam. 1; H318				
	01-2119457892-27	-				
2	sodium hypochlori	te, solution				
	7681-52-9	Met. Corr. 1; H290	<	5.00		wt%
	231-668-3	Skin Corr. 1B; H314				
	017-011-00-1	Eye Dam. 1; H318				
	01-2119488154-34	STOT SE 3; H335				
		Aquatic Acute 1; H400				
		Aquatic Chronic 1; H410				
		EUH031				

Full Text for all H-phrases and EUH-phrases: pls. see section 16

No	Note	Specific concentration limits	M-factor (acute)	M-factor (chronic)
1	-	Skin Irrit. 2; H315: C >= 0.5% Eye Irrit. 2; H319: C >= 0.5% Skin Corr. 1B; H314: C >= 2% Skin Corr. 1A; H314: C >= 5%	-	-
2	-	-	M = 10	M = 1

## **SECTION 4: First aid measures**

## 4.1 Description of first aid measures

#### **General information**

Remove contaminated clothing and shoes immediately, and launder thoroughly before reusing. Seek medical advice immediately.

Trade name: KRONES colclean IC 2002

Current version: 1.0.2, issued: 08.04.2022 Replaced version: 1.0.1, issued: 08.06.2021 Region: GB

#### After inhalation

Remove affected persons from dangerous area by observing suitable respiratory protection measures. Ensure supply of fresh air. Do not use mouth-to-mouth or mouth-to-nose resuscitation. Call a doctor immediately.

#### After skin contact

Wash immediately with plenty of water for several minutes. Call a doctor immediately.

#### After eye contact

Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the unaffected eye (at least 10 to 15 minutes). Get immediate ophthalmic treatment.

#### After ingestion

Rinse out mouth and give plenty of water to drink. Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a doctor immediately.

### 4.2 Most important symptoms and effects, both acute and delayed

#### **Symptoms**

burns

## 4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## **SECTION 5: Firefighting measures**

## 5.1 Extinguishing media

#### Suitable extinguishing media

Foam; Extinguishing powder; Water spray jet; Carbon dioxide

#### Unsuitable extinguishing media

High power water jet

## 5.2 Special hazards arising from the substance or mixture

In the event of fire, the following can be released: Toxic gases/vapours; Carbon monoxide and carbon dioxide; Hydrogen chloride (HCI)

### 5.3 Advice for firefighters

Use self-contained breathing apparatus. Wear protective clothing. Do not inhale explosion and/or combustion byproducts. Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations. Do not allow run-off from fire fighting to enter drains or water courses.

## **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

## For non-emergency personnel

Refer to protective measures listed in sections 7 and 8. Use personal protective clothing. Ensure adequate ventilation. Remove persons to safety. Avoid contact with skin, eyes and clothing.

#### For emergency responders

Personal protective equipment (PPE) - see section 8.

## 6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil. Prevent spread over a wide area (e.g. by containment or oil barriers).

## 6.3 Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regulations (see section 13).

## 6.4 Reference to other sections

Information regarding safe handling, see section 7. Information regarding personal protective measures, see section 8. Information regarding waste disposal, see section 13.

## **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

Trade name: KRONES colclean IC 2002

Current version: 1.0.2, issued: 08.04.2022 Replaced version: 1.0.1, issued: 08.06.2021 Region: GB

#### Advice on safe handling

Risks inherent to handling the product must be minimised by applying the appropriate protective and preventive measures. Working processes should - so far as possible, according to the state of the art - be designed to rule out bodily contact or the release of hazardous substances. Provide good ventilation at the work area (local exhaust ventilation, if necessary).

## General protective and hygiene measures

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Do not inhale vapours. Avoid contact with eyes and skin. Wash hands before breaks and after work. Remove contaminated clothing and shoes and launder thoroughly before reusing. Clean skin thoroughly after work; apply skin cream. Have emergency shower available. Provide eye wash fountain in work area. Use barrier skin cream.

## 7.2 Conditions for safe storage, including any incompatibilities

#### Technical measures and storage conditions

Keep container tightly closed and dry in a cool, well-ventilated place. Keep from freezing. Protect from sun.

### Requirements for storage rooms and vessels

Containers which are opened must be carefully closed and kept upright to prevent leakage. Always keep in containers of same material as the original. Provide alkali-resistant floor.

#### Incompatible products

Substances to be avoided, see section 10. Do not store together with: Acids; Metals

#### 7.3 Specific end use(s)

No data available.

## **SECTION 8: Exposure controls/personal protection**

## 8.1 Control parameters

#### Occupational exposure limit values

No	Substance name	CAS no.		EC no.
1	sodium hydroxide	1310-73-2		215-185-5
	List of approved workplace exposure limits (WELs) / E	H40		
	Sodium hydroxide			
	WEL short-term (15 min reference period)	2	mg/m³	

## **DNEL, DMEL and PNEC values**

DNEL values (worker)

No	Substance name	Substance name			
	Route of exposure	Exposure time	Effect	Value	
1	sodium hydroxide			1310-73-2	
				215-185-5	
	inhalative	Long term (chronic)	local	1	mg/m³
2	sodium hypochlorite, solution			7681-52-9	
				231-668-3	
	inhalative	Long term (chronic)	systemic	1.55	mg/m³
	inhalative	Short term (acut)	systemic	3.1	mg/m³
	inhalative	Long term (chronic)	local	1.55	mg/m³
	inhalative	Short term (acut)	local	3.1	mg/m³

**DNEL** value (consumer)

No	Substance name			CAS / EC no	
	Route of exposure	Exposure time	Effect	Value	
1	sodium hydroxide			1310-73-2	
	-			215-185-5	
	inhalative	Long term (chronic)	local	1	mg/m³
2	sodium hypochlorite, solution			7681-52-9	
				231-668-3	
	oral	Long term (chronic)	systemic	0.26	mg/kg/day
	inhalative	Long term (chronic)	systemic	1.55	mg/m³
	inhalative	Short term (acut)	systemic	3.1	mg/m³

Trade name: KRONES colclean IC 2002

Current version: 1.0.2, issued: 08.04.2022 Replaced version: 1.0.1, issued: 08.06.2021 Region: GB

inhalative	Long term (chronic)	local	1.55 n	ng/m³
inhalative	Short term (acut)	local	3.1 n	ng/m³

#### **PNEC** values

No	Substance name		CAS / EC no	
	ecological compartment	ompartment Type Value		
1	sodium hypochlorite, solution		7681-52-9	
			231-668-3	
	water	fresh water	0.21	μg/L
	water	marine water	0.042	μg/L
	sewage treatment plant	-	4.69	mg/L
	secondary poisoning	-	11.1	mg/kg food

#### 8.2 Exposure controls

#### Appropriate engineering controls

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and solvent vapour below the OEL (=Occupational Exposure Limit), suitable respiratory protection must be worn.

## Personal protective equipment

#### Respiratory protection

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of aerosol and mist formation, take appropriate measures for breathing protection in the event workplace threshold values are not specified. combination filter; Multi-purpose filter ABEK Respirator

B-P3

#### Eye / face protection

Safety glasses with side protection shield (EN 166); Tightly fitting safety glasses (EN 166).

#### Hand protection

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific workstation suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

Appropriate Material	viton		
Material thickness	>=	0.35	mm
Breakthrough time	>	480	min
Appropriate Material	butyl rubber		
Material thickness	>=	0.5	mm
Breakthrough time	>	480	min
Appropriate Material	chloroprene		
Material thickness	>=	0.5	mm
Breakthrough time	>	480	min
Appropriate Material	nitrile rubber		
Material thickness	>=	0.35	mm
Breakthrough time	>	480	min

## Other

Chemical-resistant work clothes.

#### **Environmental exposure controls**

No data available.

## **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

State of aggregation	
liquid	

Form/Colour	
liquid	
yellowish	

Trade name: KRONES colclean IC 2002

Current version: 1.0.2, issued: 08.04.2022 Replaced version: 1.0.1, issued: 08.06.2021 Region: GB

rent version: 1.0.2, Issued: 08.04.2022	Replaced	version: 1.0.1, issued: 08.06.2021	Region:
Odour			
characteristic			
pH value			
Value	12	- 13	
Poiling point / hoiling range	·		
Boiling point / boiling range No data available			
Melting point/freezing point Value		0 °C	
value	<	0 °C	
Decomposition temperature			
No data available			
Flash point			
No data available			
Ignition temperature			
No data available			
Auto-ignition temperature Comments	Product is no	at selfigniting	
	Floudet is no	ot semgritting.	
Oxidising properties			
not oxidizing			
Flammability			
No data available			
Lower explosion limit			
No data available			
Hanner avalacion limit			
Upper explosion limit No data available			
Vapour pressure			
No data available			
Relative vapour density			
No data available			
Relative density			
Value	appr.	1.19	
Density			
No data available			
Solubility in water	O a manufacta ha m		
Comments	Completely n	niscible	
Solubility			
No data available			
Partition coefficient n-octanol/water (lo	g value)		
No data available			
Viscosity			
No data available			
Particle characteristics			

## 9.2 Other information

Other information

No data available

No data available.

# SECTION 10: Stability and reactivity

Trade name: KRONES colclean IC 2002

Current version: 1.0.2, issued: 08.04.2022 Replaced version: 1.0.1, issued: 08.06.2021 Region: GB

#### 10.1 Reactivity

Dangerous reactions are not expected if the product is handled according to its intended use.

## 10.2 Chemical stability

Stable under recommended storage and handling conditions (See section 7).

## 10.3 Possibility of hazardous reactions

Reactions with metals, with evolution of hydrogen. Exothermic reaction with: acids; Development of chlorine gas under the influence of acids.

## 10.4 Conditions to avoid

Heat, naked flames and other ignition sources.

#### 10.5 Incompatible materials

Oxidizing agents; Reducing agents; Acids; Metals

## 10.6 Hazardous decomposition products

None, if handled according to intended use.

## **SECTION** 11: Toxicological information

## 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity	
No data available	
Acute dermal toxicity	
No data available	
Acute inhalational toxicity	
No data available	

### Skin corrosion/irritation

No data available

# Serious eye damage/irritation No data available

Res	piratory or skin sensitisation		
No	Substance name	CAS no.	EC no.
1	sodium hydroxide	1310-73-2	215-185-5
Rout	te of exposure	Skin	
Species		Human	
Source		ECHA	
Evaluation		non-sensitizing	
Evaluation/classification		Based on available data, the classification	n criteria are not met.

# Germ cell mutagenicity No data available

Reproduction toxicity	
No data available	

Carcinogenicity	
No data available	

STOT - single expo	ure
No data available	

STOT - repeated exposure
No data available

Aspiration hazard	
No data available	

## 11.2 Information on other hazards

**Endocrine disrupting properties** 

Trade name: KRONES colclean IC 2002

Current version: 1.0.2, issued: 08.04.2022 Replaced version: 1.0.1, issued: 08.06.2021 Region: GB

No data available.

#### Other information

No data available.

## **SECTION 12: Ecological information**

#### 12.1 Toxicity

Toxicity to fish (acute)	
No data available	

## **Toxicity to fish (chronic)**

No data available

Toxi	city to Daphnia (acute)				
No	Substance name	CAS no.		EC no.	
1	sodium hydroxide	1310-73-2		215-185-5	
EC5	0		40.4	mg/l	
Dura	ation of exposure		48	h	
Spe	cies	Ceriodaphnia spec			
Soul	rce	ECHA			

## Toxicity to Daphnia (chronic)

No data available

## Toxicity to algae (acute)

No data available

# Toxicity to algae (chronic) No data available

## **Bacteria toxicity**

No data available

## 12.2 Persistence and degradability

No data available.

#### 12.3 Bioaccumulative potential

No data available.

## 12.4 Mobility in soil

No data available.

## 12.5 Results of PBT and vPvB assessment

No data available.

## 12.6 Endocrine disrupting properties

No data available.

### 12.7 Other adverse effects

No data available.

#### 12.8 Other information

## Other information

Do not discharge product unmonitored into the environment.

## **SECTION 13: Disposal considerations**

## 13.1 Waste treatment methods

#### Product

Disposal of the product should be carried out in accordance with all applicable regulations following consultation with the responsible local authority and the disposal company in an authorised and suitable disposal facility.

Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

#### **Packaging**

Trade name: KRONES colclean IC 2002

Current version: 1.0.2, issued: 08.04.2022 Replaced version: 1.0.1, issued: 08.06.2021 Region: GB

Residues must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.

## **SECTION 14: Transport information**

### 14.1 Transport ADR/RID/ADN

Class 8
Classification code C5
Packing group II
Hazard identification no. 80
UN number UN3266

Proper shipping name CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S.

Technical name sodium hydroxide

sodium hypochlorite, solution

Tunnel restriction code E Label 8

Environmentally hazardous Symbol "fish and tree"

substance mark

## 14.2 Transport IMDG

Class 8
Packing group II
UN number UN3266

Proper shipping name CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S.

Technical name sodium hydroxide

sodium hypochlorite, solution

EmS F-A, S-B

Label 8

Marine pollutant mark Symbol "fish and tree"

#### 14.3 Transport ICAO-TI / IATA

Class 8
Packing group II
UN number UN3266

Proper shipping name Corrosive liquid, basic, inorganic, n.o.s.

Technical name sodium hydroxide

sodium hypochlorite, solution

Label 8

### 14.4 Other information

No data available.

## 14.5 Environmental hazards

Information on environmental hazards, if relevant, please see 14.1 - 14.3.

## 14.6 Special precautions for user

No data available.

#### 14.7 Maritime transport in bulk according to IMO instruments

Not relevant

## **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture <u>EU regulations</u>

## Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

## REACH candidate list of substances of very high concern (SVHC) for authorisation

Trade name: KRONES colclean IC 2002

Current version: 1.0.2, issued: 08.04.2022 Replaced version: 1.0.1, issued: 08.06.2021 Region: GB

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON						
THE	THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES					
The	The product is considered being subject to REACH regulation (EC) 1907/2006 annex XVII. No 3					
The	The product contains following substance(s) that are considered being subject to REACH regulation (EC) 1907/2006					
anne	ex XVII.					
No	Substance name	CAS no.	EC no.	No		
1	sodium hydroxide	1310-73-2	215-185-5	75		
2	sodium hypochlorite, solution	7681-52-9	231-668-3	75		

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances	
This product is subject to Part I of Annex I, risk category:	E1

Other regulations
Adhere to the national sanitary and occupational safety regulations when using this product.

## 15.2 Chemical safety assessment

No data available.

## **SECTION 16: Other information**

#### Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section.

# Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

H318 Causes serious eye damage.
H335 May cause respiratory irritation.
H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

#### Creation of the safety data sheet

UMCO GmbH - D-21107 Hamburg, Georg-Wilhelm-Strasse 187, Tel.: +49(40)555 546 300, Fax: +49(40)555 546 357, e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH. Prod-ID 760632