Trade name: KRONES colclean IC 3002

Current version: 1.0.1, issued: 08.06.2021 Replaced version: 1.0.0, issued: 10.02.2020 Region: GB

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 **Product identifier**

Trade name

KRONES colclean IC 3002

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

Detergent

Uses advised against

No data available.

1.3 Details of the supplier of the safety data sheet

KIC KRONES Internationale Cooperationsgesellschaft mbH

Böhmerwaldstraße 5 93073 Neutraubling

Telephone no. +49 9401 70-3020 Fax no. +49 9401 70-3696 e-mail kic@kic-krones.com

Advice on Safety Data Sheet

sdb_info@umco.de

1.4 **Emergency telephone number**

For medical advice (in German and English):

+49 (0)551 192 40 (Giftinformationszentrum Nord)

In case of transport incidents and other emergencies:

+44 (0) 1235 239 670 (NCEC, National Chemical Emergency Centre)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 (CLP)

Acute Tox. 4; H332 Eve Dam. 1; H318 Met. Corr. 1; H290 Skin Corr. 1A; H314

Classification information

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

2.2 Label elements

<u>Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)</u>

Hazard pictograms







Signal word

Danger

Hazardous component(s) to be indicated on label:

Trade name: KRONES colclean IC 3002

Current version: 1.0.1, issued: 08.06.2021 Replaced version: 1.0.0, issued: 10.02.2020 Region: GB

phosphoric acid

nitric acid ...% [C > 70 %]

Hazard statement(s)

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

H332 Harmful if inhaled.

Hazard statements (EU)

EUH071 Corrosive to the respiratory tract.

Precautionary statement(s)

P260 Do not breathe mist/vapours/spray.
P264 Wash hands thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

2.3 Other hazards

PBT assessment

The product is not considered to be a PBT.

vPvB assessment

The product is not considered to be a vPvB.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable. The product is not a substance.

3.2 Mixtures

Hazardous ingredients

| No | Substance name | | Addit | ional informatio | n | |
|----|--------------------|-------------------------------------|---------|------------------|-------|-----|
| | CAS / EC / Index / | Classification (EC) 1272/2008 (CLP) | Conce | entration | | % |
| | REACH no | | | | | |
| 1 | phosphoric acid | | | | | |
| | 7664-38-2 | Met. Corr. 1; H290 | >= | 10.00 - < | 25.00 | wt% |
| | 231-633-2 | Skin Corr. 1B; H314 | | | | |
| | 015-011-00-6 | Acute Tox. 4; H302 | | | | |
| | 01-2119485924-24 | Eye Dam. 1; H318 | | | | |
| 2 | nitric acid% [C > | 70 %] | pls. re | efer to footnote | (2) | |
| | 7697-37-2 | Ox. Liq. 2; H272 | >= | 10.00 - < | 25.00 | wt% |
| | 231-714-2 | Met. Corr. 1; H290 | | | | |
| | 007-004-00-1 | Acute Tox. 3; H331 | | | | |
| | 01-2119487297-23 | Skin Corr. 1A; H314 | | | | |
| | | Eye Dam. 1; H318 | | | | |
| | | EUH071 | | | | |

Full Text for all H-phrases and EUH-phrases: pls. see section 16

(2) According to the latest state of knowledge and applying the criteria set out in annex I to Regulation (EC) No 1272/2008, the aforementioned classification is required. This classification goes beyond the classification set out in table 3, Annex VI to Regulation (CE) No 1272/2008.

| No | Note | Specific concentration limits | M-factor (acute) | M-factor (chronic) |
|----|------|--|------------------|-----------------------|
| 1 | В | Skin Irrit. 2; H315: C >= 10% Eye Irrit. 2; H319: C >= 10% Skin Corr. 1B; H314: C >= 25% Eye Dam. 1; H318: C >= 25% | - | - |
| 2 | В | Skin Irrit. 2; H315: C >= 1% Skin Corr. 1B; H314: C >= 5% Skin Corr. 1A; H314: C >= 20% | - | - |

Trade name: KRONES colclean IC 3002

Current version: 1.0.1, issued: 08.06.2021 Replaced version: 1.0.0, issued: 10.02.2020 Region: GB

| Ox. Lig. 3; H272: C >= 65% | |
|--|--|
| Ox. Liq. 3, 11272: C >= 0370 Ox. Liq. 2; H272: C >= 99% | |
| OX. Eld. 2, 11272. 0 1 0070 | |

Full text for the notes: pls. see section 16 "Notes relating to the identification, classification and labelling of substances ((EC) No 1272/2008, Annex VI)".

| Acu | Acute toxicity estimate (ATE) values | | | | |
|-----|--------------------------------------|--------|------------|--|--|
| No | oral | dermal | inhalative | | |
| 1 | 500 mg/kg bodyweight | | | | |

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Remove contaminated clothing and shoes immediately, and launder thoroughly before reusing.

After inhalation

Remove affected persons from dangerous area by observing suitable respiratory protection measures. Ensure supply of fresh air. Do not use mouth-to-mouth or mouth-to-nose resuscitation. Call a doctor immediately.

After skin contact

Wash immediately with plenty of water for several minutes. Seek medical attention.

After eye contact

Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the unaffected eye (at least 10 to 15 minutes). Get immediate ophthalmic treatment.

After ingestion

Rinse out mouth and give plenty of water to drink. Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms

burns

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

All quenching (arc-extinguishing) media available. Extinguishing measures to suit surroundings.

Unsuitable extinguishing media

High power water jet

5.2 Special hazards arising from the substance or mixture

In the event of fire, the following can be released: Toxic pyrolysis products; Phosphorus oxides; Nitrogen oxides (NOx); Toxic gases/vapours

5.3 Advice for firefighters

Use self-contained breathing apparatus. Wear protective clothing. Do not inhale explosion and/or combustion byproducts. Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Refer to protective measures listed in sections 7 and 8. Use personal protective clothing. Ensure adequate ventilation.

For emergency responders

Personal protective equipment (PPE) - see section 8.

Trade name: KRONES colclean IC 3002

Current version: 1.0.1, issued: 08.06.2021 Replaced version: 1.0.0, issued: 10.02.2020 Region: GB

6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil.

6.3 Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regulations (see section 13).

6.4 Reference to other sections

Information regarding safe handling, see section 7. Information regarding personal protective measures, see section 8. Information regarding waste disposal, see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Risks inherent to handling the product must be minimised by applying the appropriate protective and preventive measures. Working processes should - so far as possible, according to the state of the art - be designed to rule out bodily contact or the release of hazardous substances. Provide good ventilation at the work area (local exhaust ventilation, if necessary).

General protective and hygiene measures

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Do not inhale vapours. Avoid contact with eyes and skin. Wash hands before breaks and after work. Remove contaminated clothing and shoes and launder thoroughly before reusing. Have emergency shower available. Provide eye wash fountain in work area.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions

Keep container tightly closed and dry in a cool, well-ventilated place.

Requirements for storage rooms and vessels

Containers which are opened must be carefully closed and kept upright to prevent leakage. Always keep in containers of same material as the original. Provide acid-resistant floor.

Incompatible products

Substances to be avoided, see section 10. Do not store together with: Metals; Alkalies; Reducing agents

7.3 Specific end use(s)

No data available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values

| No | Substance name | CAS no. | | EC no. | |
|----|---|-----------|-------|-----------|-----|
| 1 | phosphoric acid | 7664-38-2 | | 231-633-2 | |
| | List of approved workplace exposure limits (WELs) / | EH40 | | | |
| | Orthophosphoric acid | | | | |
| | WEL short-term (15 min reference period) | 2 | mg/m³ | | |
| | WEL long-term (8-hr TWA reference period) | 1 | mg/m³ | | |
| | 2000/39/EC | | | | |
| | Orthophosphoric acid | | | | |
| | WEL short-term (15 min reference period) | 2 | mg/m³ | | |
| | WEL long-term (8-hr TWA reference period) | 1 | mg/m³ | | |
| 2 | nitric acid% [C > 70 %] | 7697-37-2 | | 231-714-2 | |
| | 2006/15/EC | | | | |
| | Nitric acid | | | | |
| | WEL short-term (15 min reference period) | 2.6 | mg/m³ | 1 | ppm |
| | List of approved workplace exposure limits (WELs) / | EH40 | | | |
| | Nitric acid | | | | |
| | WEL short-term (15 min reference period) | 2.6 | mg/m³ | 1 | ppm |

Trade name: KRONES colclean IC 3002

Current version: 1.0.1, issued: 08.06.2021 Replaced version: 1.0.0, issued: 10.02.2020 Region: GB

DNEL, DMEL and PNEC values

DNEL values (worker)

| No | Substance name | Substance name | | | |
|----|-------------------------|---------------------|----------|-----------|-------|
| | Route of exposure | Exposure time | Effect | Value | |
| 1 | phosphoric acid | | | 7664-38-2 | |
| | | | | 231-633-2 | |
| | inhalative | Long term (chronic) | local | 1 | mg/m³ |
| | inhalative | Short term (acut) | local | 2 | mg/m³ |
| | inhalative | Long term (chronic) | systemic | 10.7 | mg/m³ |
| 2 | nitric acid% [C > 70 %] | | | 7697-37-2 | |
| | - | | | 231-714-2 | |
| | inhalative | Long term (chronic) | local | 2.6 | mg/m³ |

DNEL value (consumer)

| No | Substance name | Substance name | | | CAS / EC no | |
|----|-------------------------|---------------------|----------|------------------------|-------------|--|
| | Route of exposure | Exposure time | Effect | Value | | |
| 1 | phosphoric acid | | | 7664-38-2 231-633-2 | | |
| | oral | Long term (chronic) | systemic | 0.1 | mg/kg/day | |
| | inhalative | Long term (chronic) | local | 0.36 | mg/m³ | |
| | inhalative | Long term (chronic) | systemic | 4.57 | mg/m³ | |
| 2 | nitric acid% [C > 70 %] | | | 7697-37-2 231-714-2 | | |
| | inhalative | Long term (chronic) | local | 1.3 | mg/m³ | |

8.2 Exposure controls

Appropriate engineering controls

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and solvent vapour below the OEL (=Occupational Exposure Limit), suitable respiratory protection must be worn.

Personal protective equipment

Respiratory protection

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of aerosol and mist formation, take appropriate measures for breathing protection in the event workplace threshold values are not specified.

Respirator ABEKP2
Respiratory filter (gas): ABEK

Eye / face protection

Safety glasses with side protection shield (EN 166); Tightly fitting safety glasses (EN 166).

Hand protection

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific workstation suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

| Appropriate Material | butyl rubber | | |
|----------------------|--------------|-----|-----|
| Material thickness | >= | 0.7 | |
| Breakthrough time | >= | 480 | min |
| Appropriate Material | viton | | |
| Material thickness | >= | 0.7 | |
| Breakthrough time | >= | 480 | min |
| Appropriate Material | chloroprene | | |
| Material thickness | >= | 0.5 | mm |
| Breakthrough time | >= | 480 | min |

Other

Acid-resistant protective clothing

Trade name: KRONES colclean IC 3002

Current version: 1.0.1, issued: 08.06.2021 Replaced version: 1.0.0, issued: 10.02.2020 Region: GB

Environmental exposure controls

No data available.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

| State of aggregation liquid | | | | |
|------------------------------------|------------|-------------------|------|--|
| Form/Colour | | | | |
| liquid | | | | |
| colourless | | | | |
| Odour | | | | |
| characteristic | | | | |
| pH value | | | | |
| Value | | 1 | | |
| Boiling point / boiling range | | | | |
| Value | > | 100 | °C | |
| Melting point/freezing point | | | | |
| Value | < | 0 | °C | |
| Decomposition temperature | | | | |
| No data available | | | | |
| Flash point | | | | |
| No data available | | | | |
| Ignition temperature | | | | |
| No data available | | | | |
| Auto-ignition temperature | | | | |
| Comments | Product is | not selfigniting. | | |
| Oxidising properties | | | | |
| not oxidizing | | | | |
| Flammability | | | | |
| No data available | | | | |
| Lower explosion limit | | | | |
| No data available | | | | |
| Upper explosion limit | | | | |
| No data available | | | | |
| Vapour pressure | | | | |
| No data available | | | | |
| Relative vapour density | | | | |
| No data available | | | | |
| Relative density No data available | | | | |
| | | | | |
| Density Value | | 1.3 | g/ml | |
| Reference temperature | | | °C | |
| | | | | |
| Solubility in water | | | | |
| Solubility in water Comments | completel | y soluble | | |

Trade name: KRONES colclean IC 3002

Current version: 1.0.1, issued: 08.06.2021 Replaced version: 1.0.0, issued: 10.02.2020 Region: GB

Partition coefficient n-octanol/water (log value)

No data available

Viscosity

No data available

Particle characteristics

No data available

9.2 Other information

Other information

No data available.

SECTION 10: Stability and reactivity

10.1 Reactivity

Stable at ambient temperature.

10.2 Chemical stability

Stable under recommended storage and handling conditions (See section 7).

10.3 Possibility of hazardous reactions

Dangerous reactions are not to be expected when handling product according to its intended use.

10.4 Conditions to avoid

High temperatures.

10.5 Incompatible materials

None known. Metals; Reducing agents; Oxidizing agents; Alcohols; Amines; Peroxides

10.6 Hazardous decomposition products

None, if handled according to intended use.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

| Acu | Acute oral toxicity (result of the ATE calculation for the mixture) | | | | |
|-----|---|---|--|--|--|
| No | Product Name | | | | |
| 1 | KRONES colclean IC 3002 | | | | |
| Con | nments | The result of the applied calculation method according to the | | | |
| | | European Regulation (EC) 1272/2008 (CLP), Paragraph 3.1.3.6, | | | |
| | | Part 3 of Annex I is outside the values that imply a classification / | | | |
| | labelling of this mixture according to table 3.1.1 defining the | | | | |
| | | respective categories (ATE oral > 2000 mg/kg). | | | |

| Acu | Acute oral toxicity | | | | | |
|------|---------------------|----------|-----------|------|------------------|--|
| No | Substance name | | CAS no. | | EC no. | |
| 1 | phosphoric acid | | 7664-38-2 | | 231-633-2 | |
| LD5 | 0 | 300 | - | 2000 | mg/kg bodyweight | |
| Spe | cies | rat | | | | |
| Meth | nod | OECD 423 | | | | |
| Soul | rce | ECHA | | | | |

Acute dermal toxicity No data available

| Acute inhalational toxicity (result of the ATE calculation for the mixture) | | | | |
|---|--|--|--|--|
| No Product Name | | | | |
| 1 KRONES colclean IC 3002 | KRONES colclean IC 3002 | | | |
| ATE (Mixture) | 11.1530 | | | |
| Route of exposure / physical from | Vapour | | | |
| Method | Calculation method according Regulation (EC) No 1272/2008, | | | |
| | (CLP), annex I, part 3, section 3.1.3.6. | | | |

Trade name: KRONES colclean IC 3002

Current version: 1.0.1, issued: 08.06.2021 Replaced version: 1.0.0, issued: 10.02.2020 Region: GB

| Acu | Acute inhalational toxicity | | | | | |
|----------------------|-----------------------------|----------|-----------|------|-----------|--|
| No | Substance name | | CAS no. | | EC no. | |
| 1 | nitric acid% [C > 70 %] | | 7697-37-2 | | 231-714-2 | |
| LC5 | 0 | > | | 2.65 | mg/l | |
| Dura | ation of exposure | | | 4 | h | |
| State of aggregation | | Vapour | | | | |
| Species | | rat | | | | |
| Met | hod | OECD 403 | | | | |
| Sou | rce | ECHA | | | | |

| Skir | Skin corrosion/irritation | | | | | |
|------|---------------------------|--------------------|-----------|--|--|--|
| No | Substance name | CAS no. | EC no. | | | |
| 1 | phosphoric acid | 7664-38-2 | 231-633-2 | | | |
| Spe | cies | rabbit | | | | |
| Soul | rce | ECHA | | | | |
| Eval | luation | strongly corrosive | | | | |

| Seri | Serious eye damage/irritation | | | | | |
|------|-------------------------------|--------------------|-----------|--|--|--|
| No | Substance name | CAS no. | EC no. | | | |
| 1 | phosphoric acid | 7664-38-2 | 231-633-2 | | | |
| Spe | cies | rabbit | | | | |
| Sou | rce | ECHA | | | | |
| Eval | uation | strongly corrosive | | | | |

Respiratory or skin sensitisation

No data available

| Ger | Germ cell mutagenicity | | | | | |
|---------------------------|------------------------|---|--------------------------|--|--|--|
| No | Substance name | CAS no. | EC no. | | | |
| 1 | phosphoric acid | 7664-38-2 | 231-633-2 | | | |
| Sou | rce | ECHA | | | | |
| Evaluation/classification | | Based on available data, the classification | on criteria are not met. | | | |

| Rep | Reproduction toxicity | | | | | |
|---------------------------|-----------------------|--|-------------------------|--|--|--|
| No | Substance name | CAS no. | EC no. | | | |
| 1 | phosphoric acid | 7664-38-2 | 231-633-2 | | | |
| Source | | ECHA | | | | |
| Evaluation/classification | | Based on available data, the classificatio | n criteria are not met. | | | |

| Carcinogenicity | |
|-------------------|--|
| No data available | |

STOT - single exposure No data available

| STC | OT - repeated exposure |
|------|------------------------|
| No o | data available |

| Aspiration hazard | |
|-------------------|--|
| No data available | |

11.2 Information on other hazards

Endocrine disrupting properties

No data available.

Other information

No data available.

SECTION 12: Ecological information

12.1 Toxicity

| Toxicity to fish (acute) | |
|--------------------------|--|
| No data available | |

Trade name: KRONES colclean IC 3002

Current version: 1.0.1, issued: 08.06.2021 Reglaced version: 1.0.0, issued: 10.02.2020 Region: GB

Toxicity to fish (chronic)

No data available

| Toxi | Toxicity to Daphnia (acute) | | | | | |
|----------------------|-----------------------------|---------------|---------|-----------|--|--|
| No | Substance name | CA | S no. | EC no. | | |
| 1 | phosphoric acid | 766 | 64-38-2 | 231-633-2 | | |
| EC5 | 0 | > | 100 | mg/l | | |
| Duration of exposure | | | 48 | h | | |
| Species | | Daphnia magna | | | | |
| Method | | OECD 202 | | | | |
| Source | | ECHA | | | | |

Toxicity to Daphnia (chronic)

No data available

| Toxi | Toxicity to algae (acute) | | | | | |
|----------------------|---------------------------|----------------|-----------|-----------|--|--|
| No | Substance name | CAS | S no. | EC no. | | |
| 1 | phosphoric acid | 7664 | 4-38-2 | 231-633-2 | | |
| EC50 | | > | 100 | mg/l | | |
| Duration of exposure | | | 72 | h | | |
| Species | | Desmodesmus su | bspicatus | | | |
| Method | | OECD 201 | | | | |
| Soul | rce | ECHA | | | | |

Toxicity to algae (chronic)

No data available

| Bac | Bacteria toxicity | | | | | |
|---------|-------------------|------------------|--------|-----------|--|--|
| No | Substance name | CAS | no. | EC no. | | |
| 1 | phosphoric acid | 7664 | 4-38-2 | 231-633-2 | | |
| EC5 | 50 | > | 1000 | mg/l | | |
| Dura | ation of exposure | | 3 | h | | |
| Species | | activated sludge | | | | |
| Method | | OECD 209 | | | | |
| Sou | rce | ECHA | | | | |

12.2 Persistence and degradability

No data available.

12.3 Bioaccumulative potential

No data available.

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB assessment

| Results of PBT and vPvB assessi | ment |
|---------------------------------|---|
| PBT assessment | The product is not considered to be a PBT. |
| vPvB assessment | The product is not considered to be a vPvB. |

12.6 Endocrine disrupting properties

No data available.

12.7 Other adverse effects

No data available.

12.8 Other information

| Other information | |
|--|--|
| Do not discharge product unmonitored into the environment. | |

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Trade name: KRONES colclean IC 3002

Current version: 1.0.1, issued: 08.06.2021 Reglaced version: 1.0.0, issued: 10.02.2020 Region: GB

Disposal of the product should be carried out in accordance with all applicable regulations following consultation with the responsible local authority and the disposal company in an authorised and suitable disposal facility. Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

Packaging

Residues must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.

SECTION 14: Transport information

14.1 Transport ADR/RID/ADN

Class 8
Classification code C1
Packing group II
Hazard identification no. 80
UN number UN3264

Proper shipping name CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.

Technical name phosphoric acid

nitric acid ...% [C > 70 %]

Tunnel restriction code E Label 8

14.2 Transport IMDG

Class 8
Packing group II

UN number UN3264

Proper shipping name CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.

Technical name phosphoric acid

nitric acid ...% [C > 70 %]

EmS F-A, S-B

Label 8

14.3 Transport ICAO-TI / IATA

Class 8
Packing group II

UN number UN3264

Proper shipping name Corrosive liquid, acidic, inorganic, n.o.s.

Technical name phosphoric acid

nitric acid ...% [C > 70 %]

Label 8

14.4 Other information

No data available.

14.5 Environmental hazards

Information on environmental hazards, if relevant, please see 14.1 - 14.3.

14.6 Special precautions for user

No data available.

14.7 Maritime transport in bulk according to IMO instruments

Not relevant

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulations

Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation

Trade name: KRONES colclean IC 3002

Current version: 1.0.1, issued: 08.06.2021 Replaced version: 1.0.0, issued: 10.02.2020 Region: GB

(EC) 1907/2006.

REACH candidate list of substances of very high concern (SVHC) for authorisation

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES

The product is considered being subject to REACH regulation (EC) 1907/2006 annex

No 3

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances

This product is not subject to Part 1 or 2 of Annex I.

Other regulations

Adhere to the national sanitary and occupational safety regulations when using this product.

15.2 Chemical safety assessment

No data available.

SECTION 16: Other information

Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section.

Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

H272 May intensify fire; oxidiser. H302 Harmful if swallowed. H318 Causes serious eye damage.

H331 Toxic if inhaled.

Notes relating to the identification, classification and labelling of substances and mixtures ((EC) No 1272/2008, Annex VI)

В

Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations. In Part 3 entries with Note B have a general designation of the following type: 'nitric acid ... %'. In this case the supplier must state the percentage concentration of the solution on the label. Unless otherwise stated, it is assumed that the percentage concentration is calculated on a weight/weight basis.

Creation of the safety data sheet

UMCO GmbH - D-21107 Hamburg, Georg-Wilhelm-Strasse 187, Tel.: +49(40)555 546 300, Fax: +49(40)555 546 357, e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Alterations/supplements:

Alterations to the previous edition are marked in the left-hand margin.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH.

Prod-ID 760634