Trade name: KRONES colfix HM 8028

Current version: 1.0.2, issued: 18.05.2020 Reglaced version: 1.0.1, issued: 20.01.2020 Region: GB

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

KRONES colfix HM 8028

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

Adhesive for labelling

Uses advised against

No data available.

1.3 Details of the supplier of the safety data sheet

Address

KIC KRONES Internationale Cooperationsgesellschaft mbH

Böhmerwaldstraße 5 93073 Neutraubling

Telephone no. +49 9401 70-3020 Fax no. +49 9401 70-3696 e-mail kic@kic-krones.com

Advice on Safety Data Sheet

sdb info@umco.de

1.4 Emergency telephone number

For medical advice (in German and English):

+49 (0)551 192 40 (Giftinformationszentrum Nord)

In case of transport incidents and other emergencies:

+44 (0) 1235 239 670 (NCEC, National Chemical Emergency Centre)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification information

This product does not meet the classification and labelling criteria given in the Regulation (EC) No 1272/2008 (CLP).

2.2 Label elements

Not relevant

2.3 Other hazards

PBT assessment

The product is considered to be a PBT.

vPvB assessment

The product is not considered to be a vPvB.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable. The product is not a substance.

3.2 Mixtures

Hazardous ingredients

This product does not contain substances to be mentioned according to EU Regulation No 1907/2006 (REACH), annex II.

SECTION 4: First aid measures

4.1 Description of first aid measures

Trade name: KRONES colfix HM 8028

Current version: 1.0.2, issued: 18.05.2020 Reglaced version: 1.0.1, issued: 20.01.2020 Region: GB

General information

Remove contaminated clothing and shoes and launder thoroughly before reusing. In case of persisting adverse effects, consult a physician. Show MSDS to the attending physician.

After inhalation

Ensure supply of fresh air. In case of persisting adverse effects consult a physician.

After skin contact

After contact with molten product, cool quickly with cold water. Do not pull solidified product from skin. Seek medical attention

After eye contact

Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the unaffected eye (at least 10 to 15 minutes). Get immediate ophthalmic treatment.

After ingestion

Rinse mouth thoroughly with water. Do not induce vomiting. Never give anything by mouth to an unconscious person. Seek medical attention.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms

Respiratory tract irritation; Coughing; headaches; Skin irritation; reddening of the skin

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

All quenching (arc-extinguishing) media available.

Unsuitable extinguishing media

High power water jet

5.2 Special hazards arising from the substance or mixture

In the event of fire, the following can be released: Toxic gases/vapours; Carbon monoxide and carbon dioxide

5.3 Advice for firefighters

Use self-contained breathing apparatus. Wear protective clothing. Do not inhale explosion and/or combustion byproducts. Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Refer to protective measures listed in sections 7 and 8. Ensure adequate ventilation. Keep away from ignition sources.

For emergency responders

Personal protective equipment (PPE) - see Section 8.

6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater.

6.3 Methods and material for containment and cleaning up

Allow to set, pick up mechanically. When collected, handle material as described under the section heading "Disposal considerations".

6.4 Reference to other sections

Information regarding safe handling, see chapter 7. Information regarding personal protective measures, see chapter 8. Information regarding waste disposal, see chapter 13.

SECTION 7: Handling and storage

Trade name: KRONES colfix HM 8028

Current version: 1.0.2, issued: 18.05.2020 Reglaced version: 1.0.1, issued: 20.01.2020 Region: GB

7.1 Precautions for safe handling

Advice on safe handling

Risks inherent to handling the product must be minimised by applying the appropriate protective and preventive measures. Working processes should - so far as possible, according to the state of the art - be designed to rule out bodily contact or the release of hazardous substances.

General protective and hygiene measures

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Wash hands before breaks and after work. Do not inhale dust.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions

Keep container tightly closed and dry in a cool, well-ventilated place.

Recommended storage temperature

Value 5 - 30 °C

Storage stability

Value max. 24 months

Requirements for storage rooms and vessels

Containers which are opened must be carefully resealed and kept upright to prevent leakage. Always keep in containers of same material as the original.

Incompatible products

Substances to be avoided, pls. See chapter 10.

7.3 Specific end use(s)

No data available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values

No	Substance name	CAS no.		EC no.	
1	vinyl acetate	108-05-4		203-545-4	
	2009/161/EU				
	vinyl acetate				
	WEL short-term (15 min reference period)	35.2	mg/m³	10	ppm
	WEL long-term (8-hr TWA reference period)	17.6	mg/m³	5	ppm
	List of approved workplace exposure limits (WELs) /	EH40			
	Vinyl acetate				
	WEL short-term (15 min reference period)	35.2	mg/m³	10	ppm
	WEL long-term (8-hr TWA reference period)	17.6	mg/m³	5	ppm
2	Dust				
	List of approved workplace exposure limits (WELs) /	EH40			
	Dust respirable				
	WEL long-term (8-hr TWA reference period)	4	mg/m³		
	Comments	see Definition	n 44 "Dust"		
	List of approved workplace exposure limits (WELs) / EH40				
	Dust inhalable				
	WEL long-term (8-hr TWA reference period)	10	mg/m³		
	Comments	see Definition	n 44 "Dust"		

8.2 Exposure controls

Appropriate engineering controls

Ensure adequate ventilation, local exhaust at the work station if necessary.

Personal protective equipment

Respiratory protection

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of dust formation, take appropriate measures for breathing protection in the event workplace threshold values

Trade name: KRONES colfix HM 8028

Current version: 1.0.2, issued: 18.05.2020 Reglaced version: 1.0.1, issued: 20.01.2020 Region: GB

are not specified.

Eye / face protection

Safety glasses (EN 166)

Hand protection

In case of intensive contact, wear protective gloves (EN 374). Before use, the protective gloves should be tested in any case for its specific work-station suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

Other

Chemical-resistant work clothes.

Environmental exposure controls

No data available.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form/Colour			
solid yellowish			
Odour No data available			
Odour threshold No data available			
pH value			
No data available			
Boiling point / boiling range			
No data available			
Melting point / melting range			
No data available			
Decomposition point / decomposition range			
No data available			
Flash point No data available			
Auto-ignition temperature	12	07	°C
Auto-ignition temperature Value	42	27	°C
Auto-ignition temperature Value Oxidising properties	42	27	°C
Auto-ignition temperature Value Oxidising properties No data available	42	27	°C
Auto-ignition temperature Value Oxidising properties	42	27	°C
Auto-ignition temperature Value Oxidising properties No data available Explosive properties No data available	42	27	°C
Auto-ignition temperature Value Oxidising properties No data available Explosive properties	42	27	°C
Auto-ignition temperature Value Oxidising properties No data available Explosive properties No data available Flammability (solid, gas) No data available	42	27	°C
Auto-ignition temperature Value Oxidising properties No data available Explosive properties No data available Flammability (solid, gas)	42	27	°C
Auto-ignition temperature Value Oxidising properties No data available Explosive properties No data available Flammability (solid, gas) No data available Lower flammability or explosive limits No data available Upper flammability or explosive limits	42	27	°C
Auto-ignition temperature Value Oxidising properties No data available Explosive properties No data available Flammability (solid, gas) No data available Lower flammability or explosive limits No data available	42	27	°C
Auto-ignition temperature Value Oxidising properties No data available Explosive properties No data available Flammability (solid, gas) No data available Lower flammability or explosive limits No data available Upper flammability or explosive limits No data available Vapour pressure	42	27	°C
Auto-ignition temperature Value Oxidising properties No data available Explosive properties No data available Flammability (solid, gas) No data available Lower flammability or explosive limits No data available Upper flammability or explosive limits No data available	42	27	°C
Auto-ignition temperature Value Oxidising properties No data available Explosive properties No data available Flammability (solid, gas) No data available Lower flammability or explosive limits No data available Upper flammability or explosive limits No data available Vapour pressure	42	27	°C

Trade name: KRONES colfix HM 8028

Current version: 1.0.2, issued: 18.05.2020 Reglaced version: 1.0.1, issued: 20.01.2020 Region: GB

Evaporation rate			
No data available			
Relative density			
Value		0.96	
Reference temperature		20	°C
Density			
Value		1	kg/m³
Reference temperature		20	°Č
Solubility in water			
No data available			
Solubility(ies)			
No data available			
Partition coefficient: n-octanol/water			
No data available			
Viscosity			
Value		600	mPa*s
Reference temperature		160	°C
Туре	dynamic		

9.2 Other information

Other information	
No data available.	

SECTION 10: Stability and reactivity

10.1 Reactivity

Stable at ambient temperature.

10.2 Chemical stability

Stable under recommended storage and handling conditions (See section 7).

10.3 Possibility of hazardous reactions

Dangerous reactions are not to be expected when handling product according to its intended use.

10.4 Conditions to avoid

No data available.

10.5 Incompatible materials

strong acids; strong bases

10.6 Hazardous decomposition products

No data available.

No data available

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute oral toxicity	
No data available	
Acute dermal toxicity	
No data available	
Acute inhalational toxicity	
No data available	
Skin corrosion/irritation	
No data available	
Serious eye damage/irritation	

Trade name: KRONES colfix HM 8028

Current version: 1.0.2, issued: 18.05.2020 Reglaced version: 1.0.1, issued: 20.01.2020 Region: GB

Respiratory or skin sensitisation

No data available

Germ cell mutagenicity

No data available

Reproduction toxicity

No data available

Carcinogenicity

No data available

STOT - single exposure

No data available

STOT - repeated exposure

No data available

Aspiration hazard

No data available

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish (acute)

No data available

Toxicity to fish (chronic)

No data available

Toxicity to Daphnia (acute)

No data available

Toxicity to Daphnia (chronic)

No data available

Toxicity to algae (acute)

No data available

Toxicity to algae (chronic)

No data available

Bacteria toxicity

No data available

12.2 Persistence and degradability

No data available.

12.3 Bioaccumulative potential

No data available.

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB assessment

Results of PBT and vPvB assessment		
PBT assessment	The product is considered to be a PBT.	
vPvB assessment	The product is not considered to be a vPvB.	

12.6 Other adverse effects

No data available.

12.7 Other information

Other information

Do not discharge product unmonitored into the environment.

SECTION 13: Disposal considerations

Trade name: KRONES colfix HM 8028

Current version: 1.0.2, issued: 18.05.2020 Replaced version: 1.0.1, issued: 20.01.2020 Region: GB

13.1 Waste treatment methods

Product

Disposal of the product should be carried out in accordance with all applicable regulations following consultation with the responsible local authority and the disposal company in an authorised and suitable disposal facility. Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

Packaging

Residuals must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.

SECTION 14: Transport information

14.1 Transport ADR/RID/ADN

The product is not subject to ADR/RID/ADN regulations.

14.2 Transport IMDG

The product is not subject to IMDG regulations.

14.3 Transport ICAO-TI / IATA

The product is not subject to ICAO-TI / IATA regulations.

14.4 Other information

No data available.

14.5 Environmental hazards

Information on environmental hazards, if relevant, please see 14.1 - 14.3.

14.6 Special precautions for user

No data available.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not relevant

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulations

Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

REACH candidate list of substances of very high concern (SVHC) for authorisation

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, PREPARATIONS AND ARTICLES

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances requiring authorisation as listed on Annex XVII of the REACH regulation (EC) 1907/2006.

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances

This product is not subject to Part 1 or 2 of Annex I.

Other regulations

Adhere to the national sanitary and occupational safety regulations when using this product.

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for this mixture.

Trade name: KRONES colfix HM 8028

Current version: 1.0.2, issued: 18.05.2020 Reglaced version: 1.0.1, issued: 20.01.2020 Region: GB

SECTION 16: Other information

Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

EC Directives 2000/39/EC, 2006/15/EC, 2009/161/EU

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding chapter.

Department issuing safety data sheet

UMCO GmbH - D-21107 Hamburg, Georg-Wilhelm-Strasse 187, Tel.: +49(40)555 546 300, Fax: +49(40)555 546 357, e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Alterations/supplements:

Alterations to the previous edition are marked in the left-hand margin.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH.

Prod-ID 760698