Current version : 1.0.0, issued: 23.12.2021

Replaced version: 1.0.0, issued: 21.12.2021

Region: GB

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

KRONES hydrocare RO 3000

1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses of the substance or mixture pH value correction

Uses advised against No data available.

1.3 Details of the supplier of the safety data sheet

Address

 KIC KRONES Internationale Cooperationsgesellschaft mbH

 Böhmerwaldstraße 5

 93073
 Neutraubling

 Telephone no.
 +49 9401 70-3020

 e-mail
 kic@kic-krones.com

Advice on Safety Data Sheet

sdb_info@umco.de

1.4 Emergency telephone number

For medical advice (in German and English): +49 (0)551 192 40 (Giftinformationszentrum Nord) In case of transport incidents and other emergencies: +44 (0) 1235 239 670 (NCEC, National Chemical Emergency Centre)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 (CLP) Acute Tox. 4; H302

Classification information

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)

Hazard pictograms



Signal word Warning Hazardous component(s) to be indicated on label: sodium hydrogensulphite

Hazard statement(s) H302

Harmful if swallowed.

Hazard statements (EU)

Current version : 1.0.0, issued: 23.12.2021		23.12.2021	Replaced version: 1.0.0, issued: 21.12.2021	Region: GB	
	EUH031	Contact with a	acids liberates toxic gas.		
	Precautionary statement(s)				
	P264		hly after handling.		
	P270	Do not eat, dr	ink or smoke when using this product.		
	P301+P312	IF SWALLOW	ED: Call a POISON CENTER/doctor if you feel unwell.		
	P330	Rinse mouth.			
2.3	Other hazards				

PBT assessment

According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be PBT.

vPvB assessment

According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be vPvB.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable. The product is not a substance.

3.2 Mixtures

Hazardous ingredients

No	Substance name		Additional information			
	CAS / EC / Index /	Classification (EC) 1272/2008 (CLP)	Concentration			%
	REACH no					
1	sodium hydrogens	ulphite				
	7631-90-5	Acute Tox. 4; H302	>=	25.00 - <	50.00	wt%
	231-548-0	EUH031				
	016-064-00-8					
	01-2119524563-42					
2	sulphur dioxide					
	7446-09-5	Acute Tox. 3*; H331	<	1.00		wt%
	231-195-2	Press. Gas				
	016-011-00-9	Skin Corr. 1B; H314				
	01-2119485028-34	Eye Dam. 1; H318				
	T (C	and EUU abases also as a sting 40				

Full Text for all H-phrases and EUH-phrases: pls. see section 16

(*,**,****) Detailed explanation pls. refer to CLP regulation No. 1272/2008, annex VI, 1.2

No	Note	Specific concentration limits	M-factor (acute)	M-factor (chronic)
1	В	-	-	-

Full text for the notes: pls. see section 16 "Notes relating to the identification, classification and labelling of substances ((EC) No 1272/2008, Annex VI)".

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Adhere to personal protective measures when giving first aid. Remove affected person from danger area, lay him down. Do not leave casualty unattended.

After inhalation

Remove affected persons from dangerous area by observing suitable respiratory protection measures. Ensure supply of fresh air. If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. If symptoms occur or in case of doubt, seek medical advice.

After skin contact

Take off contaminated clothing. When in contact with the skin, clean with soap and water. If skin irritation occurs: Get

Current version : 1.0.0, issued: 23.12.2021

Replaced version: 1.0.0, issued: 21.12.2021

Region: GB

medical advice/attention.

After eye contact

Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.

After ingestion

Rinse the mouth thoroughly with water. Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms

Coughing; Pain; Shortness of breath; general respiratory distress; Gastrointestinal complaints

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically; Symptoms may be delayed. Medical monitoring at least until 48 hours after exposure. Continue to monitor for pneumonia and pulmonary oedema.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Extinguishing measures to suit surroundings.

Unsuitable extinguishing media

High power water jet

5.2 Special hazards arising from the substance or mixture

Enclosures can burst when exposed to heat. In the event of fire, the following can be released: Sulphur dioxide (SO2); toxic metal oxide smoke

5.3 Advice for firefighters

Do not inhale explosion and/or combustion byproducts. Adapt extinguishing measures to the surroundings. Cool closed containers exposed to fire with water. Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations. In case of combustion use a suitable breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Refer to protective measures listed in sections 7 and 8. Ensure adequate ventilation. Remove persons to safety. Do not inhale vapours/aerosols. Avoid contact with skin, eyes and clothing.

For emergency responders

Personal protective equipment (PPE) - see section 8. Breathing apparatus must be worn when exposed to the effects of vapors, dusts, aerosols and gases.

6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil. Suppress gases/vapours/mists with water spray jet.

6.3 Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regulations (see section 13). Ventilate the affected area.

6.4 Reference to other sections

Information regarding safe handling, see section 7. Information regarding personal protective measures, see section 8. Information regarding waste disposal, see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Risks inherent to handling the product must be minimised by applying the appropriate protective and preventive measures. Working processes should - so far as possible, according to the state of the art - be designed to rule out bodily contact or the release of hazardous substances. Avoid eye, skin and clothing contact. Provide good ventilation

 Current version : 1.0.0, issued: 23.12.2021
 Replaced version: 1.0.0, issued: 21.12.2021
 Region: GB

at the work area (local exhaust ventilation, if necessary). Do not breathe steams or mist of the product.

General protective and hygiene measures

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Do not inhale vapours. Avoid contact with eyes and skin. Wash hands before breaks and after work. Remove contaminated clothing and shoes and launder thoroughly before reusing. Provide eye wash fountain in work area. Have emergency shower available.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions

Keep container tightly closed and dry in a cool, well-ventilated place. Protect from heat and direct sunlight. Keep from freezing.

35

Recommended storage temperature

Value

°C

Requirements for storage rooms and vessels

Containers which are opened must be carefully closed and kept upright to prevent leakage. Always keep in containers of same material as the original.

Incompatible products

Substances to be avoided, see section 10. Do not store together with: Acids; oxidizing agents

7.3 Specific end use(s)

No data available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values

No	Substance name	CAS no.		EC no.	
1	sodium hydrogensulphite	7631-90-5		231-548-0	
	List of approved workplace exposure limits (WELs) / EH40				
	Sodium hydrogen suiphite				
	WEL long-term (8-hr TWA reference period)	5	mg/m³		
2	sulphur dioxide	7446-09-5		231-195-2	
	2017/164/EU				
	Sulphur dioxide				
	WEL short-term (15 min reference period)	2.7	mg/m³	1	ppm
	WEL long-term (8-hr TWA reference period)	1.3	mg/m³	0.5	ppm
	List of approved workplace exposure limits (WELs) / EH40				
	Sulphur dioxide				
	WEL short-term (15 min reference period)	2.7	mg/m³	1	ppm
	WEL long-term (8-hr TWA reference period)	1.3	mg/m³	0.5	ppm

DNEL, DMEL and PNEC values

DNEL values (worker)

No	Substance name			CAS / EC no	
	Route of exposure Exposure time Effect		Value		
1	sodium hydrogensulphite			7631-90-5	
				231-548-0	
	inhalative	Long term (chronic)	systemic	246	mg/m³

DNEL value (consumer)

No	Substance name			CAS / E	CAS / EC no	
	Route of exposure Exposure time Effect		Value	Value		
I	sodium hydrogensulphite			7631-90	-5	
				231-548-	-0	
	oral	Long term (chronic)	systemic	9.5	mg/kg/day	
	inhalative	Long term (chronic)	systemic	73	mg/m³	

CAS / EC no

Current version : 1.0.0, issued: 23.12.2021

Replaced version: 1.0.0, issued: 21.12.2021

Region: GB

	ecological compartment Type		Value	
1	sodium hydrogensulphite		7631-90-5	
			231-548-0	
	water	fresh water	1.09	mg/L
	water	marine water	0.11	mg/L
	sewage treatment plant	-	82.5	mg/L

8.2 Exposure controls

Appropriate engineering controls

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and solvent vapour below the OEL (=Occupational Exposure Limit), suitable respiratory protection must be worn.

Personal protective equipment

Respiratory protection

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of aerosol and mist formation, take appropriate measures for breathing protection in the event workplace threshold values are not specified.

Eye / face protection

Safety glasses (EN 166)

Hand protection

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific workstation suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

Appropriate Material NBR

Appropriate Material	INDIK		
Material thickness	>=	0.65	mm
Breakthrough time	>	480	min

Other

Chemical-resistant work clothes.

Environmental exposure controls

Prevent penetration into the sewage system or into surface and ground water. Use appropriate container to avoid environmental contamination.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

State of aggregation					
liquid					
Form/Colour					
liquid					
colourless to pale yellow					
Odour					
pungent					
pH value					
Value	3.5	- 4.5			
Boiling point / boiling range					
Value	98	- 105	°C		
Reference pressure		1.103	hPa		
Melting point/freezing point					
Value		4	°C		
Decomposition temperature					
No data available					

Current version: 1.0.0, issued: 23.12.2021

Region: GB

Flash point No data available					
Ignition temperature					
No data available					
Oxidising properties					
The product does not have oxidizing properties					
Explosive properties					
The product does not have explosive properties	8.				
Flammability					
No data available					
Lower explosion limit					
No data available					
Upper explosion limit					
No data available					
Vapour pressure					
Value		27	hPa °C		
Reference temperature Value		20 103	°C hPa		
Reference temperature		50	°C		
Relative vapour density					
No data available					
Relative density					
No data available					
Density					
Value	1.31 -	1.36	kg/l		
Reference temperature		20	°C		
Value Reference temperature		1.122 20	g/cm³ °C		
· · · ·		20			
Solubility in water Value		515	a/l		
Reference temperature		20	g/L °C		
·		-			
Solubility No data available					
Partition coefficient n-octanol/water (log value) No data available					
Viscosity					
Viscosity Value		3.64	mPa*s		
Reference temperature		20	°C		
Туре	dynamic				
Particle characteristics					
No data available					
2 Other information					

9.2 Other information

Other information

No data available.

SECTION 10: Stability and reactivity

10.1 Reactivity

Stable at ambient temperature.

10.2 Chemical stability

EU safety data sheet

Trade name: KRONES hydrocare RO 3000

Current version : 1.0.0, issued: 23.12.2021

Replaced version: 1.0.0, issued: 21.12.2021

Region: GB

Stable under recommended storage and handling conditions (See section 7).

- 10.3 Possibility of hazardous reactions In contact with acid, emits toxic gases.
- 10.4 Conditions to avoid None known
- 10.5 Incompatible materials Toxic gases are released on contact with acids.
- 10.6 Hazardous decomposition products Sulphurous oxides (SOx); toxic metal oxide smoke

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acu	te oral toxicity				
No	Substance name		CAS no.		EC no.
1	sodium hydrogensulphite		7631-90-5		231-548-0
LD5	0	>		2000	mg/kg bodyweight
Spec	cies	rat			
Sour		ECHA			
Acu	te dermal toxicity				
	lata available				
	te inhalational toxicity				
No	Substance name		CAS no.		EC no.
1	sodium hydrogensulphite		7631-90-5		231-548-0
LC5		>		5.5	mg/l
Dura	ation of exposure			4	h
State	e of aggregation	Gas			
Spec	cies	rat			
Sour	rce	ECHA			
Eval	uation/classification	Based on	available data, the	classificat	ion criteria are met.
1 Sour Eval	KRONES hydrocare RO 3000 rce uation/classification	supplier Based on	available data, the	classificat	ion criteria are met.
	ous eye damage/irritation				
<u>No</u> 1	Product Name KRONES hydrocare RO 3000				
Sour		supplier			
	uation/classification			informatio	n, the classification criteria
	piratory or skin sensitisation				
No	Product Name				
1	KRONES hydrocare RO 3000				
Rout	te of exposure	Skin			
Sour	rce	supplier			
Eval	uation/classification		asis of the available	informatio	n, the classification criteria
		are not m			
Geri	m cell mutagenicity				
No	Substance name		CAS no.		EC no.
1	sodium hydrogensulphite		7631-90-5		231-548-0
		FOUA			

No	Substance name	CAS no.	EC no.				
1	sodium hydrogensulphite	7631-90-5	231-548-0				
Sou	rce	ECHA					
Eval	Evaluation/classification Based on available data, the classification criteria are not met.						

Current version : 1.0.0, issued: 23.12.2021

Replaced version: 1.0.0, issued: 21.12.2021

Region: GB

Reproduction toxicity				
No	Substance name	CAS no.	EC no.	
1	sodium hydrogensulphite	7631-90-5	231-548-0	
Source		ECHA		
Evaluation/classification Ba		Based on available data, the class	Based on available data, the classification criteria are not met.	
Car	cinogenicity			
	data available			
STC	T - single exposure			
No data available				
STC	OT - repeated exposure			
No data available				
Asp	iration hazard			
On the basis of the information available, the classification criteria are not met.				

11.2 Information on other hazards

Endocrine disrupting properties No data available.

Other information

No data available.

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish (acute)						
	Substance name		CAS no.		EC no.	
1	sodium hydrogensulphite		7631-90-5		231-548-0	
LC5				316	mg/l	
	ation of exposure			96	h	
		Leuciscus id	us			
Source		ECHA				
Tax	isity to fish (shrapis)					
	icity to fish (chronic) Substance name		CAS no.		EC no.	
1	sodium hydrogensulphite		7631-90-5		231-548-0	
NOE		>=	/031-90-5	316		
		/-		34	mg/l	
Spe	ation of exposure	Danio rerio		34	day(s)	
Meth		OECD 210				
Sou		ECHA				
Sou	lce	LONA				
Toxi	icity to Daphnia (acute)					
No	Substance name		CAS no.		EC no.	
1	sodium hydrogensulphite		7631-90-5		231-548-0	
EC5				89	mg/l	
Dura	ation of exposure			48	h	
Spe	cies	Daphnia mag	ana			
			,			
Sou		ECHA	, 			
	rce	ECHA				
Toxi	rce icity to Daphnia (chronic)	ECHA				
Tox i No c	rce icity to Daphnia (chronic) data available	ECHA				
Toxi No c Toxi	rce icity to Daphnia (chronic) data available icity to algae (acute)	ECHA				
Toxi No c Toxi No	rce icity to Daphnia (chronic) data available icity to algae (acute) Substance name	ECHA	CAS no.		EC no.	
Toxi No c Toxi No 1	rce icity to Daphnia (chronic) data available icity to algae (acute) Substance name sodium hydrogensulphite				EC no. 231-548-0	
Toxi No c Toxi No 1 EC5	rce icity to Daphnia (chronic) data available icity to algae (acute) Substance name sodium hydrogensulphite 0		CAS no.	43.8		
Toxi No c Toxi No 1 EC5 Dura	rce icity to Daphnia (chronic) data available icity to algae (acute) Substance name sodium hydrogensulphite i0 ation of exposure		CAS no. 7631-90-5	43.8 72	231-548-0	
Toxi No c Toxi No 1 EC5 Dura Spec	rce icity to Daphnia (chronic) data available icity to algae (acute) Substance name sodium hydrogensulphite 10 ation of exposure cies	Scenedesmu	CAS no.		231-548-0 mg/l	
Toxi No c Toxi No 1 EC5 Dura	rce icity to Daphnia (chronic) data available icity to algae (acute) Substance name sodium hydrogensulphite 10 ation of exposure cies		CAS no. 7631-90-5		231-548-0 mg/l	

Current version : 1.0.0, issued: 23.12.2021

Replaced version: 1.0.0, issued: 21.12.2021

Region: GB

Т	oxicity to algae (chronic)						
	o data available						
	acteria toxicity						
N	No data available						
12.2	Persistence and degradability No data available.						
12.3	Bioaccumulative potential No data available.						
12.4	Mobility in soil No data available.						
12.5	Results of PBT and vPvB assessmen	t					
R	Results of PBT and vPvB assessment						
P	BT assessment	According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be PBT.					
vF	PvB assessment	According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to					

be vPvB.

12.6 Endocrine disrupting properties

No data available.

12.7 Other adverse effects

No data available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Disposal of the product should be carried out in accordance with all applicable regulations following consultation with the responsible local authority and the disposal company in an authorised and suitable disposal facility. Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

Packaging

Residues must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.

SECTION 14: Transport information

14.1 Transport ADR/RID/ADN

The product is not subject to ADR/RID/ADN regulations.

14.2 Transport IMDG

The product is not subject to IMDG regulations.

14.3 Transport ICAO-TI / IATA

The product is not subject to ICAO-TI / IATA regulations.

14.4 Other information No data available.

14.5 Environmental hazards

Information on environmental hazards, if relevant, please see 14.1 - 14.3.

14.6 Special precautions for user

Current version : 1.0.0, issued: 23.12.2021

Replaced version: 1.0.0, issued: 21.12.2021

No data available.

14.7 Maritime transport in bulk according to IMO instruments Not relevant

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulations

Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

REACH candidate list of substances of very high concern (SVHC) for authorisation

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES		
The product is considered being subject to REACH regulation (EC) 1907/2006 annex XVII.	No 3	

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances

This product is not subject to Part 1 or 2 of Annex I.

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for this mixture.

SECTION 16: Other information

Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section.

Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H331	Toxic if inhaled.

Notes relating to the identification, classification and labelling of substances and mixtures ((EC) No 1272/2008, Annex VI)

Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations. In Part 3 entries with Note B have a general designation of the following type: 'nitric acid ... %'. In this case the supplier must state the percentage concentration of the solution on the label. Unless otherwise stated, it is assumed that the percentage concentration is calculated on a weight/weight basis.

Creation of the safety data sheet

UMCO GmbH - D-21107 Hamburg, Georg-Wilhelm-Strasse 187, Tel.: +49(40)555 546 300, Fax: +49(40)555 546 357, e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

В

EU safety data sheet

Trade name: KRONES hydrocare RO 3000

Current version : 1.0.0, issued: 23.12.2021

Replaced version: 1.0.0, issued: 21.12.2021

Region: GB

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH. Prod-ID 782063