

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**
**1.1 Product identifier**

**KRONES colclean AD 1009**  
**Article number: 0903815369**

**1.2 Relevant identified uses of the substance or mixture and uses advised against**
**1.2.1 Relevant uses**

Clear Rinse

**1.2.2 Uses advised against**

None known.

**1.3 Details of the supplier of the safety data sheet**

**Company** KIC KRONES Internationale Cooperationsgesellschaft mbH  
 Böhmerwaldstraße 5  
 93073 Neutraubling / GERMANY  
 Phone +49 9401 70-3020  
 Fax +49 9401 70-3696  
 Homepage www.kic-krones.com  
 E-mail kic@kic-krones.com

**Address enquiries to**

**Technical information** kic@kic-krones.com

**Safety Data Sheet** sdb@chemiebueero.de

**1.4 Emergency telephone number**

**Advisory body** +49 (0)89-19240 (24h) (english)

**SECTION 2: Hazards identification**
**2.1 Classification of the substance or mixture**

Eye Irrit. 2: H319 Causes serious eye irritation.

**2.2 Label elements**

The product is required to be labelled in accordance with regulation (EC) No 1272/2008 (CLP).

**Hazard pictograms**

**Signal word**

WARNING

**Hazard statements**

H319 Causes serious eye irritation.

**Precautionary statements**

P280 Wear protective gloves / eye protection / face protection.  
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P337+P313 If eye irritation persists: Get medical advice / attention.

**Cleaner, 648/2004/CE, contains:**

5 - <15% non-ionic surfactants

**2.3 Other hazards**
**Environmental hazards**

Does not contain any PBT or vPvB substances.

**Other hazards**

Further hazards were not determined with the current level of knowledge.

### SECTION 3: Composition / Information on ingredients

#### Product-type:

The product is a mixture.

Range [%]	Substance
2,5 - 10	Sodium p-cumenesulphonate CAS: 15763-76-5, EINECS/ELINCS: 239-854-6, Reg-No.: 01-2119489411-37-XXXX GHS/CLP: Eye Irrit. 2: H319
2,5 - 10	Alcohols, C12-14 ethoxylated propoxylated CAS: 68439-51-0 GHS/CLP: Aquatic Chronic 3: H412
2,5 - 10	Citric acid monohydrate CAS: 5949-29-1, EINECS/ELINCS: 201-069-1, Reg-No.: 01-2119457026-42-XXXX GHS/CLP: Eye Irrit. 2: H319
2,5 - 10	Propan-2-ol CAS: 67-63-0, EINECS/ELINCS: 200-661-7, EU-INDEX: 603-117-00-0, Reg-No.: 01-2119457558-25-XXXX GHS/CLP: Flam. Liq. 2: H225 - Eye Irrit. 2: H319 - STOT SE 3: H336

#### Comment on component parts

Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%. All chemical substances in this material are included on or exempted from listing on the TSCA Inventory.  
For full text of H-statements: see SECTION 16.

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

<b>General information</b>	Take off contaminated clothing and wash before reuse.
<b>Inhalation</b>	Ensure supply of fresh air. Remove the victim into fresh air and keep him calm. Get medical advice.
<b>Skin contact</b>	When in contact with the skin, clean with soap and water. Consult a doctor if skin irritation persists.
<b>Eye contact</b>	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
<b>Ingestion</b>	Rinse out mouth and give plenty of water to drink. Do not induce vomiting. In the event of symptoms seek medical treatment.

#### 4.2 Most important symptoms and effects, both acute and delayed

Irritant effects

#### 4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### SECTION 5: Fire-fighting measures

#### 5.1 Extinguishing media

<b>Suitable extinguishing media</b>	foam, dry powder, water spray jet, carbon dioxide
<b>Extinguishing media that must not be used</b>	Full water jet

#### 5.2 Special hazards arising from the substance or mixture

Risk of formation of toxic pyrolysis products.

### 5.3 Advice for firefighters

Use self-contained breathing apparatus.

Fire residues and contaminated firefighting water must be disposed of in accordance within the local regulations.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

High risk of slipping due to leakage/spillage of product.

Use personal protective equipment.

### 6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater.

### 6.3 Methods and material for containment and cleaning up

Pick up with absorbent material (e.g. sand, sawdust, universal absorbent, diatomaceous earth).

Dispose of absorbed material in accordance within the regulations.

### 6.4 Reference to other sections

See SECTION 8+13

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Use only in well-ventilated areas.

The normal safety precautions for handling chemicals must be observed.

Avoid contact with eyes and skin. Use personal protective equipment.

Do not eat, drink or smoke when using this product.

Wash hands before breaks and after work.

Use barrier skin cream.

Take off contaminated clothing and wash before reuse.

### 7.2 Conditions for safe storage, including any incompatibilities

Keep only in original container.

Do not store together with oxidizing agents.

Keep container tightly closed.

Keep container in a well-ventilated place.

Keep in a cool place. Store in a dry place.

### 7.3 Specific end use(s)

See product use, SECTION 1.2

**SECTION 8: Exposure controls / personal protection**
**8.1 Control parameters**
**Ingredients with occupational exposure limits to be monitored (GB)**

Substance
Propan-2-ol
CAS: 67-63-0, EINECS/ELINCS: 200-661-7, EU-INDEX: 603-117-00-0, Reg.No.: 01-2119457558-25-XXXX
Long-term exposure: 400 ppm, 999 mg/m <sup>3</sup>
Short-term exposure (15-minute): 500 ppm, 1250 mg/m <sup>3</sup>

**DNEL**

Substance
Sodium p-cumenesulphonate, CAS: 15763-76-5
Industrial, inhalative, Long-term - systemic effects: 26,9 mg/m <sup>3</sup> .
Industrial, dermal, Long-term - systemic effects: 136,25 mg/kg bw/day.
general population, oral, Long-term - systemic effects: 3,8 mg/kg bW/d.
general population, dermal, Long-term - systemic effects: 68,1 mg/kg bw/day.
general population, inhalative, Long-term - systemic effects: 6,6 mg/m <sup>3</sup> .
Propan-2-ol, CAS: 67-63-0
Industrial, dermal, Long-term - systemic effects: 888 mg/kg.
Industrial, inhalative, Long-term - systemic effects: 500 mg/m <sup>3</sup> .
general population, oral, Long-term - systemic effects: 26 mg/kg.
general population, inhalative, Long-term - systemic effects: 89 mg/m <sup>3</sup> .
general population, dermal, Long-term - systemic effects: 319 mg/kg.

**PNEC**

Substance
Sodium p-cumenesulphonate, CAS: 15763-76-5
soil, 0,037 mg/kg.
sediment (seaater), 0,086 mg/kg.
sediment (freshwater), 0,862 mg/kg.
seawater, 0,023 mg/L.
sewage treatment plants (STP), 100 mg/L.
freshwater, 0,23 mg/L.
Propan-2-ol, CAS: 67-63-0
sewage treatment plants (STP), 2251 mg/l.
soil, 28 mg/kg.
sediment (seaater), 552 mg/kg.
sediment (freshwater), 552 mg/kg.
seawater, 140,9 mg/l.
freshwater, 140,9 mg/l.

## 8.2 Exposure controls

<b>Additional advice on system design</b>	Ensure adequate ventilation on workstation. Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of hazardous substances.
<b>Eye protection</b>	Safety glasses. (EN 166:2001)
<b>Hand protection</b>	The details concerned are recommendations. Please contact the glove supplier for further information. > 0,11 mm, Butyl rubber, >120 min (EN 374-1/-2/-3).
<b>Skin protection</b>	Protective clothing.
<b>Other</b>	Avoid contact with eyes and skin. Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to chemicals should be ascertained with the respective supplier.
<b>Respiratory protection</b>	Not required under normal conditions.
<b>Thermal hazards</b>	See SECTION 7.
<b>Delimitation and monitoring of the environmental exposition</b>	Comply with applicable environmental regulations limiting discharge to air, water and soil.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

<b>Form</b>	liquid
<b>Color</b>	colourless
<b>Odor</b>	characteristic
<b>Odour threshold</b>	No information available.
<b>pH-value</b>	2,1-2,6 (20°C)
<b>pH-value [1%]</b>	not applicable
<b>Boiling point [°C]</b>	100
<b>Flash point [°C]</b>	not applicable
<b>Flammability (solid, gas) [°C]</b>	not applicable
<b>Lower explosion limit</b>	No information available.
<b>Upper explosion limit</b>	No information available.
<b>Oxidising properties</b>	no
<b>Vapour pressure/gas pressure [kPa]</b>	2,3 (20°C)
<b>Density [g/ml]</b>	1,04 (20 °C / 68,0 °F)
<b>Bulk density [kg/m³]</b>	No information available.
<b>Solubility in water</b>	completely miscible
<b>Partition coefficient [n-octanol/water]</b>	No information available.
<b>Viscosity</b>	No information available.
<b>Relative vapour density determined in air</b>	No information available.
<b>Evaporation speed</b>	No information available.
<b>Melting point [°C]</b>	No information available.
<b>Autoignition temperature [°C]</b>	not self-igniting
<b>Decomposition temperature [°C]</b>	No information available.

### 9.2 Other information

none

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No dangerous reactions known if used as directed.

**10.2 Chemical stability**

Stable under normal ambient conditions (ambient temperature).

**10.3 Possibility of hazardous reactions**

Reactions with strong oxidizing agents.

**10.4 Conditions to avoid**

No information available.

**10.5 Incompatible materials**

Oxidizing agent

**10.6 Hazardous decomposition products**

No dangerous reactions known if used as directed.

**SECTION 11: Toxicological information****11.1 Information on toxicological effects****Acute toxicity**

Substance
Sodium p-cumenesulphonate, CAS: 15763-76-5
LD50, dermal, Rabbit: > 2000 mg/kg.
LD50, oral, Rat: > 2000 mg/kg OECD 401.
NOAEL, oral, 763-3534 mg/kg/90d (OECD 408).
NOAEL, dermal, > 440 mg/kg/90d (OECD 411).
NOAEL, oral, Rat: > 936 mg/kg.
Propan-2-ol, CAS: 67-63-0
LD50, dermal, Rabbit: > 2000 mg/kg.
LD50, oral, Rat: 4570 mg/kg.
LC50, inhalative, Rat: 30 mg/l 4h.
Citric acid monohydrate, CAS: 5949-29-1
LD50, oral, Rat: > 2000 mg/kg.

<b>Serious eye damage/irritation</b>	Irritant Calculation method
<b>Skin corrosion/irritation</b>	Based on the available information, the classification criteria are not fulfilled.
<b>Respiratory or skin sensitisation</b>	Based on the available information, the classification criteria are not fulfilled.
<b>Specific target organ toxicity — single exposure</b>	Based on the available information, the classification criteria are not fulfilled.
<b>Specific target organ toxicity — repeated exposure</b>	Based on the available information, the classification criteria are not fulfilled.
<b>Mutagenicity</b>	Based on the available information, the classification criteria are not fulfilled.
<b>Reproduction toxicity</b>	Based on the available information, the classification criteria are not fulfilled.
<b>Carcinogenicity</b>	Based on the available information, the classification criteria are not fulfilled.
<b>Aspiration hazard</b>	Based on the available information, the classification criteria are not fulfilled.
<b>General remarks</b>	Toxicological data of complete product are not available.

## SECTION 12: Ecological information

### 12.1 Toxicity

Substance
Sodium p-cumenesulphonate, CAS: 15763-76-5
LC50, (96h), Cyprinus carpio: > 100 mg/l OECD 203.
EC50, (72h), Desmodemus subspicatus: > 100 mg/l OECD 201.
EC50, (48h), Daphnia magna: > 100 mg/l OECD 202.
NOEC, (96h), Algae: 31 mg/l EPA OPPTS.
ErC50, (3h), Bacteria: > 1000 mg/l OECD 209.
Propan-2-ol, CAS: 67-63-0
LC50, (48h), Leuciscus idus: > 100 mg/l.
EC50, (72h), Scenedesmus subspicatus: > 100 mg/l.
EC50, (48h), Daphnia magna: > 100 mg/l.
Citric acid monohydrate, CAS: 5949-29-1
LC50, (96h), Leuciscus idus: > 100 mg/l.
EC50, (72h), Daphnia magna: > 100 mg/l.

### 12.2 Persistence and degradability

#### Behaviour in environment compartments

No information available.

#### Behaviour in sewage plant

No information available.

#### Biological degradability

The surfactants contained in this preparation comply with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents.

Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

### 12.3 Bioaccumulative potential

No information available.

### 12.4 Mobility in soil

No information available.

### 12.5 Results of PBT and vPvB assessment

not applicable

### 12.6 Other adverse effects

Ecological data of complete product are not available.

### SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

##### Product

For recycling, consult manufacturer.  
Coordinate disposal with the disposal contractor/authorities if necessary.

**Waste no. (recommended)** 070601\*

##### Contaminated packaging

Uncontaminated packaging may be taken for recycling.  
Packaging that cannot be cleaned should be disposed of as for product.

**Waste no. (recommended)** 150102  
150110\*

### SECTION 14: Transport information

#### 14.1 UN number

**Transport by land according to ADR/RID** not applicable

**Inland navigation (ADN)** not applicable

**Marine transport in accordance with IMDG** not applicable

**Air transport in accordance with IATA** not applicable

#### 14.2 UN proper shipping name

**Transport by land according to ADR/RID** NO DANGEROUS GOODS

**Inland navigation (ADN)** NO DANGEROUS GOODS

**Marine transport in accordance with IMDG** NOT CLASSIFIED AS "DANGEROUS GOODS"

**Air transport in accordance with IATA** NOT CLASSIFIED AS "DANGEROUS GOODS"

#### 14.3 Transport hazard class(es)

**Transport by land according to ADR/RID** not applicable

**Inland navigation (ADN)** not applicable

**Marine transport in accordance with IMDG** not applicable

**Air transport in accordance with IATA** not applicable



**14.4 Packing group**

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

**14.5 Environmental hazards**

Transport by land according to ADR/RID no

Inland navigation (ADN) no

Marine transport in accordance with IMDG no

Air transport in accordance with IATA no

**14.6 Special precautions for user**

Relevant information under SECTION 6 to 8.

**14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code**

not applicable

**SECTION 15: Regulatory information****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

**EEC-REGULATIONS** 1991/689 (2001/118); 2010/75; 2004/42; 648/2004; 1907/2006 (REACH); 1272/2008; 75/324/EEC (2008/47/EC); (EU) 2015/830; (EU) 2016/131; (EU) 517/2014

**TRANSPORT-REGULATIONS** DOT-Classification, ADR (2017); IMDG-Code (2017, 38. Amdt.); IATA-DGR (2017).

**NATIONAL REGULATIONS (GB):** EH40/2005 Workplace exposure limits (Second edition, published December 2011). CHIP 3/ CHIP 4

- Observe employment restrictions for people Observe employment restrictions for young people.

- VOC (2010/75/CE) 0,0%

**15.2 Chemical safety assessment**

Chemical safety assessments for substances in this mixture were not carried out.

**SECTION 16: Other information****16.1 Hazard statements (SECTION 03)**

H412 Harmful to aquatic life with long lasting effects.

H336 May cause drowsiness or dizziness.

H319 Causes serious eye irritation.

H225 Highly flammable liquid and vapour.

## 16.2 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route  
 RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses  
 ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure  
 ATE = acute toxicity estimate  
 CAS = Chemical Abstracts Service  
 CLP = Classification, Labelling and Packaging  
 DMEL = Derived Minimum Effect Level  
 DNEL = Derived No Effect Level  
 EC50 = Median effective concentration  
 ECB = European Chemicals Bureau  
 EEC = European Economic Community  
 EINECS = European Inventory of Existing Commercial Chemical Substances  
 ELINCS = European List of Notified Chemical Substances  
 GHS = Globally Harmonized System of Classification and Labelling of Chemicals  
 IATA = International Air Transport Association  
 IBC-Code = International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk  
 IC50 = Inhibition concentration, 50%  
 IMDG = International Maritime Code for Dangerous Goods  
 IUCLID = International Uniform Chemical Information Database  
 LC50 = Lethal concentration, 50%  
 LD50 = Median lethal dose  
 LC0 = lethal concentration, 0%  
 LOAEL = lowest-observed-adverse-effect level  
 MARPOL = International Convention for the Prevention of Marine Pollution from Ships  
 NOAEL = No Observed Adverse Effect Level  
 NOEC = No Observed Effect Concentration  
 PBT = Persistent, Bioaccumulative and Toxic substance  
 PNEC = Predicted No-Effect Concentration  
 REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals  
 STP = Sewage Treatment Plant  
 TLV@/TWA = Threshold limit value – time-weighted average  
 TLV@STEL = Threshold limit value – short-time exposure limit  
 VOC = Volatile Organic Compounds  
 vPvB = very Persistent and very Bioaccumulative

## 16.3 Other information

### Classification procedure

Eye Irrit. 2: H319 Causes serious eye irritation. (Calculation method)

### Modified position

SECTION 7 been added: Take off contaminated clothing and wash before reuse.

SECTION 7 been added: Avoid contact with eyes and skin. Use personal protective equipment.

SECTION 8 been added: Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of hazardous substances.

SECTION 9 been added: No information available.

SECTION 9 deleted: not determined

SECTION 11 been added: Based on the available information, the classification criteria are not fulfilled.

SECTION 11 deleted: not determined

SECTION 11 been added: Calculation method

SECTION 11 been added: Irritant

SECTION 12 been added: No information available.

SECTION 12 deleted: not determined



Copyright: Chemiebüro®

