

SECTION 1: Identification of the substance/mixture and of the company/undertaking
1.1 Product identifier

KRONES colclean CG 4005
Article number: 0904345204, 0904345207, 0904345344

1.2 Relevant identified uses of the substance or mixture and uses advised against
1.2.1 Relevant uses

Lubricant

1.2.2 Uses advised against

None known.

1.3 Details of the supplier of the safety data sheet

Company KIC KRONES Internationale Cooperationsgesellschaft mbH
 Böhmerwaldstraße 5
 93073 Neutraubling / GERMANY
 Phone +49 9401 70-3020
 Fax +49 9401 70-3696
 Homepage www.kic-krones.com
 E-mail kic@kic-krones.com

Address enquiries to

Technical information kic@kic-krones.com

Safety Data Sheet sdb@chemiebuerro.de

1.4 Emergency telephone number

Advisory body +49 (0)89-19240 (24h) (english)

SECTION 2: Hazards identification
2.1 Classification of the substance or mixture

Skin Irrit. 2: H315 Causes skin irritation.
 Eye Irrit. 2: H319 Causes serious eye irritation.

2.2 Label elements

The product is required to be labelled in accordance with regulation (EC) No 1272/2008 (CLP).

Hazard pictograms

Signal word

WARNING

Hazard statements

H315 Causes skin irritation.
 H319 Causes serious eye irritation.

Precautionary statements

P264 Wash hands thoroughly after handling.
 P280 Wear protective gloves / eye protection / face protection.
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P337+P313 If eye irritation persists: Get medical advice / attention.

Special labelling

Contains: Mixture: 5-Chloro-2-methyl-2H-isothiazolin-3-one/2-Methyl-4-isothiazolin-3-one (3:1). EUH208 May produce an allergic reaction.

2.3 Other hazards
Other hazards

Further hazards were not determined with the current level of knowledge.

SECTION 3: Composition / Information on ingredients

Product-type:

The product is a mixture.

Range [%]	Substance
10 - < 15	Oleic acid CAS: 112-80-1, EINECS/ELINCS: 204-007-1 GHS/CLP: Skin Irrit. 2: H315 - Eye Irrit. 2: H319 - STOT SE 3: H335
1 - < 5	2-(2-Butoxyethoxy)ethanol CAS: 112-34-5, EINECS/ELINCS: 203-961-6, EU-INDEX: 603-096-00-8, Reg-No.: 01-2119475104-44-XXXX GHS/CLP: Eye Irrit. 2: H319
1 - < 5	Alkane C6-C8 (even numbered), 1-sulphonic acid, sodium salt EINECS/ELINCS: 939-625-7, Reg-No.: 01-2119985168-23-XXXX GHS/CLP: Acute Tox. 4: H302 - Skin Irrit. 2: H315 - Eye Irrit. 2: H319
0,00015 - < 0,0015	Mixture: 5-Chloro-2-methyl-2H-isothiazolin-3-one/2-Methyl-4-isothiazolin-3-one (3:1) CAS: 55965-84-9, EU-INDEX: 613-167-00-5 GHS/CLP: Acute Tox. 3: H301 H311 H331 - Skin Corr. 1B: H314 - Skin Sens. 1: H317 - Aquatic Acute 1: H400 - Aquatic Chronic 1: H410

Comment on component parts

Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%. All chemical substances in this material are included on or exempted from listing on the TSCA Inventory.
For full text of H-statements: see SECTION 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Take off contaminated clothing and wash before reuse.

Inhalation

Ensure supply of fresh air.
In the event of symptoms seek medical treatment.

Skin contact

When in contact with the skin, clean with soap and water.
Consult a doctor if skin irritation persists.

Eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If eye irritation persists: Get medical advice/attention.

Ingestion

Do not induce vomiting.
Rinse out mouth and give plenty of water to drink.
Get medical advice.

4.2 Most important symptoms and effects, both acute and delayed

No information available.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.
If swallowed or in the event of vomiting, risk of product entering the lungs.

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media

foam, dry powder, water spray jet, carbon dioxide

Extinguishing media that must not be used

Full water jet

5.2 Special hazards arising from the substance or mixture

Risk of formation of toxic pyrolysis products.
Carbon monoxide (CO)
Carbon dioxide (CO₂)

5.3 Advice for firefighters

Do not inhale explosion and/or combustion gases.

Use self-contained breathing apparatus.

Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.

Wear suitable protective equipment. For personal protection see SECTION 8.

Some risk of slipping due to spillage of product.

6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater.

6.3 Methods and material for containment and cleaning up

Pick up with absorbent material (e.g. sand, sawdust, universal absorbent, diatomaceous earth).

Dispose of absorbed material in accordance with the regulations.

6.4 Reference to other sections

See SECTION 8+13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid contact with eyes and skin. Use personal protective equipment.

Avoid spilling or spraying in enclosed areas.

Do not eat, drink, smoke or take drugs at work.

Take off contaminated clothing and wash before reuse.

Wash hands before breaks and after work.

Use barrier skin cream.

7.2 Conditions for safe storage, including any incompatibilities

Keep only in original container.

Prevent penetration into the ground.

Do not store together with oxidizing agents.

Keep container tightly closed.

Keep container in a well-ventilated place.

Keep in a cool place. Store in a dry place.

7.3 Specific end use(s)

See product use, SECTION 1.2

SECTION 8: Exposure controls / personal protection
8.1 Control parameters
Ingredients with occupational exposure limits to be monitored (GB)

Substance
2-(2-Butoxyethoxy)ethanol
CAS: 112-34-5, EINECS/ELINCS: 203-961-6, EU-INDEX: 603-096-00-8, Reg-No.: 01-2119475104-44-XXXX
Long-term exposure: 10 ppm, 67,5 mg/m ³
Short-term exposure (15-minute): 15 ppm, 101,2 mg/m ³
Glycerol
CAS: 56-81-5, EINECS/ELINCS: 200-289-5
Long-term exposure: 10 mg/m ³ , (mist)

Ingredients with occupational exposure limits to be monitored (EU)

Substance / EC LIMIT VALUES
2-(2-Butoxyethoxy)ethanol
CAS: 112-34-5, EINECS/ELINCS: 203-961-6, EU-INDEX: 603-096-00-8, Reg-No.: 01-2119475104-44-XXXX
Eight hours: 10 ppm, 67,5 mg/m ³
Short-term (15-minute): 15 ppm, 101,2 mg/m ³

DNEL

Substance
2-(2-Butoxyethoxy)ethanol, CAS: 112-34-5
worker, inhalative, Long-term - systemic effects: 67,5 mg/m ³ .
worker, dermal, Long-term - systemic effects: 83 mg/kg bw/day.
worker, inhalative, Long-term - local effects: 67,5 mg/m ³ .
worker, inhalative, Acute - local effects: 101,2 mg/m ³ .
general population, inhalative, Acute - local effects: 60,7 mg/m ³ .
general population, inhalative, Long-term - systemic effects: 40,5 mg/m ³ .
general population, dermal, Long-term - systemic effects: 50 mg/kg bw/day.
general population, inhalative, Long-term - local effects: 40,5 mg/m ³ .
general population, oral, Long-term - systemic effects: 5 mg/kg bw/day.

PNEC

Substance
2-(2-Butoxyethoxy)ethanol, CAS: 112-34-5
freshwater, 1,1 mg/l.
seawater, 0,11 mg/l.
sediment (freshwater), 4,4 mg/kg.
sediment (seaater), 0,44 mg/kg.
sewage treatment plants (STP), 200 mg/l.

8.2 Exposure controls

Additional advice on system design	Ensure adequate ventilation on workstation. Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of hazardous substances.
Eye protection	safety glasses (EN 166:2001)
Hand protection	The details concerned are recommendations. Please contact the glove supplier for further information. 0,7 mm: Butyl rubber, >480 min (EN 374-1/-2/-3).
Skin protection	Protective clothing.
Other	Avoid contact with eyes and skin. Do not breathe vapour/spray. Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to chemicals should be ascertained with the respective supplier.
Respiratory protection	Not required under normal conditions.
Thermal hazards	not applicable
Delimitation and monitoring of the environmental exposition	Comply with applicable environmental regulations limiting discharge to air, water and soil.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form	liquid
Color	light yellow clear
Odor	characteristic
Odour threshold	No information available.
pH-value	8,0
pH-value [1%]	No information available.
Boiling point [°C]	No information available.
Flash point [°C]	> 60
Flammability (solid, gas) [°C]	not applicable
Lower explosion limit	not applicable
Upper explosion limit	not applicable
Oxidising properties	no
Density [g/ml]	1,08 (20 °C / 68,0 °F)
Bulk density [kg/m³]	not applicable
Solubility in water	completely miscible
Partition coefficient [n-octanol/water]	No information available.
Viscosity	No information available.
Relative vapour density determined in air	No information available.
Evaporation speed	No information available.
Melting point [°C]	No information available.
Autoignition temperature [°C]	not self-igniting
Decomposition temperature [°C]	No information available.

9.2 Other information

Refractive index: 1,403
Brix: 41,6

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reactions known if used as directed.

10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

10.3 Possibility of hazardous reactions

Reactions with oxidizing agents.

10.4 Conditions to avoid

No information available.

10.5 Incompatible materials

See SECTION 10.3.

10.6 Hazardous decomposition products

In the event of fire: See SECTION 5.

SECTION 11: Toxicological information
11.1 Information on toxicological effects
Acute toxicity

Substance
Mixture: 5-Chloro-2-methyl-2H-isothiazolin-3-one/2-Methyl-4-isothiazolin-3-one (3:1), CAS: 55965-84-9
LD50, dermal, Rabbit: ca. 100 mg/kg.
LD50, oral, Rat: ca. 66 mg/kg.
LC50, inhalative, Rat: 0,33 mg/l (4h).
Oleic acid, CAS: 112-80-1
LD50, oral, Rat: 74000 mg/kg.
2-(2-Butoxyethoxy)ethanol, CAS: 112-34-5
LD50, dermal, Rabbit: > 2000 mg/kg (IUCLID).
LD50, oral, Rat: > 2000 mg/kg (IUCLID).
Alkane C6-C8 (even numbered), 1-sulphonic acid, sodium salt
LD50, dermal, Rat: > 2000 mg/kg.
LD50, oral, Rat: > 1550 mg/kg.

Serious eye damage/irritation	Toxicological data of complete product are not available. Irritant Calculation method
Skin corrosion/irritation	Toxicological data of complete product are not available. Irritant Calculation method
Respiratory or skin sensitisation	Toxicological data of complete product are not available. May produce an allergic reaction. Calculation method
Specific target organ toxicity — single exposure	Toxicological data of complete product are not available. Based on the available information, the classification criteria are not fulfilled.
Specific target organ toxicity — repeated exposure	Toxicological data of complete product are not available. Based on the available information, the classification criteria are not fulfilled.
Mutagenicity	Toxicological data of complete product are not available. Based on the available information, the classification criteria are not fulfilled.
Reproduction toxicity	Toxicological data of complete product are not available. Based on the available information, the classification criteria are not fulfilled.
Carcinogenicity	Toxicological data of complete product are not available. Based on the available information, the classification criteria are not fulfilled.
Aspiration hazard	Based on the available information, the classification criteria are not fulfilled.
General remarks	

The toxicity data listed pertaining to the ingredients are intended for those working in the medicinal professions, experts for occupational health and safety and toxicologists. The toxicity data pertaining to the ingredients were supplied by the manufacturers of raw materials.

SECTION 12: Ecological information

12.1 Toxicity

Substance
Mixture: 5-Chloro-2-methyl-2H-isothiazolin-3-one/2-Methyl-4-isothiazolin-3-one (3:1), CAS: 55965-84-9
LC50, (96h), Oncorhynchus mykiss: 0,22 mg/l.
EC50, (48h), Daphnia magna: 0,12 mg/l.
2-(2-Butoxyethoxy)ethanol, CAS: 112-34-5
LC50, (96h), Lepomis macrochirus: 1300 mg/l (IUCLID).
EC50, (48h), Daphnia magna: > 100 mg/l (IUCLID).
Alkane C6-C8 (even numbered), 1-sulphonic acid, sodium salt
LC50, fish: > 100 mg/l.
EC50, Daphnia sp.: > 100 mg/l.
NOEC, Algae: 6,25 mg/l.

12.2 Persistence and degradability

Behaviour in environment compartments	No information available.
Behaviour in sewage plant	No information available.
Biological degradability	The product is biodegradable.

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

not applicable

12.6 Other adverse effects

Ecological data of complete product are not available.
Do not discharge product unmonitored into the environment or into the drainage.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

Product

Coordinate disposal with the authorities if necessary.

Waste no. (recommended) 070699
200129*

Contaminated packaging

Untaminated packaging may be taken for recycling.
Packaging that cannot be cleaned should be disposed of as for product.

Waste no. (recommended) 150110*

SECTION 14: Transport information**14.1 UN number**

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

14.2 UN proper shipping name

Transport by land according to ADR/RID NO DANGEROUS GOODS

Inland navigation (ADN) NO DANGEROUS GOODS

Marine transport in accordance with IMDG NOT CLASSIFIED AS "DANGEROUS GOODS"

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"

14.3 Transport hazard class(es)

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

14.4 Packing group

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

14.5 Environmental hazards

Transport by land according to ADR/RID no

Inland navigation (ADN) no

Marine transport in accordance with IMDG no

Air transport in accordance with IATA no

14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

not applicable

SECTION 15: Regulatory information**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

EEC-REGULATIONS 1991/689 (2001/118); 1999/13; 2004/42; 648/2004; 1907/2006 (REACH); 1272/2008; 75/324/EEC (2008/47/EC); 453/2010/EC; (EU) 2015/830

TRANSPORT-REGULATIONS DOT-Classification, ADR (2015); IMDG-Code (2015, 37. Amdt.); IATA-DGR (2016).

NATIONAL REGULATIONS (GB): EH40/2005 Workplace exposure limits (Second edition, published December 2011). CHIP 3/ CHIP 4

- Observe employment restrictions for people Observe employment restrictions for young people.

- VOC (1999/13/CE) not applicable

15.2 Chemical safety assessment

For this product a chemical safety assessment has not been carried out.

SECTION 16: Other information**16.1 Hazard statements (SECTION 03)**

H410 Very toxic to aquatic life with long lasting effects.

H400 Very toxic to aquatic life.

H317 May cause an allergic skin reaction.

H314 Causes severe skin burns and eye damage.

H301+H311+H331 Toxic if swallowed, in contact with skin or if inhaled.

H302 Harmful if swallowed.

H335 May cause respiratory irritation.

H319 Causes serious eye irritation.

H315 Causes skin irritation.

16.2 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route
 RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses
 ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure
 CAS = Chemical Abstracts Service
 CLP = Classification, Labelling and Packaging
 DMEL = Derived Minimum Effect Level
 DNEL = Derived No Effect Level
 EC50 = Median effective concentration
 ECB = European Chemicals Bureau
 EEC = European Economic Community
 EINECS = European Inventory of Existing Commercial Chemical Substances
 ELINCS = European List of Notified Chemical Substances
 GHS = Globally Harmonized System of Classification and Labelling of Chemicals
 IATA = International Air Transport Association
 IBC-Code = International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
 IC50 = Inhibition concentration, 50%
 IMDG = International Maritime Code for Dangerous Goods
 IUCLID = International Uniform Chemical Information Database
 LC50 = Lethal concentration, 50%
 LD50 = Median lethal dose
 MARPOL = International Convention for the Prevention of Marine Pollution from Ships
 PBT = Persistent, Bioaccumulative and Toxic substance
 PNEC = Predicted No-Effect Concentration
 REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals
 TLV@/TWA = Threshold limit value – time-weighted average
 TLV@STEL = Threshold limit value – short-time exposure limit
 VOC = Volatile Organic Compounds
 vPvB = very Persistent and very Bioaccumulative

16.3 Other information**Classification procedure**

Skin Irrit. 2: H315 Causes skin irritation. (Calculation method)
 Eye Irrit. 2: H319 Causes serious eye irritation. (Calculation method)

Modified position

none



Copyright: Chemiebüro®

