

EU safety data sheet

Trade name: KRONES colclean FC 1001

Current version : 1.0.2, issued: 08.06.2021

Replaced version: 1.0.1, issued: 05.08.2020

Region: GB

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

KRONES colclean FC 1001

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

cleaning compound

Uses advised against

No data available.

1.3 Details of the supplier of the safety data sheet

Address

KIC KRONES Internationale Cooperationsgesellschaft mbH

Böhmerwaldstraße 5

93073 Neutraubling

Telephone no. +49 9401 70-3020

Fax no. +49 9401 70-3696

e-mail kic@kic-krones.com

Advice on Safety Data Sheet

sdb_info@umco.de

1.4 Emergency telephone number

For medical advice (in German and English):

+49 (0)551 192 40 (Giftinformationszentrum Nord)

In case of transport incidents and other emergencies:

+44 (0) 1235 239 670 (NCEC, National Chemical Emergency Centre)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 (CLP)

Eye Dam. 1; H318

Met. Corr. 1; H290

Skin Corr. 1; H314

Classification information

Product is classified as "Corrosive" based on the extreme pH-value, see:

- Regulation 1272/2008 (CLP), Annex. I, number 3.2.2.2 / 3.2.3.1.2

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)

Hazard pictograms



GHS05

Signal word

Danger

EU safety data sheet

Trade name: KRONES colclean FC 1001

Current version : 1.0.2, issued: 08.06.2021

Replaced version: 1.0.1, issued: 05.08.2020

Region: GB

Hazardous component(s) to be indicated on label:

sodium hydroxide

Hazard statement(s)

H290 May be corrosive to metals.
H314 Causes severe skin burns and eye damage.

Precautionary statement(s)

P260 Do not breathe mist/vapours/spray.
P264 Wash thoroughly after handling.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTER/doctor.

2.3 Other hazards

PBT assessment
The product is not considered to be a PBT.
vPvB assessment
The product is not considered to be a vPvB.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable. The product is not a substance.

3.2 Mixtures

Hazardous ingredients

No	Substance name	Additional information	
	CAS / EC / Index / REACH no	Classification (EC) 1272/2008 (CLP)	Concentration %
1	sodium hydroxide		
	1310-73-2 215-185-5 011-002-00-6 01-2119457892-27	Skin Corr. 1A; H314 Met. Corr. 1; H290 Eye Dam. 1; H318	>= 5.00 - < 10.00 wt%
2	propan-2-ol		
	67-63-0 200-661-7 603-117-00-0 01-2119457558-25	Eye Irrit. 2; H319 Flam. Liq. 2; H225 STOT SE 3; H336	< 5.00 wt%
3	N-dodecyl-beta-alanine, compound with 2,2',2''-nitrilotriethanol (1:1)		
	14171-00-7 238-015-1 - 01-2120769314-51	Eye Irrit. 2; H319	< 5.00 wt%
4	Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides		
	- 931-292-6 - 01-2119490061-47	Acute Tox. 4; H302 Aquatic Acute 1; H400 Aquatic Chronic 2; H411 Eye Dam. 1; H318 Skin Irrit. 2; H315	< 2.50 wt%
5	Alcohols, C12-14, ethoxylated, sulfates, sodium salts		
	68891-38-3 500-234-8 - 01-2119488639-16	Eye Dam. 1; H318 Skin Irrit. 2; H315 Aquatic Chronic 3; H412	< 2.50 wt%

Full Text for all H-phrases and EUH-phrases: pls. see section 16

EU safety data sheet

Trade name: KRONES colclean FC 1001

Current version : 1.0.2, issued: 08.06.2021

Replaced version: 1.0.1, issued: 05.08.2020

Region: GB

No	Note	Specific concentration limits	M-factor (acute)	M-factor (chronic)
1	-	Skin Irrit. 2; H315: C >= 0.5% Eye Irrit. 2; H319: C >= 0.5% Skin Corr. 1B; H314: C >= 2% Skin Corr. 1A; H314: C >= 5%	-	-
5	-	Eye Irrit. 2; H319: C >= 5% Eye Dam. 1; H318: C >= 10%	-	-

Acute toxicity estimate (ATE) values

No	oral	dermal	inhalative
4	1064 mg/kg bodyweight		

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Remove contaminated clothing and shoes immediately, and launder thoroughly before reusing.

After inhalation

Remove affected persons from dangerous area by observing suitable respiratory protection measures. Ensure supply of fresh air. In case of persisting adverse effects consult a physician.

After skin contact

In case of contact with skin wash off immediately with copious amounts of water. Call a doctor immediately.

After eye contact

Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the unaffected eye (at least 10 to 15 minutes). Get immediate ophthalmic treatment.

After ingestion

Rinse out mouth and give plenty of water to drink. Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms

burns

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Foam; Water spray jet; Extinguishing powder; Carbon dioxide

Unsuitable extinguishing media

High power water jet

5.2 Special hazards arising from the substance or mixture

In the event of fire, the following can be released: Toxic gases/vapours; Sulphur oxides (SxOy); Nitrogen oxides (NOx); Carbon monoxide and carbon dioxide

5.3 Advice for firefighters

Use self-contained breathing apparatus. Wear protective clothing. Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Refer to protective measures listed in sections 7 and 8. Ensure adequate ventilation. Remove persons to safety.

For emergency responders

EU safety data sheet

Trade name: KRONES colclean FC 1001

Current version : 1.0.2, issued: 08.06.2021

Replaced version: 1.0.1, issued: 05.08.2020

Region: GB

Personal protective equipment (PPE) - see section 8.

6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil.

6.3 Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regulations (see section 13).

6.4 Reference to other sections

Information regarding safe handling, see section 7. Information regarding personal protective measures, see section 8. Information regarding waste disposal, see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Risks inherent to handling the product must be minimised by applying the appropriate protective and preventive measures. Working processes should - so far as possible, according to the state of the art - be designed to rule out bodily contact or the release of hazardous substances. Provide good ventilation at the work area (local exhaust ventilation, if necessary).

General protective and hygiene measures

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Do not inhale vapours. Avoid contact with eyes and skin. Wash hands before breaks and after work. Use barrier skin cream. Remove contaminated clothing and shoes and launder thoroughly before reusing. Provide eye wash fountain in work area. Have emergency shower available.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions

Keep container tightly closed and dry in a cool, well-ventilated place. Protect from heat and direct sunlight.

Requirements for storage rooms and vessels

Containers which are opened must be carefully closed and kept upright to prevent leakage. Always keep in containers of same material as the original.

Incompatible products

Substances to be avoided, see section 10.

7.3 Specific end use(s)

No data available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values

No	Substance name	CAS no.	EC no.
1	sodium hydroxide	1310-73-2	215-185-5
List of approved workplace exposure limits (WELs) / EH40			
Sodium hydroxide			
	WEL short-term (15 min reference period)	2	mg/m ³
2	propan-2-ol	67-63-0	200-661-7
List of approved workplace exposure limits (WELs) / EH40			
Propan-2-ol			
	WEL short-term (15 min reference period)	1250	mg/m ³ 500 ppm
	WEL long-term (8-hr TWA reference period)	999	mg/m ³ 400 ppm

DNEL, DMEL and PNEC values

DNEL values (worker)

No	Substance name	CAS / EC no
	Route of exposure	Value
	Exposure time	Effect

EU safety data sheet

Trade name: KRONES colclean FC 1001

Current version : 1.0.2, issued: 08.06.2021

Replaced version: 1.0.1, issued: 05.08.2020

Region: GB

1	sodium hydroxide			1310-73-2 215-185-5
	inhalative	Long term (chronic)	local	1 mg/m ³
2	propan-2-ol			67-63-0 200-661-7
	dermal	Long term (chronic)	systemic	888 mg/kg/day
	inhalative	Long term (chronic)	systemic	500 mg/m ³
3	N-dodecyl-beta-alanine, compound with 2,2',2''-nitrioltriethanol (1:1)			14171-00-7 238-015-1
	dermal	Long term (chronic)	systemic	2.67 mg/kg/day
4	Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides			- 931-292-6
	dermal	Long term (chronic)	systemic	11 mg/kg/day
	inhalative	Long term (chronic)	systemic	6.2 mg/m ³
5	Alcohols, C12-14, ethoxylated, sulfates, sodium salts			68891-38-3 500-234-8
	dermal	Long term (chronic)	systemic	2750 mg/kg/day
	dermal	Long term (chronic)	local	132 µg/cm ²
	inhalative	Long term (chronic)	systemic	175 mg/m ³

DNEL value (consumer)

No	Substance name			CAS / EC no
	Route of exposure	Exposure time	Effect	Value
1	sodium hydroxide			1310-73-2 215-185-5
	inhalative	Long term (chronic)	local	1 mg/m ³
2	propan-2-ol			67-63-0 200-661-7
	oral	Long term (chronic)	systemic	26 mg/kg/day
	dermal	Long term (chronic)	systemic	319 mg/kg/day
	inhalative	Long term (chronic)	systemic	89 mg/m ³
3	Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides			- 931-292-6
	oral	Long term (chronic)	systemic	0.44 mg/kg/day
	dermal	Long term (chronic)	systemic	5.5 mg/kg/day
	inhalative	Long term (chronic)	systemic	1.53 mg/m ³
4	Alcohols, C12-14, ethoxylated, sulfates, sodium salts			68891-38-3 500-234-8
	oral	Long term (chronic)	systemic	15 mg/kg/day
	dermal	Long term (chronic)	systemic	1650 mg/kg/day
	dermal	Long term (chronic)	local	79 µg/cm ²
	inhalative	Long term (chronic)	systemic	52 mg/m ³

PNEC values

No	Substance name		CAS / EC no
	ecological compartment	Type	Value
1	propan-2-ol		67-63-0 200-661-7
	water	fresh water	140.9 mg/L
	water	Aqua intermittent	140.9 mg/L
	water	marine water	140.9 mg/L
	water	fresh water sediment	552 mg/L
	water	marine water sediment	552 mg/L
	soil	-	28 mg/kg
	sewage treatment plant	-	2251 mg/L
	secondary poisoning with reference to: food	-	160 mg/kg
2	Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides		- 931-292-6
	water	fresh water	0.034 mg/L
	water	marine water	0.003 mg/L

EU safety data sheet

Trade name: KRONES colclean FC 1001

Current version : 1.0.2, issued: 08.06.2021

Replaced version: 1.0.1, issued: 05.08.2020

Region: GB

	water	Aqua intermittent	0.034	mg/L
	water	fresh water sediment	5.24	mg/kg dry weight
	water	marine water sediment	0.524	mg/kg dry weight
	soil	-	1.02	mg/kg dry weight
	sewage treatment plant	-	24	mg/L
	secondary poisoning	-	11.1	mg/kg food
3	Alcohols, C12-14, ethoxylated, sulfates, sodium salts		68891-38-3 500-234-8	
	water	fresh water	0.24	mg/L
	water	marine water	0.024	mg/L
	water	Aqua intermittent	0.071	mg/L
	water	fresh water sediment	0.917	mg/kg dry weight
	water	marine water sediment	0.092	mg/kg dry weight
	soil	-	7.5	mg/kg dry weight
	sewage treatment plant	-	10	g/L

8.2 Exposure controls

Appropriate engineering controls

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and solvent vapour below the OEL (=Occupational Exposure Limit), suitable respiratory protection must be worn.

Personal protective equipment

Respiratory protection

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of aerosol and mist formation, take appropriate measures for breathing protection in the event workplace threshold values are not specified. combination filter

Respirator A-P2

Eye / face protection

Safety glasses with side protection shield (EN 166)

Hand protection

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific workstation suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

Appropriate Material	viton		
Material thickness	>=	0.4	mm
Breakthrough time	>=	480	min
Appropriate Material	butyl rubber		
Material thickness	>=	0.5	mm
Breakthrough time	>=	480	min
Appropriate Material	nitrile rubber		
Material thickness	>=	0.35	
Breakthrough time	>=	480	min

Other

Chemical-resistant work clothes.

Environmental exposure controls

No data available.

SECTION 9: Physical and chemical properties

EU safety data sheet

Trade name: KRONES colclean FC 1001

Current version : 1.0.2, issued: 08.06.2021

Replaced version: 1.0.1, issued: 05.08.2020

Region: GB

9.1 Information on basic physical and chemical properties

State of aggregation			
liquid			
Form/Colour			
liquid			
yellowish			
Odour			
characteristic			
pH value			
Value		11.5	
Boiling point / boiling range			
Value	>	100	°C
Melting point/freezing point			
Value	<	0	°C
Decomposition temperature			
No data available			
Flash point			
No data available			
Ignition temperature			
No data available			
Auto-ignition temperature			
Comments	Product is not selfigniting.		
Flammability			
No data available			
Lower explosion limit			
No data available			
Upper explosion limit			
No data available			
Vapour pressure			
No data available			
Relative vapour density			
No data available			
Relative density			
Value	appr.	1.05	
Density			
No data available			
Solubility in water			
Comments	completely soluble		
Solubility			
No data available			
Partition coefficient n-octanol/water (log value)			
No	Substance name	CAS no.	EC no.
1	propan-2-ol	67-63-0	200-661-7
log Pow		0.05	
Reference temperature		25	°C
Source		ECHA	
2	Amines, C12-14 (even numbered)-alkyldimethyl, N-	-	931-292-6

EU safety data sheet

Trade name: KRONES colclean FC 1001

Current version : 1.0.2, issued: 08.06.2021

Replaced version: 1.0.1, issued: 05.08.2020

Region: GB

oxides	
log Pow	< 2.7
Method	calculated
Source	ECHA

Viscosity	
No data available	

Particle characteristics	
No data available	

9.2 Other information

Other information	
No data available.	

SECTION 10: Stability and reactivity

10.1 Reactivity

No data available.

10.2 Chemical stability

Stable under recommended storage and handling conditions (See section 7).

10.3 Possibility of hazardous reactions

Reactions with metals, with evolution of hydrogen.

10.4 Conditions to avoid

None, if handled according to intended use.

10.5 Incompatible materials

Oxidizing agents; Acids

10.6 Hazardous decomposition products

None, if handled according to intended use.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity (result of the ATE calculation for the mixture)	
No	Product Name
1	KRONES colclean FC 1001
Comments	The result of the applied calculation method according to the European Regulation (EC) 1272/2008 (CLP), Paragraph 3.1.3.6, Part 3 of Annex I is outside the values that imply a classification / labelling of this mixture according to table 3.1.1 defining the respective categories (ATE oral > 2000 mg/kg).

Acute oral toxicity			
No	Substance name	CAS no.	EC no.
1	propan-2-ol	67-63-0	200-661-7
LD50		5840	mg/kg bodyweight
Species	rat		
Method	OECD 401		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		
2	N-dodecyl-beta-alanine, compound with 2,2',2''-nitrioltriethanol (1:1)	14171-00-7	238-015-1
LD50		> 2000	mg/kg bodyweight
Species	rat		
Method	OECD 423		
Source	ECHA		
3	Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	-	931-292-6

EU safety data sheet

Trade name: KRONES colclean FC 1001

Current version : 1.0.2, issued: 08.06.2021

Replaced version: 1.0.1, issued: 05.08.2020

Region: GB

LD50	1064	mg/kg bodyweight
Species	rat	
Method	OECD 401	
Source	ECHA	
4	Alcohols, C12-14, ethoxylated, sulfates, sodium salts	68891-38-3 500-234-8
LD50	4100	mg/kg bodyweight
Species	rat	
Method	OECD 401	
Source	ECHA	

Acute dermal toxicity

No	Substance name	CAS no.	EC no.
1	Alcohols, C12-14, ethoxylated, sulfates, sodium salts	68891-38-3	500-234-8
LD50	>	2000	mg/kg bodyweight
Species	rat		
Method	OECD 402		
Source	ECHA		

Acute inhalational toxicity

No	Substance name	CAS no.	EC no.
1	propan-2-ol	67-63-0	200-661-7
LC50	>	10000	ppmV
Duration of exposure		6	h
State of aggregation	Vapour		
Species	rat		
Method	OECD 403		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		

Skin corrosion/irritation

No data available

Serious eye damage/irritation

No data available

Respiratory or skin sensitisation

No	Substance name	CAS no.	EC no.
1	sodium hydroxide	1310-73-2	215-185-5
Route of exposure	Skin		
Species	Human		
Source	ECHA		
Evaluation	non-sensitizing		
Evaluation/classification	Based on available data, the classification criteria are not met.		
2	propan-2-ol	67-63-0	200-661-7
Route of exposure	Skin		
Species	guinea pig		
Method	OECD 406		
Source	ECHA		
Evaluation	non-sensitizing		
Evaluation/classification	Based on available data, the classification criteria are not met.		
3	Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	-	931-292-6
Route of exposure	Skin		
Species	guinea pig		
Method	OECD 406		
Source	ECHA		
Evaluation	non-sensitizing		
4	Alcohols, C12-14, ethoxylated, sulfates, sodium salts	68891-38-3	500-234-8
Route of exposure	Skin		

EU safety data sheet

Trade name: KRONES colclean FC 1001

Current version : 1.0.2, issued: 08.06.2021

Replaced version: 1.0.1, issued: 05.08.2020

Region: GB

Species	guinea pig
Method	OECD 406
Source	ECHA
Evaluation	non-sensitizing

Germ cell mutagenicity			
No	Substance name	CAS no.	EC no.
1	propan-2-ol	67-63-0	200-661-7
Source		ECHA	
Evaluation/classification		Based on available data, the classification criteria are not met.	
2	N-dodecyl-beta-alanine, compound with 2,2',2''-nitrilotriethanol (1:1)	14171-00-7	238-015-1
Species		mouse lymphoma L5178Y cells	
Method		OECD 476	
Source		ECHA	
Evaluation/classification		Based on available data, the classification criteria are not met.	
3	Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	-	931-292-6
Method		OECD 471	
Source		ECHA	
Evaluation/classification		Based on available data, the classification criteria are not met.	
4	Alcohols, C12-14, ethoxylated, sulfates, sodium salts	68891-38-3	500-234-8
Source		ECHA	
Evaluation/classification		Based on available data, the classification criteria are not met.	

Reproduction toxicity			
No	Substance name	CAS no.	EC no.
1	N-dodecyl-beta-alanine, compound with 2,2',2''-nitrilotriethanol (1:1)	14171-00-7	238-015-1
Species		rat	
Method		OECD 422	
Source		ECHA	
Evaluation/classification		Based on available data, the classification criteria are not met.	
2	Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	-	931-292-6
Species		rat	
Method		OECD 422	
Source		ECHA	
Evaluation/classification		Based on available data, the classification criteria are not met.	
3	Alcohols, C12-14, ethoxylated, sulfates, sodium salts	68891-38-3	500-234-8
Source		ECHA	
Evaluation/classification		Based on available data, the classification criteria are not met.	

Carcinogenicity			
No	Substance name	CAS no.	EC no.
1	Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	-	931-292-6
Species		rat	
Method		OECD 451	
Source		ECHA	
Evaluation/classification		Based on available data, the classification criteria are not met.	

STOT - single exposure	
No data available	

STOT - repeated exposure			
No	Substance name	CAS no.	EC no.
1	propan-2-ol	67-63-0	200-661-7
Route of exposure		inhalational	
Source		ECHA	

EU safety data sheet

Trade name: KRONES colclean FC 1001

Current version : 1.0.2, issued: 08.06.2021

Replaced version: 1.0.1, issued: 05.08.2020

Region: GB

Evaluation/classification	Based on available data, the classification criteria are not met.
2	Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides - 931-292-6
Route of exposure	oral
Species	rat
Method	OECD 408
Source	ECHA
Evaluation/classification	Based on available data, the classification criteria are not met.

Aspiration hazard

No data available

11.2 Information on other hazards

Endocrine disrupting properties

No data available.

Other information

No data available.

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish (acute)			
No	Substance name	CAS no.	EC no.
1	propan-2-ol	67-63-0	200-661-7
LC50		9640	mg/l
Duration of exposure		96	h
Species	Pimephales promelas		
Method	OECD 203		
Source	ECHA		
2	N-dodecyl-beta-alanine, compound with 2,2',2''-nitrilotriethanol (1:1)	14171-00-7	238-015-1
LC50		4.2	mg/l
Duration of exposure		96	h
Species	Oncorhynchus mykiss		
Method	OECD 203		
Source	ECHA		
3	Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	-	931-292-6
LC50		2.67 - 3.46	mg/l
Duration of exposure		96	h
Species	Pimephales promelas		
Method	APHA Standard Method (1971)		
Source	ECHA		
4	Alcohols, C12-14, ethoxylated, sulfates, sodium salts	68891-38-3	500-234-8
LC50		7.1	mg/l
Duration of exposure		96	h
Species	Danio rerio		
Method	OECD 203		
Source	ECHA		

Toxicity to fish (chronic)

No data available

Toxicity to Daphnia (acute)

No	Substance name	CAS no.	EC no.
1	sodium hydroxide	1310-73-2	215-185-5
EC50		40.4	mg/l
Duration of exposure		48	h
Species	Ceriodaphnia spec		
Source	ECHA		

EU safety data sheet

Trade name: KRONES colclean FC 1001

Current version : 1.0.2, issued: 08.06.2021

Replaced version: 1.0.1, issued: 05.08.2020

Region: GB

2	propan-2-ol	67-63-0	200-661-7
EC50	>	10000	mg/l
Duration of exposure		24	h
Species	Daphnia magna		
Method	OECD 202		
Source	ECHA		
3	N-dodecyl-beta-alanine, compound with 2,2',2''-nitrioltriethanol (1:1)	14171-00-7	238-015-1
EC50		29	mg/l
Duration of exposure		48	h
Species	Daphnia magna		
Method	EU Method C.2		
Source	ECHA		
4	Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	-	931-292-6
EC50		10.5	mg/l
Duration of exposure		48	h
Species	Daphnia magna		
Method	OECD 202		
Source	ECHA		
5	Alcohols, C12-14, ethoxylated, sulfates, sodium salts	68891-38-3	500-234-8
EC50		7.4	mg/l
Duration of exposure		48	h
Species	Daphnia magna		
Method	OECD 202		
Source	ECHA		

Toxicity to Daphnia (chronic)

No	Substance name	CAS no.	EC no.
1	N-dodecyl-beta-alanine, compound with 2,2',2''-nitrioltriethanol (1:1)	14171-00-7	238-015-1
NOEC		10	mg/l
Duration of exposure		21	day(s)
Species	Daphnia magna		
Method	OECD 211		
Source	ECHA		

Toxicity to algae (acute)

No	Substance name	CAS no.	EC no.
1	N-dodecyl-beta-alanine, compound with 2,2',2''-nitrioltriethanol (1:1)	14171-00-7	238-015-1
ErC50		9.4	mg/l
Duration of exposure		72	h
Species	Chlorella vulgaris		
Source	ECHA		
2	Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	-	931-292-6
ErC50		0.86	mg/l
Duration of exposure		72	h
Species	Pseudokirchneriella subcapitata		
Method	OECD 201		
Source	ECHA		
3	Alcohols, C12-14, ethoxylated, sulfates, sodium salts	68891-38-3	500-234-8
ErC50		27.7	mg/l
Duration of exposure		72	h
Species	Desmodesmus subspicatus		
Method	OECD 201		
Source	ECHA		

Toxicity to algae (chronic)

EU safety data sheet

Trade name: KRONES colclean FC 1001

Current version : 1.0.2, issued: 08.06.2021

Replaced version: 1.0.1, issued: 05.08.2020

Region: GB

No	Substance name	CAS no.	EC no.
1	Alcohols, C12-14, ethoxylated, sulfates, sodium salts	68891-38-3	500-234-8
NOEC		0.95	mg/l
Duration of exposure		72	h
Species	Desmodemus subspicatus		
Method	OECD 201		
Source	ECHA		

Bacteria toxicity			
No	Substance name	CAS no.	EC no.
1	Alcohols, C12-14, ethoxylated, sulfates, sodium salts	68891-38-3	500-234-8
EC50		>	10000 mg/l
Duration of exposure		16	h
Species	Pseudomonas putida		
Method	DIN 38412 T.8		
Source	ECHA		

12.2 Persistence and degradability

Biodegradability			
No	Substance name	CAS no.	EC no.
1	propan-2-ol	67-63-0	200-661-7
Type	BOD/COD		
Value		53	%
Duration		5	day(s)
Source	ECHA		
Evaluation	readily biodegradable		
2	N-dodecyl-beta-alanine, compound with 2,2',2''-nitrilotriethanol (1:1)	14171-00-7	238-015-1
Value		96	%
Duration		28	day(s)
Method	OECD 301 B		
Source	ECHA		
Evaluation	readily biodegradable		
3	Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	-	931-292-6
Value		90	%
Duration		28	day(s)
Method	OECD 301 B		
Source	ECHA		
Evaluation	readily biodegradable		
4	Alcohols, C12-14, ethoxylated, sulfates, sodium salts	68891-38-3	500-234-8
Type	DOC decrease		
Value		100	%
Duration		14	day(s)
Source	ECHA		
Evaluation	readily biodegradable		

Abiotic Degradation			
No	Substance name	CAS no.	EC no.
1	Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	-	931-292-6
Type	Hydrolysis		
Method	OECD 111		
Source	ECHA		
Evaluation/classification	stable		

12.3 Bioaccumulative potential

Partition coefficient n-octanol/water (log value)

EU safety data sheet

Trade name: KRONES colclean FC 1001

Current version : 1.0.2, issued: 08.06.2021

Replaced version: 1.0.1, issued: 05.08.2020

Region: GB

No	Substance name	CAS no.	EC no.
1	propan-2-ol	67-63-0	200-661-7
	log Pow	0.05	
	Reference temperature	25	°C
	Source	ECHA	
2	Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	-	931-292-6
	log Pow	< 2.7	
	Method	calculated	
	Source	ECHA	

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB assessment

Results of PBT and vPvB assessment	
PBT assessment	The product is not considered to be a PBT.
vPvB assessment	The product is not considered to be a vPvB.

12.6 Endocrine disrupting properties

No data available.

12.7 Other adverse effects

No data available.

12.8 Other information

Other information
Do not discharge product unmonitored into the environment.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Disposal of the product should be carried out in accordance with all applicable regulations following consultation with the responsible local authority and the disposal company in an authorised and suitable disposal facility.

Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

Packaging

Residues must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.

SECTION 14: Transport information

14.1 Transport ADR/RID/ADN

Class	8
Classification code	C5
Packing group	II
Hazard identification no.	80
UN number	UN1824
Proper shipping name	SODIUM HYDROXIDE SOLUTION
Technical name	sodium hydroxide
Tunnel restriction code	E
Label	8

14.2 Transport IMDG

Class	8
Packing group	II
UN number	UN1824
Proper shipping name	SODIUM HYDROXIDE SOLUTION
Technical name	sodium hydroxide
EmS	F-A, S-B

EU safety data sheet

Trade name: KRONES colclean FC 1001

Current version : 1.0.2, issued: 08.06.2021

Replaced version: 1.0.1, issued: 05.08.2020

Region: GB

Label 8

14.3 Transport ICAO-TI / IATA

Class 8
Packing group II
UN number UN1824
Proper shipping name Sodium hydroxide solution
Technical name sodium hydroxide
Label 8

14.4 Other information

No data available.

14.5 Environmental hazards

Information on environmental hazards, if relevant, please see 14.1 - 14.3.

14.6 Special precautions for user

No data available.

14.7 Maritime transport in bulk according to IMO instruments

Not relevant

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

REACH candidate list of substances of very high concern (SVHC) for authorisation

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES

The product is considered being subject to REACH regulation (EC) 1907/2006 annex XVII.	No 3
--	------

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances

This product is not subject to Part 1 or 2 of Annex I.

Other regulations

Adhere to the national sanitary and occupational safety regulations when using this product.

15.2 Chemical safety assessment

No data available.

SECTION 16: Other information

Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section.

Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

H225 Highly flammable liquid and vapour.

EU safety data sheet

Trade name: KRONES colclean FC 1001

Current version : 1.0.2, issued: 08.06.2021

Replaced version: 1.0.1, issued: 05.08.2020

Region: GB

H302	Harmful if swallowed.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
H400	Very toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Creation of the safety data sheet

UMCO GmbH - D-21107 Hamburg, Georg-Wilhelm-Strasse 187, Tel.: +49(40)555 546 300, Fax: +49(40)555 546 357, e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Alterations/supplements:

Alterations to the previous edition are marked in the left-hand margin.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH.

Prod-ID 760619