

SECTION 1: Identification of the substance/mixture and of the company/undertaking
1.1 Product identifier
**KRONES colclean Hotclean
Article number: 0903622552**

Registration number	01-2119487078-27-XXXX
IUPAC	White mineral oil (petroleum)
EINECS/ELINCS	232-455-8
CAS	8042-47-5

1.2 Relevant identified uses of the substance or mixture and uses advised against
1.2.1 Relevant uses

Cleaning agent

1.2.2 Uses advised against

None known.

1.3 Details of the supplier of the safety data sheet

Company	KIC KRONES Internationale Cooperationsgesellschaft mbH Böhmerwaldstraße 5 93073 Neutraubling / GERMANY Phone +49 9401 70-3020 Fax +49 9401 70-3696 Homepage www.kic-krones.com E-mail kic@kic-krones.com
---------	--

Address enquiries to

Technical information	kic@kic-krones.com
Safety Data Sheet	sdb@chemiebuero.de

1.4 Emergency telephone number

Advisory body	+49 (0)89-19240 (24h) (english)
---------------	---------------------------------

SECTION 2: Hazards identification
2.1 Classification of the substance or mixture

No classification.

2.2 Label elements

The product does not require a hazard warning label in accordance with GHS/CLP-directives.

Hazard pictograms	none
Signal word	none
Hazard statements	none
Precautionary statements	none
Cleaner, 648/2004/CE, contains:	>=30% aliphatic hydrocarbons

2.3 Other hazards

Environmental hazards	The product/the substance has the Water Hazard Class 1.
Other hazards	No information available.

SECTION 3: Composition / Information on ingredients

Product-type:

The product is a substance.

Range [%]	Substance
100	White mineral oil (petroleum)
	CAS: 8042-47-5, EINECS/ELINCS: 232-455-8, Reg-No.: 01-2119487078-27-XXXX

Comment on component parts

No dangerous components.
Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%.
All chemical substances in this material are included on or exempted from listing on the TSCA Inventory.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information	Take off contaminated clothing and wash before reuse.
Inhalation	Ensure supply of fresh air. In the event of symptoms seek medical treatment.
Skin contact	When in contact with the skin, clean with soap and water. Consult a doctor if skin irritation persists.
Eye contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Ingestion	Do not induce vomiting. Rinse out mouth and give plenty of water to drink. Seek medical advice.

4.2 Most important symptoms and effects, both acute and delayed

No information available.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.
Forward this sheet to the doctor.

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media	Foam, dry powder, water spray jet, carbon dioxide.
Extinguishing media that must not be used	Full water jet

5.2 Special hazards arising from the substance or mixture

Risk of formation of toxic pyrolysis products.
Carbon monoxide (CO)
Carbon dioxide (CO₂)

5.3 Advice for firefighters

Use self-contained breathing apparatus.
Cool containers at risk with water spray jet.
Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.
Use personal protective equipment.
Keep away from all sources of ignition.
High risk of slipping due to leakage/spillage of product.

6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater.
Prevent spread over a wide area (e.g. by containment or oil barriers).

6.3 Methods and material for containment and cleaning up

Pick up with absorbent material (e.g. sand, sawdust, universal absorbent, diatomaceous earth).
Dispose of absorbed material in accordance within the regulations.

6.4 Reference to other sections

See SECTION 8+13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

The normal safety precautions for handling chemicals must be observed.
Avoid contact with eyes and skin.
Keep away from all sources of ignition - Refrain from smoking.
Do not eat or drink when working.
Wash hands before breaks and after work.
Use barrier skin cream.
Take off contaminated clothing and wash before reuse.

7.2 Conditions for safe storage, including any incompatibilities

Keep only in original container.
Do not store together with oxidizing agents.
Keep container tightly closed.
Keep container in a well-ventilated place.
Keep in a cool place. Store in a dry place.
Protect from heat/overheating and from sun.

7.3 Specific end use(s)

See product use, SECTION 1.2

SECTION 8: Exposure controls / personal protection
8.1 Control parameters
Ingredients with occupational exposure limits to be monitored (GB)

not applicable

DNEL

Substance
White mineral oil (petroleum), CAS: 8042-47-5
Industrial, dermal, Long-term - systemic effects: 220 mg/kg bw/d.
Industrial, inhalative, Long-term - systemic effects: 160 mg/m ³ .
general population, oral, Long-term - systemic effects: 40 mg/kg bw/d.
general population, dermal, Long-term - systemic effects: 92 mg/kg bw/d.
general population, inhalative, Long-term - systemic effects: 35 mg/m ³ .

PNEC

Substance
White mineral oil (petroleum), CAS: 8042-47-5
There are no PNEC values established for the substance.,

8.2 Exposure controls

Additional advice on system design	Ensure adequate ventilation on workstation. General exposure limit for oil mist should be noted. Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of hazardous substances.
Eye protection	safety glasses (EN 166:2001)
Hand protection	The details concerned are recommendations. Please contact the glove supplier for further information. In full contact: > 0,11 mm, Butyl rubber, >240 min (EN 374-1/-2/-3). > 0,11 mm, Nitrile rubber, >240 min (EN 374-1/-2/-3). > 0,11 mm, PVC (EN 374-1/-2/-3).
Skin protection	Light protective clothing.
Other	Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to chemicals should be ascertained with the respective supplier. Avoid contact with eyes and skin. Do not breathe vapour/spray.
Respiratory protection	Not required under normal conditions. If ventilation is insufficient, wear respiratory protection. Short term: filter apparatus, combination filter A-P2. (DIN EN 14387)
Thermal hazards	No information available.
Delimitation and monitoring of the environmental exposition	Comply with applicable environmental regulations limiting discharge to air, water and soil.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form	liquid
Color	colourless
Odor	odourless
Odour threshold	not applicable
pH-value	not applicable
pH-value [1%]	not applicable
Boiling point [°C]	300
Flash point [°C]	> 220
Flammability (solid, gas) [°C]	No information available.
Lower explosion limit	1 Vol.-%
Upper explosion limit	10 Vol.-%
Oxidising properties	no
Vapour pressure/gas pressure [kPa]	0,5 hPa (20°C)
Density [g/ml]	0,87 (15 °C / 59,0 °F)
Bulk density [kg/m ³]	not applicable
Solubility in water	virtually insoluble
Partition coefficient [n-octanol/water]	No information available.
Viscosity	71 mm ² /s (40°C)
Relative vapour density determined in air	No information available.
Evaporation speed	No information available.
Melting point [°C]	ca. -12
Autoignition temperature [°C]	not applicable
Decomposition temperature [°C]	No information available.

9.2 Other information

No information available.

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reactions known if used as directed.

10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

10.3 Possibility of hazardous reactions

No hazardous reactions known.

10.4 Conditions to avoid

Keep away from open flames, hot surfaces and sources of ignition.

10.5 Incompatible materials

Oxidizing agent

10.6 Hazardous decomposition products

No dangerous reactions known if used as directed.
In the event of fire: See SECTION 5.

SECTION 11: Toxicological information
11.1 Information on toxicological effects
Acute toxicity

Substance
White mineral oil (petroleum), CAS: 8042-47-5
LD50, dermal, Rabbit: > 2000 mg/kg.
LD50, oral, Rat: > 5000 mg/kg.
LC50, inhalative, Rat: > 5 mg/l/4h.

Serious eye damage/irritation	Non-irritant. On basis of test data
Skin corrosion/irritation	Non-irritant. On basis of test data
Respiratory or skin sensitisation	Non-sensitizing. On basis of test data
Specific target organ toxicity — single exposure	Based on the available information, the classification criteria are not fulfilled.
Specific target organ toxicity — repeated exposure	Based on the available information, the classification criteria are not fulfilled.
Mutagenicity	Based on the available information, the classification criteria are not fulfilled.
Reproduction toxicity	Based on the available information, the classification criteria are not fulfilled.
Carcinogenicity	Based on the available information, the classification criteria are not fulfilled.
Aspiration hazard	Based on the available information, the classification criteria are not fulfilled.
General remarks	none

SECTION 12: Ecological information
12.1 Toxicity

Substance
White mineral oil (petroleum), CAS: 8042-47-5
LC50, (96h), fish: > 100 mg/l.
EC50, (48h), Daphnia magna: > 100 mg/l.

12.2 Persistence and degradability

Behaviour in environment compartments	No information available.
Behaviour in sewage plant	No information available.
Biological degradability	The product is only slightly biodegradable.

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

not applicable

12.6 Other adverse effects

Product will float on water.

Ecological data of complete product are not available.

Do not discharge product unmonitored into the environment or into the drainage.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

Product

For recycling, consult manufacturer.

Waste no. (recommended)

070699

Contaminated packaging

Uncontaminated packaging may be taken for recycling.

Packaging that cannot be cleaned should be disposed of as for product.

Waste no. (recommended)

150101
150102
150104

SECTION 14: Transport information

14.1 UN number

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

14.2 UN proper shipping name

Transport by land according to ADR/RID NO DANGEROUS GOODS

Inland navigation (ADN) NO DANGEROUS GOODS

Marine transport in accordance with IMDG NOT CLASSIFIED AS "DANGEROUS GOODS"

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"

14.3 Transport hazard class(es)

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

14.4 Packing group

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

14.5 Environmental hazards

Transport by land according to ADR/RID no

Inland navigation (ADN) no

Marine transport in accordance with IMDG no

Air transport in accordance with IATA no

14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

not applicable

SECTION 15: Regulatory information**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

EEC-REGULATIONS 1991/689 (2001/118); 2010/75; 2004/42; 648/2004; 1907/2006 (REACH); 1272/2008; 75/324/EEC (2008/47/EC); (EU) 2015/830; (EU) 2016/131; (EU) 517/2014

TRANSPORT-REGULATIONS DOT-Classification, ADR (2017); IMDG-Code (2017, 38. Amdt.); IATA-DGR (2017).

NATIONAL REGULATIONS (GB): EH40/2005 Workplace exposure limits (Second edition, published December 2011). CHIP 3/ CHIP 4

- Observe employment restrictions for people none

- VOC (2010/75/CE) 0,0%

15.2 Chemical safety assessment

A chemical safety assessment is not yet available for this substance.

SECTION 16: Other information

16.1 Hazard statements (SECTION 03)

16.2 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route
 RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses
 ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure
 ATE = acute toxicity estimate
 CAS = Chemical Abstracts Service
 CLP = Classification, Labelling and Packaging
 DMEL = Derived Minimum Effect Level
 DNEL = Derived No Effect Level
 EC50 = Median effective concentration
 ECB = European Chemicals Bureau
 EEC = European Economic Community
 EINECS = European Inventory of Existing Commercial Chemical Substances
 ELINCS = European List of Notified Chemical Substances
 GHS = Globally Harmonized System of Classification and Labelling of Chemicals
 IATA = International Air Transport Association
 IBC-Code = International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
 IC50 = Inhibition concentration, 50%
 IMDG = International Maritime Code for Dangerous Goods
 IUCLID = International Uniform Chemical Information Database
 LC50 = Lethal concentration, 50%
 LD50 = Median lethal dose
 LC0 = lethal concentration, 0%
 LOAEL = lowest-observed-adverse-effect level
 MARPOL = International Convention for the Prevention of Marine Pollution from Ships
 NOAEL = No Observed Adverse Effect Level
 NOEC = No Observed Effect Concentration
 PBT = Persistent, Bioaccumulative and Toxic substance
 PNEC = Predicted No-Effect Concentration
 REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals
 STP = Sewage Treatment Plant
 TLV@/TWA = Threshold limit value – time-weighted average
 TLV@STEL = Threshold limit value – short-time exposure limit
 VOC = Volatile Organic Compounds
 vPvB = very Persistent and very Bioaccumulative

16.3 Other information

Classification procedure

Modified position

SECTION 4 been added: Take off contaminated clothing and wash before reuse.

SECTION 4 deleted: Change soaked clothing.

SECTION 7 been added: Avoid contact with eyes and skin.

SECTION 8 been added: Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of hazardous substances.

SECTION 9 been added: No information available.

SECTION 9 deleted: not determined

SECTION 11 been added: Based on the available information, the classification criteria are not fulfilled.

SECTION 11 deleted: not determined

SECTION 11 been added: On basis of test data

SECTION 12 been added: No information available.

SECTION 12 deleted: not determined



Copyright: Chemiebüro®

