

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

**1.1 Product identifier**

**KRONES colclean IC 2002**  
**Article number: 0903289187, 0903289188, 0903289315**

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

**1.2.1 Relevant uses**

Cleaning agent

**1.2.2 Uses advised against**

None known.

**1.3 Details of the supplier of the safety data sheet**

**Company** KIC KRONES Internationale Cooperationsgesellschaft mbH  
Böhmerwaldstraße 5  
93073 Neutraubling / GERMANY  
Phone +49 9401 70-3020  
Fax +49 9401 70-3696  
Homepage [www.kic-krones.com](http://www.kic-krones.com)  
E-mail [kic@kic-krones.com](mailto:kic@kic-krones.com)

**Address enquiries to**

**Technical information** [kic@kic-krones.com](mailto:kic@kic-krones.com)

**Safety Data Sheet** [sdb@chemiebueero.de](mailto:sdb@chemiebueero.de)

**1.4 Emergency telephone number**

**Advisory body** +49 (0)89-19240 (24h) (english)

**SECTION 2: Hazards identification**

**2.1 Classification of the substance or mixture**

Skin Corr. 1A: H314 Causes severe skin burns and eye damage.  
Eye Dam. 1: H318 Causes serious eye damage.  
Met. Corr. 1: H290 May be corrosive to metals.  
Aquatic Acute 1: H400 Very toxic to aquatic life.  
Aquatic Chronic 2: H411 Toxic to aquatic life with long lasting effects.

## 2.2 Label elements

The product is required to be labelled in accordance with regulation (EC) No 1272/2008 (CLP).

### Hazard pictograms



### Signal word

DANGER

### Contains:

Sodium hypochlorite, solution 13-16 % Cl active

Sodium hydroxide

### Hazard statements

H314 Causes severe skin burns and eye damage.

H290 May be corrosive to metals.

H410 Very toxic to aquatic life with long lasting effects.

### Precautionary statements

P260 Do not breathe vapours / spray.

P280 Wear protective gloves / protective clothing / eye protection / face protection.

P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER / doctor.

P501 Dispose of contents/container in accordance with local/national regulation.

### Special labelling

EUH031 Contact with acids liberates toxic gas.

### Cleaner, 648/2004/CE, contains:

>=30% chlorine-based bleaching agents

< 5% polycarboxylates

< 5% phosphonates

## 2.3 Other hazards

### Other hazards

Further hazards were not determined with the current level of knowledge.

## SECTION 3: Composition / Information on ingredients

### Product-type:

The product is a mixture.

Range [%]	Substance
40 - < 50	Sodium hypochlorite, solution 13-16 % Cl active
	CAS: 7681-52-9, EINECS/ELINCS: 231-668-3, EU-INDEX: 017-011-00-1, Reg-No.: 01-2119488154-34-XXXX
	GHS/CLP: Met. Corr. 1: H290 - Skin Corr. 1B: H314 - Aquatic Acute 1: H400 - Aquatic Chronic 2: H411, M = 10
10 - < 15	Sodium hydroxide
	CAS: 1310-73-2, EINECS/ELINCS: 215-185-5, EU-INDEX: 011-002-00-6, Reg-No.: 01-2119457892-27-XXXX
	GHS/CLP: Met. Corr. 1: H290 - Skin Corr. 1A: H314

### Comment on component parts

Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%. All chemical substances in this material are included on or exempted from listing on the TSCA Inventory.

For full text of H-statements: see SECTION 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

<b>General information</b>	Remove contaminated soaked clothing immediately and dispose of safely.
<b>Inhalation</b>	Ensure supply of fresh air. Remove the victim into fresh air and keep him calm. Get medical advice.
<b>Skin contact</b>	Immediate medical treatment necessary, as untreated burns can result in slow-healing wounds. In case of contact with skin wash off immediately with soap and water.
<b>Eye contact</b>	Consult a doctor immediately. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Shield unaffected eye.
<b>Ingestion</b>	Consult a doctor immediately. Do not induce vomiting.

### 4.2 Most important symptoms and effects, both acute and delayed

Product is caustic.

### 4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Fire-fighting measures

### 5.1 Extinguishing media

<b>Suitable extinguishing media</b>	foam, dry powder, water spray jet, carbon dioxide
<b>Extinguishing media that must not be used</b>	Full water jet

### 5.2 Special hazards arising from the substance or mixture

Risk of formation of toxic pyrolysis products.  
Chlorine compounds.

### 5.3 Advice for firefighters

Do not inhale explosion and/or combustion gases.  
Use self-contained breathing apparatus.  
Wear full protective suit.  
  
Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.  
Use personal protective equipment.  
Remove persons to safety.

### 6.2 Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers).  
Do not discharge into the drains/surface waters/groundwater.  
In case the product spills into drains/surface waters/groundwater, immediately inform the authorities.

### 6.3 Methods and material for containment and cleaning up

Pick up with absorbent material (e.g. sand, universal absorbent, diatomaceous earth).  
Dispose of absorbed material in accordance with the regulations.

### 6.4 Reference to other sections

See SECTION 8+13

## **SECTION 7: Handling and storage**

### **7.1 Precautions for safe handling**

Use only in well-ventilated areas.  
Avoid spilling or spraying in enclosed areas.  
Avoid contact with eyes and skin. Use personal protective equipment.

Do not eat, drink, smoke or take drugs at work.  
Remove contaminated soaked clothing immediately and dispose of safely.  
Clean skin thoroughly after work, apply skin cream.  
Use barrier skin cream.

### **7.2 Conditions for safe storage, including any incompatibilities**

Provide alkali-resistant floor.  
Keep only in original container.  
Do not store together with oxidizing agents.  
Do not store together with acids.  
Do not store together with metals.  
Keep container tightly closed.  
Keep container in a well-ventilated place.  
Keep in a cool place. Store in a dry place.  
Protect from heat/overheating and from sun.  
Keep away from frost.

### **7.3 Specific end use(s)**

See product use, SECTION 1.2

**SECTION 8: Exposure controls / personal protection**
**8.1 Control parameters**
**Ingredients with occupational exposure limits to be monitored (GB)**

Substance
Sodium hydroxide
CAS: 1310-73-2, EINECS/ELINCS: 215-185-5, EU-INDEX: 011-002-00-6, Reg-No.: 01-2119457892-27-XXXX
Short-term exposure (15-minute): 2 mg/m <sup>3</sup>
Sodium hypochlorite, solution 13-16 % Cl active
CAS: 7681-52-9, EINECS/ELINCS: 231-668-3, EU-INDEX: 017-011-00-1, Reg-No.: 01-2119488154-34-XXXX
Long-term exposure: Chlorine (7782-50-5), EC
Short-term exposure (15-minute): 0,5 ppm, 1,5 mg/m <sup>3</sup>

**DNEL**

Substance
Sodium hydroxide, CAS: 1310-73-2
Industrial, inhalative, Long-term - local effects: 1 mg/m <sup>3</sup> .
general population, inhalative, Long-term - local effects: 1 mg/m <sup>3</sup> .
Sodium hypochlorite, solution 13-16 % Cl active, CAS: 7681-52-9
Industrial, inhalative, Long-term - local effects: 1,55 mg/m <sup>3</sup> .
Industrial, dermal, Long-term - local effects: 0,5 %.
Industrial, inhalative, Long-term - systemic effects: 1,55 mg/m <sup>3</sup> .
Industrial, inhalative, Acute - local effects: 3,1 mg/m <sup>3</sup> .
Industrial, inhalative, Acute - systemic effects: 3,1 g/m <sup>3</sup> .
general population, oral, Long-term - systemic effects: 0,26 mg/kg.
general population, inhalative, Long-term - systemic effects: 1,55 mg/m <sup>3</sup> .
general population, inhalative, Long-term - local effects: 1,55 mg/m <sup>3</sup> .

**PNEC**

Substance
Sodium hypochlorite, solution 13-16 % Cl active, CAS: 7681-52-9
oral (food), 11,1 mg/kg.
sewage treatment plants (STP), 0,03 mg/l.
seawater, 0,000042-0,042 mg/l.
freshwater, 0,00021-0,21 mg/l.

## 8.2 Exposure controls

<b>Additional advice on system design</b>	Ensure adequate ventilation on workstation. Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of hazardous substances.
<b>Eye protection</b>	Tightly fitting goggles. (EN 166:2001) Face shield.
<b>Hand protection</b>	The details concerned are recommendations. Please contact the glove supplier for further information. ≥ 0,5 mm, Butyl rubber, >480 min (EN 374-1/-2/-3). ≥ 0,35 mm, Nitrile rubber, >480 min (EN 374-1/-2/-3). ≥ 0,4 mm, Viton, >480 min (EN 374-1/-2/-3). ≥ 0,5 mm, Chloroprene, >480 min (EN 374-1/-2/-3).
<b>Skin protection</b>	Alkali-resistant protective clothing.
<b>Other</b>	Avoid contact with eyes and skin. Do not breathe vapour/spray. Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to chemicals should be ascertained with the respective supplier.
<b>Respiratory protection</b>	Respiratory protection mask in the event of high concentrations. Short term: filter apparatus, combination filter B-P2. (DIN EN 14387) Multi-purpose filter ABEK. (DIN EN 14387)
<b>Thermal hazards</b>	not applicable
<b>Delimitation and monitoring of the environmental exposition</b>	Protect the environment by applying appropriate control measures to prevent or limit emissions.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

<b>Form</b>	liquid
<b>Color</b>	yellowish clear
<b>Odor</b>	characteristic
<b>Odour threshold</b>	No information available.
<b>pH-value</b>	strongly alkaline
<b>pH-value [1%]</b>	12-13
<b>Boiling point [°C]</b>	No information available.
<b>Flash point [°C]</b>	not applicable
<b>Flammability (solid, gas) [°C]</b>	not applicable
<b>Lower explosion limit</b>	No information available.
<b>Upper explosion limit</b>	No information available.
<b>Oxidising properties</b>	no
<b>Vapour pressure/gas pressure [kPa]</b>	No information available.
<b>Density [g/ml]</b>	ca. 1,19
<b>Bulk density [kg/m³]</b>	not applicable
<b>Solubility in water</b>	completely miscible
<b>Partition coefficient [n-octanol/water]</b>	No information available.
<b>Viscosity</b>	No information available.
<b>Relative vapour density determined in air</b>	No information available.
<b>Evaporation speed</b>	No information available.
<b>Melting point [°C]</b>	< 0
<b>Autoignition temperature [°C]</b>	not self-igniting
<b>Decomposition temperature [°C]</b>	No information available.

## 9.2 Other information

No information available.

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No dangerous reactions known if used as directed.

### 10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

### 10.3 Possibility of hazardous reactions

Corrosive to metals.  
Reactions with metals, with evolution of hydrogen.  
Evolution of chlorine under influence of acids.  
Reactions with reducing agents.

### 10.4 Conditions to avoid

Strong heating.  
Sunlight  
Sensitivity to light.

### 10.5 Incompatible materials

Oxidizing agent  
Various metals.  
Acids

### 10.6 Hazardous decomposition products

Corrosive gases/vapours.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Acute toxicity

Substance
Sodium hydroxide, CAS: 1310-73-2
LD50, oral, 500 mg/kg (Lit.).
Sodium hypochlorite, solution 13-16 % Cl active, CAS: 7681-52-9
LD50, dermal, Rabbit: > 5000 mg/kg.
LD50, oral, Rat: > 5000 mg/kg.
LC50, inhalative, Rat: > 10,5 mg/l/1h.
NOAEL, oral, Rat: 50 mg/kg/90d.

<b>Serious eye damage/irritation</b>	Risk of serious damage to eyes. Calculation method
<b>Skin corrosion/irritation</b>	Product is caustic. Calculation method
<b>Respiratory or skin sensitisation</b>	Based on the available information, the classification criteria are not fulfilled.
<b>Specific target organ toxicity — single exposure</b>	Based on the available information, the classification criteria are not fulfilled.
<b>Specific target organ toxicity — repeated exposure</b>	Based on the available information, the classification criteria are not fulfilled.
<b>Mutagenicity</b>	Based on the available information, the classification criteria are not fulfilled.
<b>Reproduction toxicity</b>	Based on the available information, the classification criteria are not fulfilled.
<b>Carcinogenicity</b>	Based on the available information, the classification criteria are not fulfilled.
<b>Aspiration hazard</b>	Based on the available information, the classification criteria are not fulfilled.
<b>General remarks</b>	If swallowed - risk of perforation! Influence of the product with the eyes can lead to blindness.  Toxicological data of complete product are not available. The toxicity data listed pertaining to the ingredients are intended for those working in the medicinal professions, experts for occupational health and safety and toxicologists. The toxicity data pertaining to the ingredients were supplied by the manufacturers of raw materials.

## SECTION 12: Ecological information

### 12.1 Toxicity

Substance
Sodium hydroxide, CAS: 1310-73-2
LC50, (96h), fish: 35-189 mg/l (Lit).
EC50, (48h), Ceriodaphnia dubia: 40,4 mg/l (Lit).
Sodium hypochlorite, solution 13-16 % Cl active, CAS: 7681-52-9
LC50, (96h), fish: 0,01-0,1 mg/l.
EC50, (48h), Daphnia magna: 0,01-0,1 mg/l.
NOEC, Algae: 0,0021 mg/l.

### 12.2 Persistence and degradability

<b>Behaviour in environment compartments</b>	No information available.
<b>Behaviour in sewage plant</b>	The product is an alkaline solution. Neutralization is normally necessary before a waste water is discharged into sewage treatment plants.
<b>Biological degradability</b>	The methods for determining the biological degradability are not applicable to inorganic substances.



**12.3 Bioaccumulative potential**

logPow: -3,42 (CAS 7681-52-9)

**12.4 Mobility in soil**

Soil Organic Carbon-Water Partitioning Coefficient (Koc): 1,12 (CAS 7681-52-9)

**12.5 Results of PBT and vPvB assessment**

Based on all available information not to be classified as PBT or vPvB respectively.

**12.6 Other adverse effects**

Harmful effect due to pH shift.

Ecological data of complete product are not available.

Do not discharge product unmonitored into the environment or into the drainage.

**SECTION 13: Disposal considerations****13.1 Waste treatment methods**

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

**Product**

Dispose of as hazardous waste.

**Waste no. (recommended)**

060204\*

060205\*

**Contaminated packaging**

Uncontaminated packaging may be taken for recycling.

Packaging that cannot be cleaned should be disposed of as for product.

**Waste no. (recommended)**

150110\*

**SECTION 14: Transport information****14.1 UN number**

Transport by land according to ADR/RID	3266
--	------

Inland navigation (ADN)	3266
-------------------------	------

Marine transport in accordance with IMDG	3266
--	------

Air transport in accordance with IATA	3266
---------------------------------------	------

**14.2 UN proper shipping name**

**Transport by land according to ADR/RID** Corrosive liquid, basic, inorganic, n.o.s. (Sodium hydroxide, Sodiumhypochlorite)

- Classification Code C5

- Label



- ADR LQ 1 I

- ADR 1.1.3.6 (8.6) Transport category (tunnel restriction code) 2 (E)

**Inland navigation (ADN)** Corrosive liquid, basic, inorganic, n.o.s. (Sodium hydroxide, Sodiumhypochlorite)

- Classification Code C5

- Label



**Marine transport in accordance with IMDG** Corrosive liquid, basic, inorganic, n.o.s. (Sodium hydroxide, Sodiumhypochlorite)

- EMS F-A, S-B

- Label



- IMDG LQ 1 I

**Air transport in accordance with IATA** Corrosive liquid, basic, inorganic, n.o.s. (Sodium hydroxide, Sodiumhypochlorite)

- Label

**14.3 Transport hazard class(es)**

**Transport by land according to ADR/RID** 8

**Inland navigation (ADN)** 8

**Marine transport in accordance with IMDG** 8

**Air transport in accordance with IATA** 8

**14.4 Packing group**

**Transport by land according to ADR/RID** II

**Inland navigation (ADN)** II

**Marine transport in accordance with IMDG** II

**Air transport in accordance with IATA** II

**14.5 Environmental hazards**

Transport by land according to ADR/RID yes

Inland navigation (ADN) yes

Marine transport in accordance with IMDG MARINE POLLUTANT

Air transport in accordance with IATA yes

**14.6 Special precautions for user**

Relevant information under SECTION 6 to 8.

**14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code**

No information available.

**SECTION 15: Regulatory information****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

**EEC-REGULATIONS** 1991/689 (2001/118); 2010/75; 2004/42; 648/2004; 1907/2006 (REACH); 1272/2008; 75/324/EEC (2008/47/EC); (EU) 2015/830; (EU) 2016/131; (EU) 517/2014

**TRANSPORT-REGULATIONS** DOT-Classification, ADR (2017); IMDG-Code (2017, 38. Amdt.); IATA-DGR (2017).

**NATIONAL REGULATIONS (GB):** EH40/2005 Workplace exposure limits (Second edition, published December 2011). CHIP 3/ CHIP 4

- Observe employment restrictions for people Observe employment restrictions for young people.  
Observe employment restrictions for mothers-to-be and nursing mothers.

- VOC (2010/75/CE) not applicable

**15.2 Chemical safety assessment**

For the following substances of this preparation a chemical safety assessment has been carried out:

Sodium hydroxide

Sodium hypochlorite, solution

**SECTION 16: Other information****16.1 Hazard statements (SECTION 03)**

H411 Toxic to aquatic life with long lasting effects.

H400 Very toxic to aquatic life.

H314 Causes severe skin burns and eye damage.

H290 May be corrosive to metals.

**16.2 Abbreviations and acronyms:**

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route  
 RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses  
 ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure  
 ATE = acute toxicity estimate  
 CAS = Chemical Abstracts Service  
 CLP = Classification, Labelling and Packaging  
 DMEL = Derived Minimum Effect Level  
 DNEL = Derived No Effect Level  
 EC50 = Median effective concentration  
 ECB = European Chemicals Bureau  
 EEC = European Economic Community  
 EINECS = European Inventory of Existing Commercial Chemical Substances  
 ELINCS = European List of Notified Chemical Substances  
 GHS = Globally Harmonized System of Classification and Labelling of Chemicals  
 IATA = International Air Transport Association  
 IBC-Code = International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk  
 IC50 = Inhibition concentration, 50%  
 IMDG = International Maritime Code for Dangerous Goods  
 IUCLID = International Uniform Chemical Information Database  
 LC50 = Lethal concentration, 50%  
 LD50 = Median lethal dose  
 LC0 = lethal concentration, 0%  
 LOAEL = lowest-observed-adverse-effect level  
 MARPOL = International Convention for the Prevention of Marine Pollution from Ships  
 NOAEL = No Observed Adverse Effect Level  
 NOEC = No Observed Effect Concentration  
 PBT = Persistent, Bioaccumulative and Toxic substance  
 PNEC = Predicted No-Effect Concentration  
 REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals  
 STP = Sewage Treatment Plant  
 TLV@TWA = Threshold limit value – time-weighted average  
 TLV@STEL = Threshold limit value – short-time exposure limit  
 VOC = Volatile Organic Compounds  
 vPvB = very Persistent and very Bioaccumulative

**16.3 Other information****Classification procedure**

Skin Corr. 1A: H314 Causes severe skin burns and eye damage. (Calculation method)  
 Eye Dam. 1: H318 Causes serious eye damage. (Calculation method)  
 Met. Corr. 1: H290 May be corrosive to metals. (Calculation method)  
 Aquatic Acute 1: H400 Very toxic to aquatic life. (Calculation method)  
 Aquatic Chronic 2: H411 Toxic to aquatic life with long lasting effects. (Calculation method)

**Modified position**

SECTION 2 been added: H411 Toxic to aquatic life with long lasting effects.  
 SECTION 2 been added: Aquatic Chronic 2  
 SECTION 7 been added: Avoid contact with eyes and skin. Use personal protective equipment.  
 SECTION 8 been added: Chloroprene, >480 min (EN 374-1/-2/-3).  
 SECTION 8 been added: Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of hazardous substances.  
 SECTION 9 been added: No information available.  
 SECTION 9 deleted: not determined  
 SECTION 11 been added: Based on the available information, the classification criteria are not fulfilled.  
 SECTION 11 deleted: not determined  
 SECTION 11 been added: Calculation method  
 SECTION 11 been added: Risk of serious damage to eyes.  
 SECTION 12 been added: No information available.  
 SECTION 12 deleted: not determined  
 SECTION 16 been added: Calculation method



Copyright: Chemiebüro®

