

SECTION 1: Identification of the substance/mixture and of the company/undertaking
1.1 Product identifier

KRONES colclean MC 1001
Article number: 0903289729, 0903289740, 0903289741

1.2 Relevant identified uses of the substance or mixture and uses advised against
1.2.1 Relevant uses

Cleaning agent

1.2.2 Uses advised against

None known.

1.3 Details of the supplier of the safety data sheet

Company KIC KRONES Internationale Cooperationsgesellschaft mbH
 Böhmerwaldstraße 5
 93073 Neutraubling / GERMANY
 Phone +49 9401 70-3020
 Fax +49 9401 70-3696
 Homepage www.kic-krones.com
 E-mail kic@kic-krones.com

Address enquiries to

Technical information kic@kic-krones.com

Safety Data Sheet sdb@chemiebueero.de

1.4 Emergency telephone number

Advisory body +49 (0)89-19240 (24h) (english)

SECTION 2: Hazards identification
2.1 Classification of the substance or mixture

Skin Corr. 1: H314 Causes severe skin burns and eye damage.
 Eye Dam. 1: H318 Causes serious eye damage.
 Skin Sens. 1: H317 May cause an allergic skin reaction.
 Aquatic Chronic 3: H412 Harmful to aquatic life with long lasting effects.

2.2 Label elements

The product is required to be labelled in accordance with regulation (EC) No 1272/2008 (CLP).

Hazard pictograms

Signal word

DANGER

Contains:

Isotridecanol, ethoxylated
 Orange sweetly, Extract
 Sodium hydroxide

Hazard statements

H317 May cause an allergic skin reaction.
 H412 Harmful to aquatic life with long lasting effects.
 H314 Causes severe skin burns and eye damage.

Precautionary statements

P260 Do not breathe vapours / spray.
 P280 Wear protective gloves / protective clothing / eye protection / face protection.
 P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
 P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P310 Immediately call a POISON CENTER / doctor.
 P501 Dispose of contents/container in accordance with local/national regulation.

Cleaner, 648/2004/CE, contains:

5 - <15% non-ionic surfactants
 < 5% phosphonates
 < 5% anionic surfactant
 fragrances

2.3 Other hazards

Environmental hazards

Does not contain any PBT or vPvB substances.

Other hazards

Further hazards were not determined with the current level of knowledge.

SECTION 3: Composition / Information on ingredients

Product-type:

The product is a mixture.

Range [%]	Substance
5 - < 10	Isotridecanol, ethoxylated CAS: 9043-30-5, EINECS/ELINCS: 500-027-2 GHS/CLP: Acute Tox. 4: H302 - Eye Dam. 1: H318
1 - < 3	Alkane C6-C8 (even numbered), 1-sulphonic acid, sodium salt EINECS/ELINCS: 939-625-7, Reg-No.: 01-2119985168-23-XXXX GHS/CLP: Acute Tox. 4: H302 - Skin Irrit. 2: H315 - Eye Irrit. 2: H319
1 - < 3	Orange sweetly, Extract CAS: 8028-48-6, EINECS/ELINCS: 232-433-8, Reg-No.: 01-2119493353-35-XXXX GHS/CLP: Flam. Liq. 3: H226 - Asp. Tox. 1: H304 - Skin Irrit. 2: H315 - Skin Sens. 1: H317 - Aquatic Chronic 2: H411
1 - < 2	Sodium hydroxide CAS: 1310-73-2, EINECS/ELINCS: 215-185-5, EU-INDEX: 011-002-00-6, Reg-No.: 01-2119457892-27-XXXX GHS/CLP: Met. Corr. 1: H290 - Skin Corr. 1A: H314
1 - < 3	Amines, C12-14-alkyldimethyl, N-oxides CAS: 308062-28-4, EINECS/ELINCS: 931-292-6, Reg-No.: 01-2119490061-47-XXXX GHS/CLP: Acute Tox. 4: H302 - Skin Irrit. 2: H315 - Eye Dam. 1: H318 - Aquatic Acute 1: H400 - Aquatic Chronic 2: H411, M = 1

Comment on component parts
Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%.
For full text of H-statements: see SECTION 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Remove contaminated soaked clothing immediately and dispose of safely.

Inhalation
Ensure supply of fresh air.
In the event of symptoms seek medical treatment.
Skin contact
Immediate medical treatment necessary, as untreated burns can result in slow-healing wounds.
In case of contact with skin wash off immediately with plenty of water.
Eye contact
Consult a doctor immediately.
In case of contact with eyes rinse thoroughly with water.
Shield unaffected eye.
Ingestion
Consult a doctor immediately.
Rinse out mouth and give plenty of water to drink.
Do not induce vomiting.
Do not attempt to neutralize.

4.2 Most important symptoms and effects, both acute and delayed

Product is caustic.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media Product itself is non-combustible. Fire extinguishing method of surrounding areas must be considered.

Extinguishing media that must not be used Full water jet

5.2 Special hazards arising from the substance or mixture

Risk of formation of toxic pyrolysis products.
Carbon monoxide (CO)
Nitrogen oxides (NO_x).
Sulphur oxides (SO_x).

5.3 Advice for firefighters

Do not inhale explosion and/or combustion gases.
Use self-contained breathing apparatus.
Wear full protective suit.

Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.
Use personal protective equipment.
Remove persons to safety.

6.2 Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers).
Do not discharge into the drains/surface waters/groundwater.
In case the product spills into drains/surface waters/groundwater, immediately inform the authorities.

6.3 Methods and material for containment and cleaning up

Pick up with absorbent material (e.g. sand, universal absorbent, diatomaceous earth).
Dispose of absorbed material in accordance with the regulations.

6.4 Reference to other sections

See SECTION 8+13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Use only in well-ventilated areas.
Avoid spilling or spraying in enclosed areas.
When diluting, always stir product into water.
Avoid contact with eyes and skin. Use personal protective equipment.

Do not eat, drink, smoke or take drugs at work.
Remove soiled or soaked clothing immediately.
Clean skin thoroughly after work, apply skin cream.
Use barrier skin cream.

7.2 Conditions for safe storage, including any incompatibilities

Provide alkali-resistant floor.

Keep only in original container.

Do not store together with acids.

Do not store together with metals.

Keep container tightly closed.

Keep container in a well-ventilated place.

7.3 Specific end use(s)

See product use, SECTION 1.2

SECTION 8: Exposure controls / personal protection
8.1 Control parameters
Ingredients with occupational exposure limits to be monitored (GB)

Substance
Sodium hydroxide
CAS: 1310-73-2, EINECS/ELINCS: 215-185-5, EU-INDEX: 011-002-00-6, Reg-No.: 01-2119457892-27-XXXX
Short-term exposure (15-minute): 2 mg/m ³

DNEL

Substance
Sodium hydroxide, CAS: 1310-73-2
Industrial, inhalative, Long-term - local effects: 1 mg/m ³ .
general population, inhalative, Long-term - local effects: 1 mg/m ³ .
Amines, C12-14-alkyldimethyl, N-oxides, CAS: 308062-28-4
Industrial, dermal, Long-term - local effects: 0,27 % in mixture (weight basis).
Industrial, inhalative, Long-term - systemic effects: 15,5 mg/m ³ .
Industrial, dermal, Long-term - systemic effects: 11 mg/kg bw/day.
general population, inhalative, Long-term - systemic effects: 3,825 mg/m ³ .
general population, dermal, Long-term - systemic effects: 5,5 mg/kg bw/day.
general population, dermal, Long-term - local effects: 0,27 % in mixture (weight basis).
general population, oral, Long-term - systemic effects: 0,44 mg/kg bw/day.
Orange sweetly, Extract, CAS: 8028-48-6
Industrial, dermal, Long-term - systemic effects: 8,89 mg/kg.
Industrial, dermal, Acute - systemic effects: 0,1858 mg/cm ² .
Industrial, inhalative, Long-term - systemic effects: 31,1 mg/m ³ .
general population, dermal, Acute - systemic effects: 0,0929 mg/cm ² .
general population, oral, Long-term - systemic effects: 4,44 mg/kg.
general population, dermal, Long-term - systemic effects: 4,44 mg/kg.
general population, inhalative, Long-term - systemic effects: 7,78 mg/m ³ .

PNEC

Substance
Amines, C12-14-alkyldimethyl, N-oxides, CAS: 308062-28-4
sediment (freshwater), 5,24 mg/kg.
sewage treatment plants (STP), 24 mg/l.
seawater, 0,00335 mg/l.
freshwater, 0,0335 mg/l.
soil, 1,02 mg/kg.
sediment (seaater), 0,524 mg/kg.
Orange sweetly, Extract, CAS: 8028-48-6
oral (food), 13,3 mg/kg.
sediment (freshwater), 1,3 mg/kg.
sediment (seaater), 0,13 mg/kg.
freshwater, 5,4 mg/l.
seawater, 0,54 mg/l.
sewage treatment plants (STP), 2,1 mg/l.
soil, 0,261 mg/kg.

8.2 Exposure controls

Additional advice on system design	Ensure adequate ventilation on workstation. Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of hazardous substances.
Eye protection	Tightly fitting goggles. (EN 166:2001) Face shield.
Hand protection	The details concerned are recommendations. Please contact the glove supplier for further information. ≥ 0,4 mm, Viton, >480 min (EN 374-1/-2/-3). ≥ 0,5 mm, Butyl rubber, >480 min (EN 374-1/-2/-3). ≥ 0,35 mm, Nitrile rubber, >480 min (EN 374-1/-2/-3).
Skin protection	Alkali-resistant protective clothing.
Other	Avoid contact with eyes and skin. Do not breathe vapour/spray. Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to chemicals should be ascertained with the respective supplier.
Respiratory protection	Respiratory protection mask in the event of high concentrations. Short term: filter apparatus, combination filter A-P2. (DIN EN 14387)
Thermal hazards	not applicable
Delimitation and monitoring of the environmental exposition	Protect the environment by applying appropriate control measures to prevent or limit emissions.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form	liquid
Color	colourless yellowish clear
Odor	characteristic
Odour threshold	No information available.
pH-value	12,9
pH-value [1%]	ca. 11
Boiling point [°C]	> 100
Flash point [°C]	not applicable
Flammability (solid, gas) [°C]	not applicable
Lower explosion limit	No information available.
Upper explosion limit	No information available.
Oxidising properties	no
Vapour pressure/gas pressure [kPa]	No information available.
Density [g/ml]	1,01
Bulk density [kg/m³]	not applicable
Solubility in water	completely miscible
Partition coefficient [n-octanol/water]	No information available.
Viscosity	No information available.
Relative vapour density determined in air	No information available.
Evaporation speed	No information available.
Melting point [°C]	< 0
Autoignition temperature [°C]	not self-igniting
Decomposition temperature [°C]	No information available.

9.2 Other information

No information available.

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reactions known if used as directed.

10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

10.3 Possibility of hazardous reactions

Reactions with metals.

Reactions with acids.

Reactions with halogenated compounds.

Reactions with oxidizing agents.

10.4 Conditions to avoid

No information available.

10.5 Incompatible materials

See SECTION 10.3.

10.6 Hazardous decomposition products

In the event of fire: See SECTION 5.

SECTION 11: Toxicological information
11.1 Information on toxicological effects
Acute toxicity

Product
ATE-mix, oral, > 2000 mg/kg.
Substance
Isotridecanol, ethoxylated, CAS: 9043-30-5
LD50, dermal, Rabbit: > 2000 mg/kg.
LD50, oral, Rat: 500 mg/kg.
Sodium hydroxide, CAS: 1310-73-2
LD50, oral, 500 mg/kg (Lit.).
Amines, C12-14-alkyldimethyl, N-oxides, CAS: 308062-28-4
LD50, dermal, Rat: > 5000 mg/kg (OECD - 402).
LD50, oral, Rat: > 300 - 2000 mg/kg (OECD - 401).
Orange sweetly, Extract, CAS: 8028-48-6
LD50, dermal, Rabbit: > 2000 mg/kg.
LD50, oral, Rat: > 5000 mg/kg.
LD50, dermal, Rat: > 5000 mg/kg.
Alkane C6-C8 (even numbered), 1-sulphonic acid, sodium salt
LD50, dermal, Rat: > 2000 mg/kg.
LD50, oral, Rat: > 1550 mg/kg.

Serious eye damage/irritation	Risk of serious damage to eyes. Calculation method
Skin corrosion/irritation	Product is caustic. The classification is due to the extreme pH.
Respiratory or skin sensitisation	Sensitizing. Calculation method
Specific target organ toxicity — single exposure	Based on the available information, the classification criteria are not fulfilled.
Specific target organ toxicity — repeated exposure	Based on the available information, the classification criteria are not fulfilled.
Mutagenicity	Based on the available information, the classification criteria are not fulfilled.
Reproduction toxicity	Based on the available information, the classification criteria are not fulfilled.
Carcinogenicity	Based on the available information, the classification criteria are not fulfilled.
Aspiration hazard	Based on the available information, the classification criteria are not fulfilled.
General remarks	May cause respiratory tract irritation. Toxicological data of complete product are not available. The toxicity data listed pertaining to the ingredients are intended for those working in the medicinal professions, experts for occupational health and safety and toxicologists. The toxicity data pertaining to the ingredients were supplied by the manufacturers of raw materials.

SECTION 12: Ecological information

12.1 Toxicity

Substance
Isotridecanol, ethoxylated, CAS: 9043-30-5
LC50, (96h), Cyprinus carpio: > 1 - 10 mg/l (OECD 203).
EC50, (72h), Desmodesmus subspicatus: > 1 - 10 mg/l (OECD 201).
EC50, (48h), Daphnia magna: > 1 - 10 mg/l (OECD 202).
NOEC, (21d), Daphnia magna: 2,48 - 3,76 mg/l.
Sodium hydroxide, CAS: 1310-73-2
LC50, (96h), fish: 35-189 mg/l (Lit).
EC50, (48h), Ceriodaphnia dubia: 40,4 mg/l (Lit).
Amines, C12-14-alkyldimethyl, N-oxides, CAS: 308062-28-4
LC50, (96h), fish: > 1 - 10 mg/l.
EC50, (72h), Algae: > 0,1 - 1 mg/l (OECD - 201).
EC50, (48h), Daphnia magna: > 1 - 10 mg/l (OECD - 202).
Orange sweetly, Extract, CAS: 8028-48-6
LC50, (96h), Pimephales promelas: 0,7 mg/l (OECD 203).
EC50, (72h), Desmodesmus subspicatus: 150 mg/l (OECD 201).
EC50, (48h), Daphnia magna: 0,67 mg/l (OECD 202).
Alkane C6-C8 (even numbered), 1-sulphonic acid, sodium salt
LC50, fish: > 100 mg/l.
EC50, Daphnia sp.: > 100 mg/l.
NOEC, Algae: 6,25 mg/l.

12.2 Persistence and degradability

Behaviour in environment compartments

No information available.

Behaviour in sewage plant

The product is an alkaline solution. Neutralization is normally necessary before a waste water is discharged into sewage treatment plants.

Biological degradability

The surfactants contained in this preparation comply with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents.
Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

12.6 Other adverse effects

Harmful effect due to pH shift.

Ecological data of complete product are not available.

The toxicity data pertaining to the ingredients were supplied by the manufacturers of raw materials.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

Product

Dispose of as hazardous waste.
Coordinate disposal with the authorities if necessary.

Waste no. (recommended) 060204*

Contaminated packaging

Uncontaminated packaging may be taken for recycling.
Packaging that cannot be cleaned should be disposed of as for product.

Waste no. (recommended) 150110*

SECTION 14: Transport information

14.1 UN number

Transport by land according to ADR/RID 3266

Inland navigation (ADN) 3266

Marine transport in accordance with IMDG 3266

Air transport in accordance with IATA 3266

14.2 UN proper shipping name

Transport by land according to ADR/RID Corrosive liquid, basic, inorganic, n.o.s. (Sodium hydroxide, Surfactant)

- Classification Code C5

- Label



- ADR LQ 1 I

- ADR 1.1.3.6 (8.6) Transport category (tunnel restriction code) 2 (E)

Inland navigation (ADN) Corrosive liquid, basic, inorganic, n.o.s. (Sodium hydroxide, Surfactant)

- Classification Code C5

- Label



Marine transport in accordance with IMDG Corrosive liquid, basic, inorganic, n.o.s. (Sodium hydroxide, Surfactants)

- EMS F-A, S-B

- Label



- IMDG LQ 1 I

Air transport in accordance with IATA Corrosive liquid, basic, inorganic, n.o.s. (Sodium hydroxide, Surfactants)

- Label

**14.3 Transport hazard class(es)**

Transport by land according to ADR/RID 8

Inland navigation (ADN) 8

Marine transport in accordance with IMDG 8

Air transport in accordance with IATA 8

14.4 Packing group

Transport by land according to ADR/RID II

Inland navigation (ADN) II

Marine transport in accordance with IMDG II

Air transport in accordance with IATA II

14.5 Environmental hazards

Transport by land according to ADR/RID no

Inland navigation (ADN) no

Marine transport in accordance with IMDG no

Air transport in accordance with IATA no

14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

No information available.

SECTION 15: Regulatory information**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

EEC-REGULATIONS	1991/689 (2001/118); 2010/75; 2004/42; 648/2004; 1907/2006 (REACH); 1272/2008; 75/324/EEC (2008/47/EC); (EU) 2015/830; (EU) 2016/131; (EU) 517/2014
TRANSPORT-REGULATIONS	DOT-Classification, ADR (2017); IMDG-Code (2017, 38. Amdt.); IATA-DGR (2017).
NATIONAL REGULATIONS (GB):	EH40/2005 Workplace exposure limits (Second edition, published December 2011). CHIP 3/ CHIP 4
- Observe employment restrictions for people	Observe employment restrictions for young people. Observe employment restrictions for mothers-to-be and nursing mothers.
- VOC (2010/75/CE)	ca. 2 %

15.2 Chemical safety assessment

For the following substances of this preparation a chemical safety assessment has been carried out:
Sodium hydroxide
Orange, sweet, ext.

SECTION 16: Other information**16.1 Hazard statements (SECTION 03)**

H314 Causes severe skin burns and eye damage.
H290 May be corrosive to metals.
H400 Very toxic to aquatic life.
H319 Causes serious eye irritation.
H411 Toxic to aquatic life with long lasting effects.
H317 May cause an allergic skin reaction.
H315 Causes skin irritation.
H304 May be fatal if swallowed and enters airways.
H226 Flammable liquid and vapour.
H318 Causes serious eye damage.
H302 Harmful if swallowed.

16.2 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route
 RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses
 ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure
 ATE = acute toxicity estimate
 CAS = Chemical Abstracts Service
 CLP = Classification, Labelling and Packaging
 DMEL = Derived Minimum Effect Level
 DNEL = Derived No Effect Level
 EC50 = Median effective concentration
 ECB = European Chemicals Bureau
 EEC = European Economic Community
 EINECS = European Inventory of Existing Commercial Chemical Substances
 ELINCS = European List of Notified Chemical Substances
 GHS = Globally Harmonized System of Classification and Labelling of Chemicals
 IATA = International Air Transport Association
 IBC-Code = International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
 IC50 = Inhibition concentration, 50%
 IMDG = International Maritime Code for Dangerous Goods
 IUCLID = International Uniform Chemical Information Database
 LC50 = Lethal concentration, 50%
 LD50 = Median lethal dose
 LC0 = lethal concentration, 0%
 LOAEL = lowest-observed-adverse-effect level
 MARPOL = International Convention for the Prevention of Marine Pollution from Ships
 NOAEL = No Observed Adverse Effect Level
 NOEC = No Observed Effect Concentration
 PBT = Persistent, Bioaccumulative and Toxic substance
 PNEC = Predicted No-Effect Concentration
 REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals
 STP = Sewage Treatment Plant
 TLV@TWA = Threshold limit value – time-weighted average
 TLV@STEL = Threshold limit value – short-time exposure limit
 VOC = Volatile Organic Compounds
 vPvB = very Persistent and very Bioaccumulative

16.3 Other information**Classification procedure**

Skin Corr. 1: H314 Causes severe skin burns and eye damage. ()
 Eye Dam. 1: H318 Causes serious eye damage. ()
 Skin Sens. 1: H317 May cause an allergic skin reaction. ()
 Aquatic Chronic 3: H412 Harmful to aquatic life with long lasting effects. ()

Modified position

SECTION 2 been added: Skin Corr. 1
 SECTION 2 deleted: Skin Corr. 1A
 SECTION 7 been added: Avoid contact with eyes and skin. Use personal protective equipment.
 SECTION 8 been added: Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of hazardous substances.
 SECTION 9 been added: No information available.
 SECTION 9 deleted: not determined
 SECTION 11 been added: Based on the available information, the classification criteria are not fulfilled.
 SECTION 11 deleted: not determined
 SECTION 11 been added: Calculation method
 SECTION 11 been added: The classification is due to the extreme pH.
 SECTION 11 been added: Risk of serious damage to eyes.
 SECTION 12 been added: No information available.
 SECTION 12 deleted: not determined



Copyright: Chemiebüro®

