

EU safety data sheet

Trade name: KRONES colclean MC 1005

Current version : 1.0.1, issued: 08.06.2021

Replaced version: 1.0.0, issued: 06.07.2020

Region: GB

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

KRONES colclean MC 1005

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

Cleaning agent

Uses advised against

No data available.

1.3 Details of the supplier of the safety data sheet

Address

KIC KRONES Internationale Cooperationsgesellschaft mbH

Böhmerwaldstraße 5

93073 Neutraubling

Telephone no. +49 9401 70-3020

Fax no. +49 9401 70-3696

e-mail kic@kic-krones.com

Advice on Safety Data Sheet

sdb_info@umco.de

1.4 Emergency telephone number

For medical advice (in German and English):

+49 (0)551 192 40 (Giftinformationszentrum Nord)

In case of transport incidents and other emergencies:

+44 (0) 1235 239 670 (NCEC, National Chemical Emergency Centre)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 (CLP)

Eye Dam. 1; H318

Skin Corr. 1; H314

Classification information

Product is classified as "Corrosive" based on the extreme pH-value, see:

- Regulation 1272/2008 (CLP), Annex. I, number 3.2.2.2 / 3.2.3.1.2

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)

Hazard pictograms



GHS05

Signal word

Danger

EU safety data sheet

Trade name: KRONES colclean MC 1005

Current version : 1.0.1, issued: 08.06.2021

Replaced version: 1.0.0, issued: 06.07.2020

Region: GB

Hazardous component(s) to be indicated on label:

potassium hydroxide

Hazard statement(s)

H314 Causes severe skin burns and eye damage.

Precautionary statement(s)

P260 Do not breathe mist/vapours/spray.

P264 Wash thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

2.3 Other hazards

No data available.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable. The product is not a substance.

3.2 Mixtures

Hazardous ingredients

No	Substance name	Additional information	
	CAS / EC / Index / REACH no	Classification (EC) 1272/2008 (CLP)	Concentration
			%
1	trisodium-nitritriacetate		
	5064-31-3 225-768-6 607-620-00-6 01-2119519239-36	Acute Tox. 4*; H302 Carc. 2; H351 Eye Irrit. 2; H319	< 5.00 wt%
2	Alcohols, C9-11-iso-, C10-rich, ethoxylated		
	78330-20-8 - - -	Acute Tox. 4; H302 Eye Dam. 1; H318	< 5.00 wt%
3	N-dodecyl-beta-alanine, compound with 2,2',2''-nitritriethanol (1:1)		
	14171-00-7 238-015-1 - 01-2120769314-51	Eye Irrit. 2; H319	< 5.00 wt%
4	2-(2-butoxyethoxy)ethanol		
	112-34-5 203-961-6 603-096-00-8 01-2119475104-44	Eye Irrit. 2; H319	< 5.00 wt%
5	potassium hydroxide		
	1310-58-3 215-181-3 019-002-00-8 01-2119487136-33	Acute Tox. 4; H302 Skin Corr. 1A; H314 Met. Corr. 1; H290 Eye Dam. 1; H318	< 2.50 wt%

Full Text for all H-phrases and EUH-phrases: pls. see section 16

(* , ** , *** , ****) Detailed explanation pls. refer to CLP regulation No. 1272/2008, annex VI, 1.2

No	Note	Specific concentration limits	M-factor (acute)	M-factor (chronic)
1	-	Carc. 2; H351: C >= 5%	-	-
5	-	Skin Irrit. 2; H315: C >= 0.5%	-	-

EU safety data sheet

Trade name: KRONES colclean MC 1005

Current version : 1.0.1, issued: 08.06.2021

Replaced version: 1.0.0, issued: 06.07.2020

Region: GB

		Eye Irrit. 2; H319: C \geq 0.5% Skin Corr. 1B; H314: C \geq 2% Skin Corr. 1A; H314: C \geq 5%		
--	--	---	--	--

Acute toxicity estimate (ATE) values

No	oral	dermal	inhalative
1	1740 mg/kg bodyweight		
5	333 mg/kg bodyweight		

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Remove contaminated clothing and shoes immediately, and launder thoroughly before reusing.

After inhalation

Remove affected persons from dangerous area by observing suitable respiratory protection measures. Ensure supply of fresh air. Do not use mouth-to-mouth or mouth-to-nose resuscitation. Call a doctor immediately.

After skin contact

Wash immediately with plenty of water for several minutes. Seek medical attention.

After eye contact

Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the unaffected eye (at least 10 to 15 minutes). Get immediate ophthalmic treatment.

After ingestion

Rinse out mouth and give plenty of water to drink. Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms

burns

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Product itself is non-combustible; adapt fire extinguishing measures to surrounding areas.

Unsuitable extinguishing media

High power water jet

5.2 Special hazards arising from the substance or mixture

In the event of fire, the following can be released: Carbon monoxide and carbon dioxide; Nitrogen oxides (NOx)

5.3 Advice for firefighters

Use self-contained breathing apparatus. Wear protective clothing. Do not inhale explosion and/or combustion byproducts. Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Refer to protective measures listed in sections 7 and 8. Use personal protective clothing. Ensure adequate ventilation. Remove persons to safety.

For emergency responders

Personal protective equipment (PPE) - see section 8.

6.2 Environmental precautions

EU safety data sheet

Trade name: KRONES colclean MC 1005

Current version : 1.0.1, issued: 08.06.2021

Replaced version: 1.0.0, issued: 06.07.2020

Region: GB

Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil.

6.3 Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regulations (see section 13).

6.4 Reference to other sections

Information regarding safe handling, see section 7. Information regarding personal protective measures, see section 8. Information regarding waste disposal, see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Risks inherent to handling the product must be minimised by applying the appropriate protective and preventive measures. Working processes should - so far as possible, according to the state of the art - be designed to rule out bodily contact or the release of hazardous substances. Provide good ventilation at the work area (local exhaust ventilation, if necessary).

General protective and hygiene measures

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Do not inhale vapours. Avoid contact with eyes and skin. Wash hands before breaks and after work. Use barrier skin cream. Remove contaminated clothing and shoes and launder thoroughly before reusing. Have emergency shower available. Provide eye wash fountain in work area.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions

Keep container tightly closed and dry in a cool, well-ventilated place.

Requirements for storage rooms and vessels

Containers which are opened must be carefully closed and kept upright to prevent leakage. Always keep in containers of same material as the original. Provide acid-resistant floor.

Incompatible products

Substances to be avoided, see section 10. Do not store together with: Metals; Alkalies; Reducing agents

7.3 Specific end use(s)

No data available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values

No	Substance name	CAS no.	EC no.
1	2-(2-butoxyethoxy)ethanol	112-34-5	203-961-6
	2006/15/EC		
	2-(2-Butoxyethoxy)ethanol		
	WEL short-term (15 min reference period)	101.2	mg/m ³ 15 ppm
	WEL long-term (8-hr TWA reference period)	67.5	mg/m ³ 10 ppm
	List of approved workplace exposure limits (WELs) / EH40		
	2-(2-Butoxyethoxy)ethanol		
	WEL short-term (15 min reference period)	101.2	mg/m ³ 15 ppm
	WEL long-term (8-hr TWA reference period)	67.5	mg/m ³ 10 ppm
2	potassium hydroxide	1310-58-3	215-181-3
	List of approved workplace exposure limits (WELs) / EH40		
	Potassium hydroxide (as Cyanide)		
	WEL short-term (15 min reference period)	5	mg/m ³
	WEL long-term (8-hr TWA reference period)	1	mg/m ³

DNEL, DMEL and PNEC values

DNEL values (worker)

EU safety data sheet

Trade name: KRONES colclean MC 1005

Current version : 1.0.1, issued: 08.06.2021

Replaced version: 1.0.0, issued: 06.07.2020

Region: GB

No	Substance name			CAS / EC no	
	Route of exposure	Exposure time	Effect	Value	
1	trisodium-nitritotriacetate			5064-31-3 225-768-6	
	inhalative	Short term (acut)	systemic	2.4	mg/cm ²
	inhalative	Long term (chronic)	systemic	0.8	mg/cm ²
2	N-dodecyl-beta-alanine, compound with 2,2',2''-nitritotriethanol (1:1)			14171-00-7 238-015-1	
	dermal	Long term (chronic)	systemic	2.67	mg/kg/day
3	2-(2-butoxyethoxy)ethanol			112-34-5 203-961-6	
	dermal	Long term (chronic)	systemic	20	mg/kg/day
	inhalative	Long term (chronic)	systemic	67.5	mg/m ³
	inhalative	Long term (chronic)	local	67.5	mg/m ³
	inhalative	Short term (acut)	local	101.2	mg/m ³
4	potassium hydroxide			1310-58-3 215-181-3	
	inhalative	Long term (chronic)	local	1	mg/m ³

DNEL value (consumer)

No	Substance name			CAS / EC no	
	Route of exposure	Exposure time	Effect	Value	
1	trisodium-nitritotriacetate			5064-31-3 225-768-6	
	oral	Short term (acut)	systemic	0.9	mg/kg
	oral	Long term (chronic)	systemic	0.3	mg/kg
	dermal	Short term (acut)	systemic		
	inhalative	Short term (acut)	systemic	9.6	mg/cm ²
	inhalative	Long term (chronic)	systemic	3.2	mg/cm ²
2	2-(2-butoxyethoxy)ethanol			112-34-5 203-961-6	
	oral	Long term (chronic)	systemic	1.25	mg/kg/day
	dermal	Long term (chronic)	systemic	10	mg/kg/day
	inhalative	Long term (chronic)	local	34	mg/m ³
	inhalative	Long term (chronic)	systemic	34	mg/m ³
	inhalative	Short term (acut)	local	50.6	mg/m ³
3	potassium hydroxide			1310-58-3 215-181-3	
	inhalative	Long term (chronic)	local	1	mg/m ³

PNEC values

No	Substance name		CAS / EC no	
	ecological compartment	Type	Value	
1	trisodium-nitritotriacetate		5064-31-3 225-768-6	
	water	fresh water	0.93	mg/L
	water	marine water	0.093	mg/L
	sewage treatment plant	-	270	mg/L
2	2-(2-butoxyethoxy)ethanol		112-34-5 203-961-6	
	water	fresh water	1.0	mg/L
	water	fresh water sediment	4.0	mg/kg
	with reference to: dry weight			
	water	marine water	0.1	mg/L
	water	marine water sediment	0.4	mg/kg
	with reference to: dry weight			
	water	Aqua intermittent	3.9	mg/L
	soil	-	0.4	mg/kg
	sewage treatment plant	-	200	mg/L

8.2 Exposure controls

EU safety data sheet

Trade name: KRONES colclean MC 1005

Current version : 1.0.1, issued: 08.06.2021

Replaced version: 1.0.0, issued: 06.07.2020

Region: GB

Appropriate engineering controls

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and solvent vapour below the OEL (=Occupational Exposure Limit), suitable respiratory protection must be worn.

Personal protective equipment

Respiratory protection

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of aerosol and mist formation, take appropriate measures for breathing protection in the event workplace threshold values are not specified. combination filter

Respiratory filter (part): A-P2

Eye / face protection

Safety glasses with side protection shield (EN 166); Tightly fitting safety glasses (EN 166).

Hand protection

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific work-station suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

Appropriate Material	PVC		
Material thickness	>=	0.5	
Breakthrough time	>=	480	min
Appropriate Material	butyl rubber		
Material thickness	>=	0.5	
Breakthrough time	>=	480	min
Appropriate Material	nitrile rubber		
Material thickness	>=	0.5	
Breakthrough time	>=	480	min

Other

Acid-resistant protective clothing

Environmental exposure controls

No data available.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

State of aggregation	
liquid	
Form/Colour	
liquid	
yellowish	
Odour	
characteristic	
pH value	
Value	13
Boiling point / boiling range	
Value	> 100 °C
Melting point/freezing point	
No data available	
Decomposition temperature	
No data available	
Flash point	
No data available	

EU safety data sheet

Trade name: KRONES colclean MC 1005

Current version : 1.0.1, issued: 08.06.2021

Replaced version: 1.0.0, issued: 06.07.2020

Region: GB

Ignition temperature	
No data available	
Auto-ignition temperature	
Comments	Product is not selfigniting.
Oxidising properties	
not oxidizing	
Flammability	
No data available	
Lower explosion limit	
No data available	
Upper explosion limit	
No data available	
Vapour pressure	
No data available	
Relative vapour density	
No data available	
Relative density	
Value	1.08
Density	
No data available	
Solubility in water	
Comments	Completely miscible
Solubility	
No data available	
Partition coefficient n-octanol/water (log value)	
No data available	
Viscosity	
No data available	
Particle characteristics	
No data available	

9.2 Other information

Other information
No data available.

SECTION 10: Stability and reactivity

10.1 Reactivity

Dangerous reactions are not expected if the product is handled according to its intended use.

10.2 Chemical stability

Stable under recommended storage and handling conditions (See section 7).

10.3 Possibility of hazardous reactions

Dangerous reactions are not to be expected when handling product according to its intended use.

10.4 Conditions to avoid

None, if handled according to intended use.

10.5 Incompatible materials

Metals; Acids

10.6 Hazardous decomposition products

None, if handled according to intended use.

EU safety data sheet

Trade name: KRONES colclean MC 1005

Current version : 1.0.1, issued: 08.06.2021

Replaced version: 1.0.0, issued: 06.07.2020

Region: GB

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity (result of the ATE calculation for the mixture)	
No	Product Name
1	KRONES colclean MC 1005
Comments	The result of the applied calculation method according to the European Regulation (EC) 1272/2008 (CLP), Paragraph 3.1.3.6, Part 3 of Annex I is outside the values that imply a classification / labelling of this mixture according to table 3.1.1 defining the respective categories (ATE oral > 2000 mg/kg).

Acute oral toxicity			
No	Substance name	CAS no.	EC no.
1	trisodium-nitritotriacetate	5064-31-3	225-768-6
LD50		1740	mg/kg bodyweight
Species	rat		
Method	OECD 401		
Source	ECHA		
2	N-dodecyl-beta-alanine, compound with 2,2',2''-nitritotriethanol (1:1)	14171-00-7	238-015-1
LD50	>	2000	mg/kg bodyweight
Species	rat		
Method	OECD 423		
Source	ECHA		
3	potassium hydroxide	1310-58-3	215-181-3
LD50		333	mg/kg bodyweight
Species	rat		
Method	OECD 425		
Source	ECHA		

Acute dermal toxicity	
No data available	

Acute inhalational toxicity			
No	Substance name	CAS no.	EC no.
1	trisodium-nitritotriacetate	5064-31-3	225-768-6
LC50	>	5	mg/l
Duration of exposure		4	h
State of aggregation	Dust		
Species	rat		
Source	ECHA		

Skin corrosion/irritation	
No	Product Name
1	KRONES colclean MC 1005
Comments	pH >= 11,5
Evaluation	corrosive

Serious eye damage/irritation	
No	Product Name
1	KRONES colclean MC 1005
Comments	pH >= 11,5
Evaluation	corrosive

Respiratory or skin sensitisation			
No	Substance name	CAS no.	EC no.
1	trisodium-nitritotriacetate	5064-31-3	225-768-6
Route of exposure	Skin		
Species	guinea pig		
Method	OECD 406		

EU safety data sheet

Trade name: KRONES colclean MC 1005

Current version : 1.0.1, issued: 08.06.2021

Replaced version: 1.0.0, issued: 06.07.2020

Region: GB

Source Evaluation	ECHA non-sensitizing
2	potassium hydroxide 1310-58-3 215-181-3
Route of exposure	Skin
Species	guinea pig
Source	ECHA
Evaluation	non-sensitizing

Germ cell mutagenicity

No	Substance name	CAS no.	EC no.
1	trisodium-nitritotriacetate	5064-31-3	225-768-6
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		
2	N-dodecyl-beta-alanine, compound with 2,2',2''-nitritotriethanol (1:1)	14171-00-7	238-015-1
Species	mouse lymphoma L5178Y cells		
Method	OECD 476		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		
3	potassium hydroxide	1310-58-3	215-181-3
Type of examination	Ames-Test		
Species	Bacteria - Salmonella typhimurium		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		

Reproduction toxicity

No	Substance name	CAS no.	EC no.
1	trisodium-nitritotriacetate	5064-31-3	225-768-6
Species	rat		
Method	OECD 416		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		
2	N-dodecyl-beta-alanine, compound with 2,2',2''-nitritotriethanol (1:1)	14171-00-7	238-015-1
Species	rat		
Method	OECD 422		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		

Carcinogenicity

No data available

STOT - single exposure

No data available

STOT - repeated exposure

No	Substance name	CAS no.	EC no.
1	trisodium-nitritotriacetate	5064-31-3	225-768-6
Route of exposure	dermal		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		
Route of exposure	inhalational		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		
Route of exposure	oral		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		

Aspiration hazard

No data available

11.2 Information on other hazards

EU safety data sheet

Trade name: KRONES colclean MC 1005

Current version : 1.0.1, issued: 08.06.2021

Replaced version: 1.0.0, issued: 06.07.2020

Region: GB

Endocrine disrupting properties

No data available.

Other information

No data available.

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish (acute)			
No	Substance name	CAS no.	EC no.
1	trisodium-nitritotriacetate	5064-31-3	225-768-6
LC50		114	mg/l
Duration of exposure		96	h
Species	Pimephales promelas		
Source	ECHA		
2	N-dodecyl-beta-alanine, compound with 2,2',2''-nitritotriethanol (1:1)	14171-00-7	238-015-1
LC50		4.2	mg/l
Duration of exposure		96	h
Species	Oncorhynchus mykiss		
Method	OECD 203		
Source	ECHA		
3	potassium hydroxide	1310-58-3	215-181-3
LC50		80	mg/l
Duration of exposure		96	h
Species	Gambusia affinis		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		

Toxicity to fish (chronic)			
No	Substance name	CAS no.	EC no.
1	trisodium-nitritotriacetate	5064-31-3	225-768-6
NOEC	>	54	mg/l
Duration of exposure		224	day(s)
Species	Pimephales promelas		
Source	ECHA		

Toxicity to Daphnia (acute)			
No	Substance name	CAS no.	EC no.
1	N-dodecyl-beta-alanine, compound with 2,2',2''-nitritotriethanol (1:1)	14171-00-7	238-015-1
EC50		29	mg/l
Duration of exposure		48	h
Species	Daphnia magna		
Method	EU Method C.2		
Source	ECHA		

Toxicity to Daphnia (chronic)			
No	Substance name	CAS no.	EC no.
1	trisodium-nitritotriacetate	5064-31-3	225-768-6
NOEC		9.3	mg/l
Duration of exposure		147	day(s)
Species	Daphnia magna		
Source	ECHA		
2	N-dodecyl-beta-alanine, compound with 2,2',2''-nitritotriethanol (1:1)	14171-00-7	238-015-1
NOEC		10	mg/l
Duration of exposure		21	day(s)
Species	Daphnia magna		
Method	OECD 211		
Source	ECHA		

EU safety data sheet

Trade name: KRONES colclean MC 1005

Current version : 1.0.1, issued: 08.06.2021

Replaced version: 1.0.0, issued: 06.07.2020

Region: GB

Toxicity to algae (acute)			
No	Substance name	CAS no.	EC no.
1	trisodium-nitritotriacetate	5064-31-3	225-768-6
ErC50	>	91.5	mg/l
Duration of exposure		72	h
Species	Desmodesmus subspicatus		
Method	OECD 201		
Source	ECHA		
2	N-dodecyl-beta-alanine, compound with 2,2',2''-nitritotriethanol (1:1)	14171-00-7	238-015-1
ErC50		9.4	mg/l
Duration of exposure		72	h
Species	Chlorella vulgaris		
Source	ECHA		

Toxicity to algae (chronic)			
No	Substance name	CAS no.	EC no.
1	trisodium-nitritotriacetate	5064-31-3	225-768-6
NOEC		1.43	mg/l
Duration of exposure		72	h
Species	Desmodesmus subspicatus		
Method	OECD 201		
Source	ECHA		

Bacteria toxicity	
No data available	

12.2 Persistence and degradability

Biodegradability			
No	Substance name	CAS no.	EC no.
1	trisodium-nitritotriacetate	5064-31-3	225-768-6
Value		100	%
Duration		14	d
Method	OECD 301 E		
Source	ECHA		
Evaluation	readily biodegradable		
2	N-dodecyl-beta-alanine, compound with 2,2',2''-nitritotriethanol (1:1)	14171-00-7	238-015-1
Value		96	%
Duration		28	day(s)
Method	OECD 301 B		
Source	ECHA		
Evaluation	readily biodegradable		

12.3 Bioaccumulative potential

No data available.

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB assessment

No data available.

12.6 Endocrine disrupting properties

No data available.

12.7 Other adverse effects

No data available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

EU safety data sheet

Trade name: KRONES colclean MC 1005

Current version : 1.0.1, issued: 08.06.2021

Replaced version: 1.0.0, issued: 06.07.2020

Region: GB

Product

Disposal of the product should be carried out in accordance with all applicable regulations following consultation with the responsible local authority and the disposal company in an authorised and suitable disposal facility.

Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

Packaging

Residues must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.

SECTION 14: Transport information

14.1 Transport ADR/RID/ADN

Class	8
Classification code	C5
Packing group	II
Hazard identification no.	80
UN number	UN3266
Proper shipping name	CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S.
Technical name	potassium hydroxide
Tunnel restriction code	E
Label	8

14.2 Transport IMDG

Class	8
Packing group	II
UN number	UN3266
Proper shipping name	CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S.
Technical name	potassium hydroxide
EmS	F-A, S-B
Label	8

14.3 Transport ICAO-TI / IATA

Class	8
Packing group	II
UN number	UN3266
Proper shipping name	Corrosive liquid, basic, inorganic, n.o.s.
Technical name	potassium hydroxide
Label	8

14.4 Other information

No data available.

14.5 Environmental hazards

Information on environmental hazards, if relevant, please see 14.1 - 14.3.

14.6 Special precautions for user

No data available.

14.7 Maritime transport in bulk according to IMO instruments

Not relevant

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

EU safety data sheet

Trade name: KRONES colclean MC 1005

Current version : 1.0.1, issued: 08.06.2021

Replaced version: 1.0.0, issued: 06.07.2020

Region: GB

REACH candidate list of substances of very high concern (SVHC) for authorisation

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES

The product is considered being subject to REACH regulation (EC) 1907/2006 annex XVII. No 3

The product contains following substance(s) that are considered being subject to REACH regulation (EC) 1907/2006 annex XVII.

No	Substance name	CAS no.	EC no.	No
1	2-(2-butoxyethoxy)ethanol	112-34-5	203-961-6	55

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances

This product is not subject to Part 1 or 2 of Annex I.

Other regulations

Adhere to the national sanitary and occupational safety regulations when using this product.

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for this mixture.

SECTION 16: Other information

Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section.

Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

H290	May be corrosive to metals.
H302	Harmful if swallowed.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H351	Suspected of causing cancer.

Creation of the safety data sheet

UMCO GmbH - D-21107 Hamburg, Georg-Wilhelm-Strasse 187, Tel.: +49(40)555 546 300, Fax: +49(40)555 546 357, e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Alterations/supplements:

Alterations to the previous edition are marked in the left-hand margin.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH.

Prod-ID 760643