Trade name: KRONES colfix S 4026

Current version: 2.0.3, issued: 08.06.2021 Reglaced version: 2.0.1, issued: 26.02.2021 Region: GB

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1 Product identifier

Trade name

## **KRONES colfix S 4026**

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

### Relevant identified uses of the substance or mixture

Adhesive for labelling

## Uses advised against

No data available.

## 1.3 Details of the supplier of the safety data sheet

#### **Address**

KIC KRONES Internationale Cooperationsgesellschaft mbH

Böhmerwaldstraße 5 93073 Neutraubling

Telephone no. +49 9401 70-3020 Fax no. +49 9401 70-3696 e-mail kic@kic-krones.com

### **Advice on Safety Data Sheet**

sdb info@umco.de

## 1.4 Emergency telephone number

For medical advice (in German and English):

+49 (0)551 192 40 (Giftinformationszentrum Nord)

In case of transport incidents and other emergencies:

+44 (0) 1235 239 670 (NCEC, National Chemical Emergency Centre)

## **SECTION 2: Hazards identification**

## 2.1 Classification of the substance or mixture

## Classification in accordance with Regulation (EC) No 1272/2008 (CLP)

Skin Sens. 1A: H317

## **Classification information**

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

## 2.2 Label elements

## Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)

### Hazard pictograms



### Signal word

Warning

## Hazardous component(s) to be indicated on label:

reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1)

2-methyl-2H-isothiazol-3-one

Trade name: KRONES colfix S 4026

Current version: 2.0.3, issued: 08.06.2021 Region: 2.0.1, issued: 26.02.2021 Region: GB

Hazard statement(s)

H317 May cause an allergic skin reaction.

Precautionary statement(s)

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves.

P302+P352 IF ON SKIN: Wash with plenty of water.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P362+P364 Take off contaminated clothing and wash it before reuse.

P501 Dispose of contents/container to a facility in accordance with local and national

regulations.

### 2.3 Other hazards

No data available.

## **SECTION 3: Composition/information on ingredients**

### 3.1 Substances

Not applicable. The product is not a substance.

### 3.2 Mixtures

### **Chemical characterization**

Aqueous, modified polyacrylate-based adhesive

## **Hazardous ingredients**

	Substance name		Additional information	
	CAS / EC / Index /	Classification (EC) 1272/2008 (CLP)	Concentration	%
	REACH no			
1	bronopol			
	52-51-7	Acute Tox. 4*; H302	< 0.10	wt%
	200-143-0	Acute Tox. 4*; H312		
	603-085-00-8	Aquatic Acute 1; H400		
	-	Eye Dam. 1; H318		
		Skin Irrit. 2; H315		
		STOT SE 3; H335		
2		5-chloro-2-methyl-4-isothiazolin-3-one [EC no.		
	_	ethyl-2H -isothiazol-3-one [EC no. 220-239-6]		
	(3:1)			
	55965-84-9	Acute Tox. 3; H301	>= 0.0015 - < 0.06	wt%
	-	Acute Tox. 2; H310		
	613-167-00-5	Acute Tox. 2; H330		
	01-2120764691-48	Aquatic Acute 1; H400		
		Aquatic Chronic 1; H410		
		Eye Dam. 1; H318		
		Skin Corr. 1C; H314		
		Skin Sens. 1A; H317		
		EUH071		
3	2-methyl-2H-isothi			
	2682-20-4	Acute Tox. 2; H330	< 0.10	wt%
	220-239-6	Acute Tox. 3; H301		
	613-326-00-9	Acute Tox. 3; H311		
	-	Aquatic Acute 1; H400		
		Aquatic Chronic 1; H410		
		EUH071		
		Eye Dam. 1; H318		
		Skin Corr. 1B; H314		
		Skin Sens. 1A; H317		

Full Text for all H-phrases and EUH-phrases: pls. see section 16

(\*,\*\*,\*\*\*,\*\*\*\*) Detailed explanation pls. refer to CLP regulation No. 1272/2008, annex VI, 1.2

No	Note	Specific concentration limits	M-factor (acute)	M-factor (chronic)
1	-	-	M = 10	-

Trade name: KRONES colfix S 4026

Current version: 2.0.3, issued: 08.06.2021 Reglaced version: 2.0.1, issued: 26.02.2021 Region: GB

2	-	Skin Sens. 1A; H317: C >= 0.0015%	M = 100	M = 100
		Eye Irrit. 2; H319: C >= 0.06%		
		Skin Irrit. 2; H315: C >= 0.06%		
		Skin Corr. 1C; H314: C >= 0.6%		
		Eye Dam. 1; H318: C >= 0.6%		
3	-	Skin Sens. 1A; H317: C >= 0.0015%	M = 10	M = 1

## **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

#### **General information**

Remove contaminated clothing and shoes immediately, and launder thoroughly before reusing. In case of persisting adverse effects, consult a physician.

### After inhalation

Remove affected persons from dangerous area by observing suitable respiratory protection measures. Ensure supply of fresh air. In case of persisting adverse effects consult a physician.

#### After skin contact

In case of contact with skin wash off with water. Consult a doctor if skin irritation persists.

### After eye contact

Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the unaffected eye (at least 10 to 15 minutes). Get medical attention if pain still persists.

### After ingestion

Rinse the mouth thoroughly with water. Do not induce vomiting. Never give anything by mouth to an unconscious person. Seek medical attention.

### 4.2 Most important symptoms and effects, both acute and delayed

No data available.

## 4.3 Indication of any immediate medical attention and special treatment needed

No data available.

## **SECTION 5: Firefighting measures**

## 5.1 Extinguishing media

### Suitable extinguishing media

Water mist; Foam; Extinguishing powder; Carbon dioxide; Extinguishing measures to suit surroundings.

## Unsuitable extinguishing media

High power water jet

## 5.2 Special hazards arising from the substance or mixture

In the event of fire, the following can be released: Toxic gases/vapours

## 5.3 Advice for firefighters

Use self-contained breathing apparatus. Wear protective clothing.

## **SECTION 6: Accidental release measures**

## 6.1 Personal precautions, protective equipment and emergency procedures

## For non-emergency personnel

Refer to protective measures listed in sections 7 and 8.

## For emergency responders

Personal protective equipment (PPE) - see section 8.

## 6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil.

## 6.3 Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regulations (see section 13).

Trade name: KRONES colfix S 4026

Current version: 2.0.3, issued: 08.06.2021 Region: Co.1, issued: 26.02.2021 Region: GB

### 6.4 Reference to other sections

Information regarding safe handling, see section 7. Information regarding personal protective measures, see section 8. Information regarding waste disposal, see section 13.

## **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

### Advice on safe handling

Risks inherent to handling the product must be minimised by applying the appropriate protective and preventive measures. Working processes should - so far as possible, according to the state of the art - be designed to rule out bodily contact or the release of hazardous substances. Avoid eye, skin and clothing contact.

### General protective and hygiene measures

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Do not inhale vapours. Avoid contact with eyes and skin. Wash hands before breaks and after work. Remove contaminated clothing and shoes and launder thoroughly before reusing.

## 7.2 Conditions for safe storage, including any incompatibilities

### Technical measures and storage conditions

Keep container tightly closed and dry in a cool, well-ventilated place. Keep from freezing.

### Requirements for storage rooms and vessels

Containers which are opened must be carefully closed and kept upright to prevent leakage. Always keep in containers of same material as the original.

## Incompatible products

Substances to be avoided, see section 10.

### 7.3 Specific end use(s)

No data available.

## **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

No parameters available for monitoring.

## 8.2 Exposure controls

## Appropriate engineering controls

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and solvent vapour below the OEL (=Occupational Exposure Limit), suitable respiratory protection must be worn.

## Personal protective equipment

### Respiratory protection

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of aerosol and mist formation, take appropriate measures for breathing protection in the event workplace threshold values are not specified.

### Eye / face protection

Safety glasses with side protection shield (EN 166)

### Hand protection

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific workstation suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

### Other

Chemical-resistant work clothes.

## **Environmental exposure controls**

No data available.

State of aggregation

Trade name: KRONES colfix S 4026

**Current version : 2.0.3**, issued: 08.06.2021 **Replaced version: 2.0.1**, issued: 26.02.2021 **Region: GB** 

# SECTION 9: Physical and chemical properties

## 9.1 Information on basic physical and chemical properties

liquid		
Form/Colour		
liquid		
white		
Odour		

Odour		
characteristic		

pH value		
Value	8.1	

Boiling point / boiling range			
Value	100	°C	

Melting point/freezing point	
No data available	

Decomposition temperature	
No data available	

Flash point	
No data available	

Ignition temperature	
No data available	

Auto-ignition temperature		
Comments	Product is not selfigniting.	

Explosive properties
The product does not have explosive properties

Flammal	oility		
	9.11		

NO data available
Lower explosion limit
No data available

Upper explosion limit
No data available

Vapour pressure	
Value	23 hPa

Relative vapour density	
No data available	

Relative density	
No data available	

Density			
Value	1.1	g/cm <sup>3</sup>	
Reference temperature	20	°C	

Solubility in water	
Comments	Completely miscible

Solubility	
No data available	

Partition coefficient n-octanol/water (log value)		
No data available		

Trade name: KRONES colfix S 4026

Current version: 2.0.3, issued: 08.06.2021 Reglaced version: 2.0.1, issued: 26.02.2021 Region: GB

Viscosity				
No data available				
Solvent content	Solvent content			
Value		0	%	
Solids content				
Value		34	%	
Particle characteristics				
No data available	•			

## 9.2 Other information

Other information	
No data available.	

## **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

Stable at ambient temperature.

## 10.2 Chemical stability

Stable under recommended storage and handling conditions (See section 7).

## 10.3 Possibility of hazardous reactions

Dangerous reactions are not to be expected when handling product according to its intended use.

### 10.4 Conditions to avoid

None, if handled according to intended use.

## 10.5 Incompatible materials

None known.

## 10.6 Hazardous decomposition products

None, if handled according to intended use.

# **SECTION 11: Toxicological information**

## 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity
No data available
Acute dermal toxicity
No data available
Acute inhalational toxicity
No data available
Skin corrosion/irritation
No data available
Serious eye damage/irritation
No data available
Respiratory or skin sensitisation
No data available
Germ cell mutagenicity
No data available
Reproduction toxicity
No data available
Carcinogenicity
No data available
STOT - single exposure

Trade name: KRONES colfix S 4026

Current version: 2.0.3, issued: 08.06.2021 Region: 2.0.1, issued: 26.02.2021 Region: GB

No data available

### STOT - repeated exposure

No data available

### **Aspiration hazard**

No data available

## 11.2 Information on other hazards

## **Endocrine disrupting properties**

No data available.

## Other information

No data available.

# **SECTION 12: Ecological information**

## 12.1 Toxicity

### Toxicity to fish (acute)

No data available

### Toxicity to fish (chronic)

No data available

### **Toxicity to Daphnia (acute)**

No data available

### Toxicity to Daphnia (chronic)

No data available

### Toxicity to algae (acute)

No data available

### Toxicity to algae (chronic)

No data available

## **Bacteria toxicity**

No data available

## 12.2 Persistence and degradability

No data available.

## 12.3 Bioaccumulative potential

No data available.

## 12.4 Mobility in soil

No data available.

### 12.5 Results of PBT and vPvB assessment

No data available.

## 12.6 Endocrine disrupting properties

No data available.

## 12.7 Other adverse effects

No data available.

## 12.8 Other information

### Other information

Do not discharge product unmonitored into the environment.

## **SECTION 13: Disposal considerations**

## 13.1 Waste treatment methods

### **Product**

Disposal of the product should be carried out in accordance with all applicable regulations following consultation with

Trade name: KRONES colfix S 4026

Current version: 2.0.3, issued: 08.06.2021 Reglaced version: 2.0.1, issued: 26.02.2021 Region: GB

the responsible local authority and the disposal company in an authorised and suitable disposal facility. Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

## **Packaging**

Residues must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.

## **SECTION 14: Transport information**

## 14.1 Transport ADR/RID/ADN

The product is not subject to ADR/RID/ADN regulations.

## 14.2 Transport IMDG

The product is not subject to IMDG regulations.

## 14.3 Transport ICAO-TI / IATA

The product is not subject to ICAO-TI / IATA regulations.

### 14.4 Other information

No data available.

### 14.5 Environmental hazards

Information on environmental hazards, if relevant, please see 14.1 - 14.3.

### 14.6 Special precautions for user

No data available.

### 14.7 Maritime transport in bulk according to IMO instruments

Not relevant

## **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulations

## Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

### REACH candidate list of substances of very high concern (SVHC) for authorisation

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

# Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES

The product is considered being subject to REACH regulation (EC) 1907/2006 annex XVII.

No

## Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances

This product is not subject to Part 1 or 2 of Annex I.

### Other regulations

Adhere to the national sanitary and occupational safety regulations when using this product.

## 15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for this mixture.

## **SECTION 16: Other information**

## Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

Trade name: KRONES colfix S 4026

Current version: 2.0.3, issued: 08.06.2021 Reglaced version: 2.0.1, issued: 26.02.2021 Region: GB

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section

# Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

EUH071 Corrosive to the respiratory tract.

H301 Toxic if swallowed.
H302 Harmful if swallowed.
H310 Fatal in contact with skin.
H311 Toxic in contact with skin.
H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H330 Fatal if inhaled.

H335 May cause respiratory irritation.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

### Creation of the safety data sheet

UMCO GmbH - D-21107 Hamburg, Georg-Wilhelm-Strasse 187, Tel.: +49(40)555 546 300, Fax: +49(40)555 546 357, e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

## Alterations/supplements:

Alterations to the previous edition are marked in the left-hand margin.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH.

Prod-ID 760771