

Technical data sheet

KRONES Hydrocare 3901**Acidic membrane cleaner****Product description and application**

KRONES Hydrocare 3901 is a concentrated, acidic detergent descaler free of surfactants and defoamers used especially for acidic membrane cleaning.
KRONES Hydrocare 3901 is highly effective at removing inorganic scale deposits. For industrial use only.

Operating conditions

Concentration:	0.5 – 2%
Dosing:	manually or conductivity controlled
Temperature:	ambient to 80°C
Contact time:	30 to 60min

Concentration check

Titration of p- and m-value

Physical data

Form/colour/smell:	liquid, clear, odorless
pH value:	strongly acidic
Density:	approx. 1.3g/cm ³
Flash point:	-
Foaming:	non foaming, contains no defoamer
Temperature stability:	stable at +4 to +40°C
Conductivity (in deionised water):	see conductivity table

Material compatibility

Compatible in the working concentration with all common materials in food industry like: Stainless steel, glass, PET, PE, PP, PVC, PVDF, PTFE and acid-proof elastomers.
Incompatible to mild steel, colored metal, zinc-coated or tin-coated surfaces.
At the same time, however, the possibility of material incompatibilities cannot be completely ruled out. We recommend to carry out appropriate tests in case of uncertainty.

Storage/ Shelf life

The product should be stored sealed in the original container in a cool, well ventilated place.
Minimum shelf life: 3 years.

Classification

Please refer to the corresponding safety data sheet for details on:

Hazardous Information
Transport Regulations
Safety Regulations

Disposal

Recycling of packaging only fully emptied and closed.
Any product residues must be disposed of in accordance with local regulations. For further information, please refer to our safety data sheet.

Further information

Contains: nitric acid
See EC safety data sheet

Special instructions

Rinse with sufficient amount of drinking water, to avoid any residues on surfaces, which could come into contact with foodstuff.

Due to possible incompatibilities with other products, it is recommended to rinse dosing equipment (pumps, pipes) thoroughly with water prior to a change-over to KRONES Hydrocare 3901.

This version of the technical data sheet supersedes all previous versions, which thereby become invalid.

All information and recommendations are based to the best of our knowledge on the latest state of the art in technology and our experience and do not constitute a contractual relationship. All references to DIN standards are for product description purposes only and do not constitute a guarantee.

Processing and material quantities need to be adjusted to account for local conditions. In the event of problems, please seek technical advice. Subject to changes.