

## Technical data sheet

**KRONES Hydrocare 3902****Acidic membrane cleaner****Product description and application**

KRONES Hydrocare 3902 is a concentrated, acidic detergent descaler based on different inorganic acids used especially for membrane cleaning.

KRONES Hydrocare 3902 is highly effective at removing inorganic and organo-mineralic scale deposits. For industrial use only.

**Operating conditions**

Concentration:	0.5 – 2%
Dosing:	manually or conductivity controlled
Temperature:	ambient to 80°C
Contact time:	30 to 60min

**Concentration check**

Titration of p- and m-value

**Physical data**

Form/colour/smell:	liquid, clear, odorless
pH value:	strongly acidic
Density:	approx. 1.3g/cm <sup>3</sup>
Flash point:	-
Foaming:	non foaming, contains no defoamer
Temperature stability:	stable at +4 to +40°C
Conductivity (in deionised water):	see conductivity table

**Material compatibility**

Compatible in the working concentration with all common materials in food industry like: Stainless steel, aluminium, glass, PET, PE, PP, PVC, PVDF, PTFE and acid-proof elastomeres.

Incompatible to mild steel, colored metal, zinc-coated or tin-coated surfaces.

At the same time, however, the possibility of material incompatibilities cannot be completely ruled out. We recommend to carry out appropriate tests in case of uncertainty.

**Storage/ Shelf life**

The product should be stored sealed in the original container in a cool, well ventilated place.

Minimum shelf life: 3 years.

**Classification**

Please refer to the corresponding safety data sheet for details on:

Hazardous Information

Transport Regulations

Safety Regulations

**Disposal**

Recycling of packaging only fully emptied and closed.

Any product residues must be disposed of in accordance with local regulations. For further information, please refer to our safety data sheet.

**Further information**

Contains: nitric acid, phosphoric acid  
See EC safety data sheet

### **Special instructions**

Rinse with sufficient amount of drinking water, to avoid any residues on surfaces, which could come into contact with foodstuff.

Due to possible incompatibilities with other products, it is recommended to rinse dosing equipment (pumps, pipes) thoroughly with water prior to a change-over to KRONES Hydrocare 3902.

---

This version of the technical data sheet supersedes all previous versions, which thereby become invalid.

All information and recommendations are based to the best of our knowledge on the latest state of the art in technology and our experience and do not constitute a contractual relationship. All references to DIN standards are for product description purposes only and do not constitute a guarantee.

Processing and material quantities need to be adjusted to account for local conditions. In the event of problems, please seek technical advice. Subject to changes.