Trade name: KRONES colclean CG DRY

Current version: 1.0.1, issued: 24.11.2020 Region: GB Replaced version: 1.0.0, issued: 23.11.2020

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 **Product identifier**

Trade name

#### KRONES colclean CG DRY

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

#### Relevant identified uses of the substance or mixture

Conveyor lubricant

#### Uses advised against

No data available.

#### 1.3 Details of the supplier of the safety data sheet

KIC KRONES Internationale Cooperationsgesellschaft mbH

Böhmerwaldstraße 5 93073 Neutraubling

Telephone no. +49 9401 70-3020 Fax no. +49 9401 70-3696 kic@kic-krones.com e-mail

#### **Advice on Safety Data Sheet**

sdb info@umco.de

#### **Emergency telephone number**

For medical advice (in German and English):

+49 (0)551 192 40 (Giftinformationszentrum Nord)

In case of transport incidents and other emergencies:

+44 (0) 1235 239 670 (NCEC, National Chemical Emergency Centre)

## **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

#### **Classification information**

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

This product does not meet the classification criteria given in the Regulation (EC) No 1272/2008 (CLP).

#### 2.2 Label elements

#### Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)

#### Hazard pictograms

### Signal word

#### Hazard statement(s)

#### Hazard statements (EU)

**EUH208** Contains reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and

2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1). May produce an allergic reaction.

**EUH210** Safety data sheet available on request.

#### Precautionary statement(s)

#### Labelling information

Trade name: KRONES colclean CG DRY

Current version: 1.0.1, issued: 24.11.2020 Region: GB Replaced version: 1.0.0, issued: 23.11.2020 Region: GB

The labelling (EU hazard statements) meets the criteria of annex II of Directive (EC) Nr. 1272/2008 (CLP).

#### 2.3 Other hazards

No data available.

## **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Not applicable. The product is not a substance.

#### 3.2 Mixtures

**Hazardous ingredients** 

No	Substance name		Addi	tional information	
	CAS / EC / Index /	Classification (EC) 1272/2008 (CLP)	Conc	entration	%
	REACH no				
1	2-(2-butoxyethoxy)				
	112-34-5	Eye Irrit. 2; H319	>=	5.00 - < 10.0	0 wt%
	203-961-6				
	603-096-00-8				
	01-2119475104-44				
2	Alkane C6-C8 (ever	n numbered), 1-sulphonic acid, sodium salt			
	1474044-66-0	Acute Tox. 4; H302	<	2.50	wt%
	939-625-7	Eye Irrit. 2; H319			
	-	Skin Irrit. 2; H315			
	01-2119985168-23				
3		5-chloro-2-methyl-4-isothiazolin-3-one [EC no.			
	247-500-7] and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6]				
	(3:1)				
	55965-84-9	Acute Tox. 2; H310	<	0.0015	wt%
	-	Acute Tox. 2; H330			
	613-167-00-5	Acute Tox. 3; H301			
	-	Aquatic Acute 1; H400			
		Aquatic Chronic 1; H410			
		EUH071			
		Eye Dam. 1; H318			
		Skin Corr. 1C; H314			
		Skin Sens. 1A; H317			
4	glycerol				
	56-81-5	-	>=	10.00 - < 25.0	0 wt%
	200-289-5				
	-				
	-				

Full Text for all H-phrases and EUH-phrases: pls. see section 16

No	Note	Specific concentration limits	M-factor (acute)	M-factor (chronic)
3	В	Skin Sens. 1A; H317: C >= 0.0015% Eye Irrit. 2; H319: C >= 0.06% Skin Irrit. 2; H315: C >= 0.06%	M = 100	M = 100
		Skin Corr. 1C; H314: C >= 0.6% Eye Dam. 1; H318: C >= 0.6%		

Full text for the notes: pls. see section 16 "Notes relating to the identification, classification and labelling of substances ((EC) No 1272/2008, Annex VI)".

## **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

#### **General information**

Remove contaminated clothing and shoes immediately, and launder thoroughly before reusing.

#### After inhalation

Remove affected persons from dangerous area by observing suitable respiratory protection measures. Ensure supply

Trade name: KRONES colclean CG DRY

Current version: 1.0.1, issued: 24.11.2020 Reglaced version: 1.0.0, issued: 23.11.2020 Region: GB

of fresh air. In case of persisting adverse effects consult a physician.

#### After skin contact

In case of contact with skin wash off with water. Consult a doctor if skin irritation persists.

#### After eye contact

Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the unaffected eye (at least 10 to 15 minutes). Get immediate ophthalmic treatment.

#### After ingestion

Rinse mouth thoroughly with water. Do not induce vomiting. Never give anything by mouth to an unconscious person. Seek medical advice.

#### 4.2 Most important symptoms and effects, both acute and delayed

No data available.

#### 4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically

## **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

#### Suitable extinguishing media

Water spray jet; Dry chemical extinguisher; Foam; Carbon dioxide

#### Unsuitable extinguishing media

High power water jet

#### 5.2 Special hazards arising from the substance or mixture

In the event of fire, the following can be released: Carbon monoxide and carbon dioxide; Toxic gases/vapours

#### 5.3 Advice for firefighters

Use self-contained breathing apparatus. Wear protective clothing. Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

## **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

#### For non-emergency personnel

Refer to protective measures listed in sections 7 and 8. Ensure adequate ventilation.

#### For emergency responders

Personal protective equipment (PPE) - see section 8.

#### 6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil.

#### 6.3 Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regulations (see section 13).

#### 6.4 Reference to other sections

Information regarding safe handling, see section 7. Information regarding personal protective measures, see section 8. Information regarding waste disposal, see section 13.

## **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

#### Advice on safe handling

Risks inherent to handling the product must be minimised by applying the appropriate protective and preventive measures. Working processes should - so far as possible, according to the state of the art - be designed to rule out bodily contact or the release of hazardous substances. Provide good ventilation at the work area (local exhaust ventilation, if necessary).

#### General protective and hygiene measures

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Do not inhale vapours. Avoid

Trade name: KRONES colclean CG DRY

Current version: 1.0.1, issued: 24.11.2020 Replaced version: 1.0.0, issued: 23.11.2020 Region: GB

contact with eyes and skin. Wash hands before breaks and after work. Remove contaminated clothing and shoes and launder thoroughly before reusing.

#### 7.2 Conditions for safe storage, including any incompatibilities

#### Technical measures and storage conditions

Keep container tightly closed and dry in a cool, well-ventilated place.

#### Requirements for storage rooms and vessels

Containers which are opened must be carefully closed and kept upright to prevent leakage. Always keep in containers of same material as the original.

#### Incompatible products

Substances to be avoided, see section 10. Do not store together with foodstuffs.

#### 7.3 Specific end use(s)

No data available.

## **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### Occupational exposure limit values

No	Substance name	CAS no.		EC no.	
1	glycerol	56-81-5		200-289-5	
	List of approved workplace exposure limits (WELs) /	EH40			
	Glycerol mist				
	WEL long-term (8-hr TWA reference period)	10	mg/m³		
2	2-(2-butoxyethoxy)ethanol	112-34-5		203-961-6	
	2006/15/EC				
	2-(2-Butoxyethoxy)ethanol				
	WEL short-term (15 min reference period)	101.2	mg/m³	15	ppm
	WEL long-term (8-hr TWA reference period)	67.5	mg/m³	10	ppm
	List of approved workplace exposure limits (WELs) /	EH40			
	2-(2-Butoxyethoxy)ethanol				
	WEL short-term (15 min reference period)	101.2	mg/m³	15	ppm
	WEL long-term (8-hr TWA reference period)	67.5	mg/m³	10	ppm

#### **DNEL, DMEL and PNEC values**

#### **DNEL** values (worker)

NI.	Substance name			CACIFO	
No				CAS / EC no	1
	Route of exposure	Exposure time	Effect	Value	
1	2-(2-butoxyethoxy)ethand	ol		112-34-5	
				203-961-6	
	dermal	Long term (chronic)	systemic	20	mg/kg/day
	inhalative	Long term (chronic)	systemic	67.5	mg/m³
	inhalative	Long term (chronic)	local	67.5	mg/m³
	inhalative	Short term (acut)	local	101.2	mg/m³
2	Alkane C6-C8 (even num	bered), 1-sulphonic acid, s	odium salt	1474044-66-	0
				939-625-7	
	dermal	Long term (chronic)	systemic	430	mg/kg/day
	inhalative	Long term (chronic)	systemic	30.32	mg/m³

#### **DNEL value (consumer)**

No	Substance name			CAS / EC no	
	Route of exposure			Value	
1	2-(2-butoxyethoxy)ethanol			112-34-5	
				203-961-6	
	oral	Long term (chronic)	systemic	1.25	mg/kg/day
	dermal	Long term (chronic)	systemic	10	mg/kg/day
	inhalative	Long term (chronic)	local	34	mg/m³
	inhalative	Long term (chronic)	systemic	34	mg/m³

Trade name: KRONES colclean CG DRY

Current version: 1.0.1, issued: 24.11.2020 Region: 1.0.0, issued: 23.11.2020 Region: GB

	inhalative	Short term (acut)	local	50.6	mg/m³
2	Alkane C6-C8 (even numb	pered), 1-sulphonic acid, s	odium salt	1474044-66-0	)
				939-625-7	
	oral	Long term (chronic)	systemic	2.15	mg/kg/day
	dermal	Long term (chronic)	systemic	215	mg/kg/day
	inhalative	Long term (chronic)	systemic	7.48	mg/m³

#### **PNEC values**

No	Substance name		CAS / EC no	
	ecological compartment	Туре	Value	
1	2-(2-butoxyethoxy)ethanol		112-34-5 203-961-6	
	water	fresh water	1.0	mg/L
	water	fresh water sediment	4.0	mg/kg
	with reference to: dry weight			
	water	marine water	0.1	mg/L
	water	marine water sediment	0.4	mg/kg
	with reference to: dry weight			
	water	Aqua intermittent	3.9	mg/L
	soil	-	0.4	mg/kg
	sewage treatment plant	-	200	mg/L

#### 8.2 Exposure controls

#### Appropriate engineering controls

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and solvent vapour below the OEL (=Occupational Exposure Limit), suitable respiratory protection must be worn.

#### Personal protective equipment

#### Respiratory protection

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of aerosol and mist formation, take appropriate measures for breathing protection in the event workplace threshold values are not specified.

#### Eye / face protection

Safety glasses with side protection shield (EN 166)

#### Hand protection

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific workstation suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

#### Other

Chemical-resistant work clothes.

#### **Environmental exposure controls**

No data available.

#### **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Form/Colour	
liquid	
yellowish	

Odour
characteristic

Odour threshold
No data available

#### pH value

Trade name: KRONES colclean CG DRY

Current version: 1.0.1, issued: 24.11.2020 Replaced version: 1.0.0, issued: 23.11.2020 Region: GB

Value	appr.	8	
Boiling point / boiling range			
Value	>	100 °C	
Melting point / melting range  No data available			
Decomposition point / decomposition range No data available			
Flash point			
No data available			
Auto-ignition temperature  No data available			
Oxidising properties			
No data available			
Explosive properties			
No data available			
Flammability (solid, gas)  No data available			
Lower flammability or explosive limits			
No data available			
Upper flammability or explosive limits			
No data available			
Vapour pressure No data available			
Vapour density			
No data available			
Evaporation rate			
No data available			
Relative density No data available			
Density			
Value		1.045 g/cm <sup>3</sup>	
Solubility in water			
No data available			
Solubility(ies) No data available			
Partition coefficient: n-octanol/water			
No. Substance name	CA		EC no

Part	Partition coefficient: n-octanol/water					
No	Substance name		CAS no.		EC no.	
1	Alkane C6-C8 (even numbered), 1-sulph	onic acid,	1474044-66-0		939-625-7	
	sodium salt					
log F	Pow			-0.7		
Refe	erence temperature			20	°C	
Meth	nod	OECD 107				
Soul	rce	ECHA				

Viscosity	
No data available	

## 9.2 Other information

Other information	
No data available.	

Trade name: KRONES colclean CG DRY

Current version: 1.0.1, issued: 24.11.2020 Reglaced version: 1.0.0, issued: 23.11.2020 Region: GB

## **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

Stable at ambient temperature.

#### 10.2 Chemical stability

Stable under recommended storage and handling conditions (See section 7).

#### 10.3 Possibility of hazardous reactions

Dangerous reactions are not to be expected when handling product according to its intended use.

#### 10.4 Conditions to avoid

None, if handled according to intended use.

#### 10.5 Incompatible materials

Metals

#### 10.6 Hazardous decomposition products

None, if handled according to intended use.

## **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

Acu	ute oral toxicity (result of the ATE calculatio	on for the mixture)
No	Product Name	
1	KRONES colclean CG DRY	
Com	E F Ia	The result of the applied calculation method according to the European Regulation (EC) 1272/2008 (CLP), Paragraph 3.1.3.6, Part 3 of Annex I is outside the values that imply a classification / abelling of this mixture according to table 3.1.1 defining the espective categories (ATE oral > 2000 mg/kg).

Acu	te oral toxicity			
No	Substance name		CAS no.	EC no.
	Alkane C6-C8 (even numbered), 1-sulph sodium salt	onic acid,	1474044-66-0	939-625-7
LD5	0	>	1550	mg/kg bodyweight
Spec	cies	rat		
Sour	rce	ECHA		

Acu	Acute dermal toxicity					
No	Substance name		CAS no.		EC no.	
1	Alkane C6-C8 (even numbered), 1-sulph	onic acid,	1474044-66-0		939-625-7	
	sodium salt					
LD5	0	>		2001	mg/kg bodyweight	
Spe	cies	rat				
Meth	nod	OECD 402				
Soul	rce	ECHA				

# Acute inhalational toxicity No data available

Skir	corrosion/irritation		
No	Substance name	CAS no.	EC no.
1	Alkane C6-C8 (even numbered), 1-sulph	onic acid, 1474044-66-0	939-625-7
	sodium salt		
Spe	cies	rabbit	
Meth	nod	16 CFR 1500.41	
Soul	rce	ECHA	
Eval	uation	irritant	

Seri	ous eye damage/irritation			
No	Substance name	CAS no.	EC no.	

Trade name: KRONES colclean CG DRY

Current version: 1.0.1, issued: 24.11.2020 Replaced version: 1.0.0, issued: 23.11.2020 Region: GB

	Alkane C6-C8 (even numbered), 1-sulphosodium salt	onic acid, 1474044-66-0 939-625-7
Spe	cies	rabbit
Meth	nod	16 CFR 1500.42
Soul	rce	ECHA
Eval	uation	irritant

Res	piratory or skin sensitisation		
No	Substance name	CAS no.	EC no.
1	Alkane C6-C8 (even numbered), 1-sulph	onic acid, 1474044-66-0	939-625-7
	sodium salt		
Rou	te of exposure	Skin	
Spec	cies	guinea pig	
Meth	hod	OECD 406	
Sour	rce	ECHA	
Eval	luation	non-sensitizing	

Ger	m cell mutagenicity		
No	Substance name	CAS no.	EC no.
1	Alkane C6-C8 (even numbered), 1-sulph	onic acid, 1474044-66-0	939-625-7
	sodium salt		
Spe	cies	Salmonella typhimurium TA98,	TA100, TA102, TA1535, TA1537
Method		OECD 471	
Soul	rce	ECHA	
Eval	uation/classification	Based on available data, the cla	assification criteria are not met.

Reproduction toxicity	
No data available	

Carcinogenicity	
No data available	

# STOT - single exposure No data available

STOT - repeated exposure	
No data available	

Aspiration hazard	
No data available	

## SECTION 12: Ecological information

## 12.1 Toxicity

Toxicity to fish (acute)						
No	Substance name		CAS no.		EC no.	
1	Alkane C6-C8 (even numbered), 1-sulph	onic acid,	1474044-66-0		939-625-7	
	sodium salt					
LC5	0	>		100	mg/	
Dura	ation of exposure			96	h	
Spe	cies	Danio rerio				
Metl	hod	OECD 203				
Sou	rce	ECHA				

Toxicity to fish (chronic)	
No data available	

Toxicity to Daphnia (acute)	
Toxicity to Dapinia (acute)	
No data available	

Toxicity to Daphnia (chronic)	
No data available	

Toxi	city to algae (acute)			
No	Substance name	CAS no.	EC no.	

Trade name: KRONES colclean CG DRY

Current version: 1.0.1, issued: 24.11.2020 Reglaced version: 1.0.0, issued: 23.11.2020 Region: GB

	Alkane C6-C8 (even numbered), 1-sulph sodium salt	onic acid,	1474044-66-0	939-625-7	
EC5	0	>	100	mg/l	
Dura	ation of exposure		72	h	
Species		Pseudokirchne	eriella subcapitata		
Meth	nod	OECD 201			
Soul	rce	ECHA			

Toxicity to algae (chronic)

No data available

Bacteria toxicity
No data available

12.2 Persistence and degradability

	2 1 crosterice and degradability					
Biod	Biodegradability					
No	Substance name		CAS no.		EC no.	
1	Alkane C6-C8 (even numbered), 1-sulph	onic acid,	1474044-66-0		939-625-7	
	sodium salt					
Valu	e			89.7	%	
Dura	ation			28	day(s)	
Meth	hod	OECD 301 B				
Soul	rce	ECHA				
Eval	luation	readily biodeg	gradable			

12.3 Bioaccumulative potential

Part	Partition coefficient: n-octanol/water					
No	Substance name		CAS no.		EC no.	
1	Alkane C6-C8 (even numbered), 1-sulph	onic acid,	1474044-66-0		939-625-7	
	sodium salt					
log F	Pow			-0.7		
Refe	erence temperature			20	°C	
Metl	hod	OECD 107				
Sou	rce	ECHA				

#### 12.4 Mobility in soil

No data available.

#### 12.5 Results of PBT and vPvB assessment

No data available.

#### 12.6 Other adverse effects

No data available.

#### 12.7 Other information

Other information
Do not discharge product unmonitored into the environment.

#### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

#### **Product**

Disposal of the product should be carried out in accordance with all applicable regulations following consultation with the responsible local authority and the disposal company in an authorised and suitable disposal facility. Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

#### **Packaging**

Residuals must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.

## **SECTION 14: Transport information**

Trade name: KRONES colclean CG DRY

Current version: 1.0.1, issued: 24.11.2020 Reglaced version: 1.0.0, issued: 23.11.2020 Region: GB

#### 14.1 Transport ADR/RID/ADN

The product is not subject to ADR/RID/ADN regulations.

#### 14.2 Transport IMDG

The product is not subject to IMDG regulations.

#### 14.3 Transport ICAO-TI / IATA

The product is not subject to ICAO-TI / IATA regulations.

#### 14.4 Other information

No data available.

#### 14.5 Environmental hazards

Information on environmental hazards, if relevant, please see 14.1 - 14.3.

#### 14.6 Special precautions for user

No data available.

#### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not relevant

## **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulations

#### Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

#### REACH candidate list of substances of very high concern (SVHC) for authorisation

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

# Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES

The product contains following substance(s) that are considered being subject to REACH regulation (EC) 1907/2006 annex XVII.

No	Substance name	CAS no.	EC no.	No	
1	2-(2-butoxyethoxy)ethanol	112-34-5	203-961-6	55	

#### Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances

This product is not subject to Part 1 or 2 of Annex I.

#### Other regulations

Adhere to the national sanitary and occupational safety regulations when using this product.

#### 15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for this mixture.

#### **SECTION 16: Other information**

#### Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section

Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

Trade name: KRONES colclean CG DRY

Current version: 1.0.1, issued: 24.11.2020 Reglaced version: 1.0.0, issued: 23.11.2020 Region: GB

EUH071	Corrosive to the respiratory tract.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

## Notes relating to the identification, classification and labelling of substances and mixtures ((EC) No 1272/2008, Annex VI)

B Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at

various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations. In Part 3 entries with Note B have a general designation of the following type: 'nitric acid ... %'. In this case the supplier must state the percentage concentration of the solution on the label. Unless otherwise stated, it is assumed that the percentage concentration is calculated on a

weight/weight basis.

#### Creation of the safety data sheet

UMCO GmbH - D-21107 Hamburg, Georg-Wilhelm-Strasse 187, Tel.: +49(40)555 546 300, Fax: +49(40)555 546 357, e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH.

Prod-ID 771963